State of Maine
Department of Human Services
Division of Data and Research

Annual Statistical Report
For the Calendar Year
1983

Michael R. Petit
Commissioner

Published in 1985

Ellen M. Naor
State Registrar

As Required By Statute 22 MRSA 2701

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1983. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics - 1983 has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Division of Data and Research. A particular note of acknowledgement and gratitude is owed to Marian B. Perkins, State Registrar from 1982 through 1984, whose many years of service to the Office of Vital Statistics contributed significantly to its present quality and stature.

Division of Data and Research staff most significantly involved in the production of the 1983 annual report include:

Carl Gerry, Systems Project Leader - Primary responsibility for systems analysis and revision, table design and production.

Ted Clark, William Turner and Michael Morin - Vital statistics systems maintenance and programming of vital statistics series reports.

Benjamin Ames, Statistician - Data quality control.

Dale Welch, Senior Researcher - Population statistics, table conception and design.

Donald Lemieux, Planning and Research Associate - Table conception and design.

Michael Fleming, Deputy Division Director - Report coordination and production.

Sue Whitley, Clerk Typist - Typing and word processing.

The joint efforts of all the staff of the Division's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Robert Packard, Field Agent - Coordination with cities and towns to produce the data in a timely fashion;

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

Page Number

Acknowledgements.. ii

Table of Contents.. iii

List of Tables.. v

List of Supplemental Tables Available on Request................ ix

Introduction.. 1

Definitions of Terms.. 3

Definitions of Rates.. 7

Technical Notes.. 9

- General Considerations.. 9
- Live Births.. 12
- Infant and Fetal Mortality.. 12
- General Mortality.. 12
- Induced Abortions.. 14
- Marriages and Divorces.. 15

Tables (See List of Tables for detailed titles).............. 17

- Live Births.. 17
- Infant and Fetal Mortality.. 69
- General Mortality.. 83
- Induced Abortions.. 117
- Marriages and Divorces.. 129

Appendices.. 137

- Appendix 1. - Maine Vital Record Certificates and Reports..... 139
  - Certificate of Live Birth.. 141
  - Report of Fetal Death.. 142
  - Certificate of Death.. 143
  - Report of Abortion (Spontaneous and Induced).............. 144
  - License and Certificate of Marriage........................ 145
  - Record of Divorce or Annulment.. 146

TABLE OF CONTENTS (Continued)

Page Number

Appendix 2 - 1983 Population Estimates and Projections........ 147

Population Estimates by County: Maine - July 1, 1983...... 149
Population Projections by Age Group: Maine - July 1, 1983. 150

Appendix 3 - Historical Vital Statistics Data................. 151

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1983 (yearly)............... 153
Induced Abortions, Number and Rate: Maine State Totals, 1978-1983.. 154

LIST OF TABLES

Table No.	Table Title	Page No.
	LIVE BIRTHS	
TABLE 1-01	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1983 (Resident Data)..	19
TABLE 1-02	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1983 (Resident Data)................................	20
TABLE 1-03	Live Births by Selected Medical History Characteristics: Maine State Totals, 1983 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies]..........................	21
TABLE 1-04	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]..................................	22
TABLE 1-05	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1983 (Resident Data)............	23
TABLE 1-06	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1983 (Resident Data)............	40
TABLE 1-07	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1983 (Resident Data)......................................	49
TABLE 1-08	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1983 (Resident Data)..	58
TABLE 1-09	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]......	64

Table No. Table Title Page No.

TABLE 1-10 Live Births by Selected Risk Characteristics--Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]..... 65

TABLE 1-11 Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data)...... 66

INFANT AND FETAL MORTALITY

TABLE 2-01 Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data).. 71

TABLE 2-02 Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)........... 75

TABLE 2-03 Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1983 (Resident Data).. 78

TABLE 2-04 Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1983 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies].. 79

TABLE 2-05 Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1983 (Resident Data)................................ 80

TABLE 2-06 Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]...................................... 81

TABLE 2-07 Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]................................... 82

GENERAL MORTALITY

TABLE 3-01 Deaths, Rank by Number of Deaths, and Death Rate--Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1983 (Resident Data)..... 85

Table No. Table Title Page No.

TABLE 3-02 Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1983 (Resident Data)........................... 90

TABLE 3-03 Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)........................... 91

TABLE 3-04 Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1983 (Resident Data).......... 110

TABLE 3-05 Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1983 (Resident Data).................. 112

TABLE 3-06 Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].. 113

TABLE 3-07 Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].................. 114

TABLE 3-08 Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].. 115

INDUCED ABORTIONS

TABLE 4-01 Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1983 (Resident Data)......................... 119

TABLE 4-02 Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1983 (Occurrence Data)... 120

TABLE 4-03 Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Resident Data)................ 121

TABLE 4-04 Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Occurrence Data)............. 122

TABLE 4-05 Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Resident Data)............. 123

TABLE 4-06 Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Occurrence Data)........... 124

Table No.	Table Title	Page No.
TABLE 4-07	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1983 (Occurrence Data)	125
TABLE 4-08	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Resident Data)	126
TABLE 4-09	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Occurrence Data)	127
TABLE 4-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1983 (Occurrence Data)	128

MARRIAGES AND DIVORCES

Table No.	Table Title	Page No.
TABLE 5-01	Marriages by Age of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	131
TABLE 5-02	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	132
TABLE 5-03	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1983 (Resident Data)	133
TABLE 5-04	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	134
TABLE 5-05	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1983 (Occurrence Data)	135

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.	
S1	Births and Deaths by County, Town, and Month.
S2	Live Births by Prenatal Care Index (in preparation).
S3	Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1983 (Occurrence).
S4	Teenage Pregnancies by Outcome and Marital Status: Resident Data - Maine, 1983.
S5	Listing of All Death Records by International Classification of Disease (ICD) Code.
S6	Induced Abortions to Females Aged Less Than 18 Years, by Single Year of Age and Marital Status: Maine Counties and State Total, 1983 (Resident Data).
S7	Live Births — Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S8	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County totals, and State Totals, 1983 (Resident Data)
S9	Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3500 Population, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Educaiton, Abortions in Hospital]
S10	Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1983 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
S11	Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1983 (Resident Data)

---

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In 1983, the computerized data system for vital records and statistics was completely reorganized and revised to promote more accurate and timely registration functions and statistical products. The data were rigorously edited at input and subsequently subjected to a number of consistency checks. The format and content of the statistical tables and reports to be produced from the new system were reviewed carefully for relevance, clarity and style. The resulting annual vital statistics report for 1983 is a culmination of these many and varied efforts to produce a document of the highest quality possible.

Only the minimum information necessary to use the tables has been included in the technical notes. In order to speed the process of making these data available to the public, the 1983 report does not contain interpretive comments and charts. We hope that these enhancements can be incorporated in future issues of this annual report.

The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Division of Data and Research
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 365 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate = $\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$ X 100,000

Birth Rate = $\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$ X 1,000

Cause-Specific Death Rate = $\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$ X 100,000

Death Rate = $\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$ X 1,000

Divorce Rate = $\frac{\text{Divorces}}{\text{Total Resident Population}}$ X 1,000

Fetal Death Rate = $\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$ X 1,000

Infant Death Rate = $\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$ X 1,000

Marriage Rate = $\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$ X 1,000

Maternal Death Rate = $\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$ X 10,000

Neonatal Death = $\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$ X 1,000

Perinatal Death Rate = $\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$ X 1,000

Post-Neonatal Death Rate = $\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}}$ X 1,000

Sex-Specific Death Rate = $\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$ X 100,000

---

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates in effect during 1983 are the source documents for data on vital events in Maine. A copy of each is included in Appendix 1. Note that current (1985) fetal death and marriage records vary somewhat from the 1983 forms.

The cut-off date for 1983 data in this report is April 15, 1984. Any data pertaining to 1983 events for which certificates were filed after April 15, 1984, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback is usually done by mail and is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: As noted in 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983. The new certificate uses a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.

- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.

- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from 1983-1992 Maine Population Projections, Division of Data and Research, Department of Human Services, June, 1984. A display of these population data is included in Appendix 2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

"Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Infant ands Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine did not participate in such exchange for fetal deaths in 1983, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is not available.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table 2-03. Tables 2-01, 2-05, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases. It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using the list of 282 cause groups (Table 3-03). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table 3-01 and 3-02 is based on 32 cause groups. The data on fetal and infant deaths, in Tables 2-01 and 2-02, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables.

Years of Life Lost: In Table 3-02, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.* The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

---

*Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, June, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table 3.04.

In Table 3-04, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer progrmas, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of all induced abortions in Maine in 1983 were obtained by out-of-state residents. Maine did not participate in the interstate program for exchange of induced abortion reports in 1983, so complementary data on Maine residents who received abortions in other states are not available.

The number of induced abortions reported during 1983 was nearly 35% greater than the number reported in 1982. This increase reflects, for the most part, the effect of a vigorous effort in the spring of 1983 to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table 4-01 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

TABLE 1-01

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** RACE OF CHILD *****					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	15	0.09	15	0	0	0	0	0
15	74	0.45	73	0	1	0	0	0
16	189	1.14	187	0	1	0	1	0
17	370	2.23	360	1	5	4	0	0
18	585	3.53	576	4	5	0	0	0
19	884	5.33	870	2	7	5	0	0
20-24	5,914	35.68	5,805	45	37	10	10	7
25-29	5,233	31.57	5,161	22	27	14	8	1
30-34	2,577	15.55	2,539	12	12	7	4	3
35-39	623	3.76	616	3	0	2	2	0
40-44	89	0.54	88	0	1	0	0	0
GREATER THAN 44	4	0.02	4	0	0	0	0	0
UNKNOWN	19	0.11	19	0	0	0	0	0
STATE TOTALS	16,576		16,313	89	96	42	25	11
PERCENT DISTRIBUTION		100.00	98.41	0.54	0.58	0.25	0.15	0.07
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	15	0.60	15	0	0	0	0	0
15	63	2.52	62	0	1	0	0	0
16	137	5.47	135	0	1	0	1	0
17	224	8.95	217	1	3	3	0	0
18	269	10.75	261	3	5	0	0	0
19	307	12.27	303	1	2	1	0	0
20-24	939	37.51	911	9	12	6	1	0
25-29	382	15.26	364	4	11	3	0	0
30-34	118	4.71	109	2	5	1	1	0
35-39	35	1.40	34	1	0	0	0	0
40-44	11	0.44	10	0	1	0	0	0
GREATER THAN 44	1	0.04	1	0	0	0	0	0
UNKNOWN	2	0.08	2	0	0	0	0	0
STATE TOTALS	2,503		2,424	21	41	14	3	0
PERCENT DISTRIBUTION		100.00	96.84	0.84	1.64	0.56	0.12	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-02

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

			MOTHER'S AGE(YRS.)												
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS															
LESS THAN 500	10	0.06	0	0	1	0	0	0	1	4	2	2	0	0	0
500-999	61	0.37	0	1	1	1	5	6	24	12	10	0	0	0	1
1000-1499	77	0.46	0	5	0	7	4	3	23	18	15	2	0	0	0
1500-1999	178	1.07	0	0	3	10	12	10	46	56	28	11	1	1	0
2000-2499	592	3.57	1	4	6	21	24	42	199	172	91	24	7	1	0
2500-2999	2,229	13.45	4	7	29	71	86	158	841	650	296	76	9	0	2
3000-3499	5,888	35.52	5	29	72	136	222	331	2,205	1,820	839	196	24	1	8
3500-3999	5,264	31.76	1	19	60	94	163	246	1,819	1,734	883	208	31	0	6
4000-4499	1,818	10.97	4	9	13	21	65	69	623	606	311	80	15	1	1
4500-4999	403	2.43	0	0	4	8	4	16	119	143	87	19	2	0	1
GREATER THAN 4999	46	0.28	0	0	0	1	0	3	12	14	12	4	0	0	0
UNKNOWN	10	0.06	0	0	0	0	0	0	2	4	3	1	0	0	0
STATE TOTALS	16,576		15	74	189	370	585	884	5,914	5,233	2,577	623	89	4	19
PERCENT DIST.		100.00	0.09	0.45	1.14	2.23	3.53	5.33	35.68	31.57	15.55	3.76	0.54	0.02	0.11
OUT OF WEDLOCK BIRTHS															
LESS THAN 500	2	0.08	0	0	0	0	0	0	0	1	0	1	0	0	0
500-999	10	0.40	0	0	1	1	2	1	5	0	0	0	0	0	0
1000-1499	23	0.92	0	5	0	4	1	2	7	3	1	0	0	0	0
1500-1999	45	1.80	0	0	3	7	5	2	14	8	3	2	0	1	0
2000-2499	151	6.03	1	3	6	14	13	19	60	17	12	2	4	0	0
2500-2999	442	17.66	4	7	23	41	43	59	167	72	17	8	0	0	1
3000-3499	940	37.55	5	25	54	88	110	126	354	133	34	9	2	0	0
3500-3999	642	25.65	1	14	42	52	70	75	239	100	35	8	5	0	1
4000-4499	189	7.55	4	9	6	11	22	16	72	35	11	3	0	0	0
4500-4999	51	2.04	0	0	2	5	3	6	19	12	3	1	0	0	0
GREATER THAN 4999	6	0.24	0	0	0	1	0	1	2	1	1	0	0	0	0
UNKNOWN	2	0.08	0	0	0	0	0	0	0	0	1	1	0	0	0
STATE TOTALS	2,503		15	63	137	224	269	307	939	382	118	35	11	1	2
PERCENT DIST.		100.00	0.60	2.52	5.47	8.95	10.75	12.27	37.51	15.26	4.71	1.40	0.44	0.04	0.08
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.10	100.00	85.14	72.49	60.54	45.98	34.73	15.88	7.30	4.58	5.62	12.36	25.00	10.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY

CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	333	2.0
ECLAMPSIA	13	0.1
PREECLAMPSIA	522	3.1
RH SENSITIZATION	65	0.4
ANEMIA(HIGH 10 GM/HCT 30%)	171	1.0
ANMIONITIS	37	0.2
URINARY TRACT INFECTION	342	2.1
PREMATURE LABOR(BEFORE 37 WEEKS)	689	4.2
PREMATURE DELIVERY(BEFORE 37 WEEKS)	567	3.4
PROM(24 HRS. BEFORE DELIVERY)	473	2.9
OTHER	795	4.8
NONE	13,642	82.3
UNKNOWN	25	0.2

ILLNESS OR CONDITION AFFECTING PREGNANCY

CONDITION	NUMBER	%
TOBACCO USE	2,002	12.1
HEART DISEASE SYMPTOMATIC	15	0.1
HYPERTENSION	335	2.0
CHRONIC RENAL DISEASE	15	0.1
PYELOCYSTITIS	19	0.1
DES EXPOSURE	30	0.2
ALCOHOL DEPENDENCE	20	0.1
DRUG ADDICTION OR DEPENDENCE	18	0.1
PREVIOUS C-SECTION	479	2.9
OBESITY	462	2.8
GESTATIONAL DIABETES	91	0.5
CHRONIC DIABETES	32	0.2
OTHER	455	2.7
NONE	13,020	78.5
UNKNOWN	27	0.2

COMPLICATIONS OF LABOR

CONDITION	NUMBER	%
ABRUPTIO PLACENTA	155	0.9
PLACENTA PREVIA	54	0.3
CORD PROLAPSE OR COMPRESSION	168	1.0
DYSTOCIA	1,071	6.5
BREECH	443	2.7
INDUCTION	135	0.8
INTRAPARTUM FEVER/ CHORIOAMNION.	73	0.4
FETAL DISTRESS	603	3.6
LABOR 18 HRS.	424	2.6
OTHER	955	5.8
NONE	13,156	79.4
UNKNOWN	27	0.2

METHOD OF DELIVERY

METHOD	NUMBER	%
SPONTANEOUS CONTROLLED	12,430	75.0
SPONTANEOUS UNCONTROLLED	157	0.9
LOW FORCEPS	623	3.8
OTHER FORCEPS PROCEDURE	212	1.3
PRIMARY C-SECTION	1,799	10.9
REPEAT C-SECTION	1,108	6.7
BREECH DELIVERY	82	0.5
VERSION AND EXTRACTION	20	0.1
OTHER	185	1.1

CONGENITAL ANOMALIES

CONDITION	NUMBER	%
ANENCEPHALUS	6	0.0
SPINA BIFIDA	3	0.0
OTHER NERVOUS SYSTEM	14	0.1
CLEFT LIP/PALATE	22	0.1
EYE	6	0.0
EAR, FACE, NECK	20	0.1
HEART	33	0.2
OTHER CIRCULATORY SYSTEM	8	0.0
RESPIRATORY SYSTEM	86	0.5
DIGESTIVE SYSTEM	15	0.1
GENITAL ORGANS	45	0.3
URINARY SYSTEM	17	0.1
MUSCULOSKEL.	70	0.4
INTEGUMENT	34	0.2
CHROMOSOMAL	24	0.1
OTHER	130	0.8
NONE	16,083	97.0
UNKNOWN	26	0.2

NOTES: PERCENTAGES ARE BASED ON THE 16,576 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-04

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

		RISK CHARACTERISTICS								
COUNTY	TOTAL BIRTHS	5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,484	7	0.5	29	2.0	89	6.0	68	4.6	1.04
AROOSTOOK	1,313	4	0.3	21	1.6	65	5.0	87	6.6	1.09
CUMBERLAND	3,171	11	0.3	49	1.5	184	5.8	133	4.2	1.01
FRANKLIN	411	6	1.5	7	1.7	29	7.1	27	6.6	1.03
HANCOCK	648	8	1.2	18	2.8	43	6.6	48	7.4	1.15
KENNEBEC	1,546	15	1.0	28	1.8	93	6.0	85	5.5	1.08
KNOX	467	6	1.3	5	1.1	26	5.6	35	7.5	1.00
LINCOLN	420	3	0.7	12	2.9	21	5.0	19	4.5	1.09
OXFORD	704	5	0.7	16	2.3	37	5.3	24	3.4	1.04
PENOBSCOT	1,910	20	1.0	26	1.4	112	5.9	115	6.0	1.02
PISCATAQUIS	232	5	2.2	2	0.9	5	2.2	10	4.3	1.11
SAGADAHOC	521	5	1.0	20	3.8	28	5.4	35	6.7	1.06
SOMERSET	680	7	1.0	17	2.5	34	5.0	30	4.4	0.99
WALDO	462	2	0.4	11	2.4	20	4.3	20	4.3	0.89
WASHINGTON	515	1	0.2	9	1.7	23	4.5	21	4.1	1.15
YORK	2,092	12	0.6	45	2.2	109	5.2	79	3.8	1.09
STATE TOTALS	16,576	117	0.7	315	1.9	918	5.5	836	5.0	1.05

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	2	0.13	1	1	0	2	0	0	0	0	0
15	9	0.61	7	2	0	8	1	0	0	0	0
16	19	1.28	9	10	0	18	1	0	0	0	0
17	34	2.29	20	14	0	30	4	0	0	0	0
18	77	5.19	36	41	0	61	14	2	0	0	0
19	91	6.13	47	44	0	64	23	4	0	0	0
20-24	616	41.51	319	297	0	293	255	59	7	2	0
25-29	426	28.71	211	215	0	128	183	88	21	6	0
30-34	156	10.51	79	77	0	39	56	37	15	9	0
35-39	47	3.17	22	25	0	12	6	12	7	10	0
40-44	7	0.47	4	3	0	1	0	1	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,484		755	729	0	656	543	203	51	31	0
PERCENT DISTRIBUTION		100.00	50.88	49.12	0.00	44.20	36.59	13.68	3.44	2.09	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.77	1	1	0	2	0	0	0	0	0
15	9	3.45	7	2	0	8	1	0	0	0	0
16	9	3.45	5	4	0	9	0	0	0	0	0
17	23	8.81	13	10	0	21	2	0	0	0	0
18	39	14.94	18	21	0	31	6	2	0	0	0
19	31	11.88	17	14	0	24	6	1	0	0	0
20-24	96	36.78	54	42	0	51	38	5	2	0	0
25-29	38	14.56	12	26	0	8	18	7	2	3	0
30-34	6	2.30	2	4	0	1	2	1	0	2	0
35-39	6	2.30	4	2	0	3	0	1	1	1	0
40-44	2	0.77	2	0	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	261		135	126	0	158	73	17	5	8	0
PERCENT DISTRIBUTION		100.00	51.72	48.28	0.00	60.54	27.97	6.51	1.92	3.07	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		17.59	17.88	17.28	0.00	24.09	13.44	8.37	9.80	25.81	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	1	0.08	0	1	0	1	0	0	0	0	0
15	11	0.84	6	5	0	11	0	0	0	0	0
16	18	1.37	9	9	0	18	0	0	0	0	0
17	36	2.74	14	22	0	31	5	0	0	0	0
18	35	2.67	16	19	0	25	8	2	0	0	0
19	78	5.94	44	34	0	51	21	6	0	0	0
20-24	544	41.43	297	247	0	283	192	52	12	5	0
25-29	380	28.94	197	183	0	108	174	72	17	9	0
30-34	154	11.73	72	82	0	24	48	49	23	10	0
35-39	42	3.20	22	20	0	6	10	11	7	8	0
40-44	12	0.91	8	4	0	1	1	4	1	5	0
GREATER THAN 44	1	0.08	0	1	0	0	0	0	0	1	0
UNKNOWN	1	0.08	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	1,313		685	628	0	560	459	196	60	38	0
PERCENT DISTRIBUTION		100.00	52.17	47.83	0.00	42.65	34.96	14.93	4.57	2.89	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.57	0	1	0	1	0	0	0	0	0
15	7	3.98	3	4	0	7	0	0	0	0	0
16	13	7.39	7	6	0	13	0	0	0	0	0
17	20	11.36	11	9	0	19	1	0	0	0	0
18	15	8.52	5	10	0	13	1	1	0	0	0
19	21	11.93	14	7	0	13	5	3	0	0	0
20-24	61	34.66	37	24	0	31	20	7	1	2	0
25-29	26	14.77	16	10	0	10	10	1	3	2	0
30-34	7	3.98	3	4	0	0	2	3	0	2	0
35-39	3	1.70	1	2	0	1	0	2	0	0	0
40-44	2	1.14	1	1	0	0	0	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	176		98	78	0	108	39	18	4	7	0
PERCENT DISTRIBUTION		100.00	55.68	44.32	0.00	61.36	22.16	10.23	2.27	3.98	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.40	14.31	12.42	0.00	19.29	8.50	9.18	6.67	18.42	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER

MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	2	0.06	1	1	0	2	0	0	0	0	0
15	11	0.35	6	5	0	9	1	0	0	1	0
16	31	0.98	15	16	0	30	1	0	0	0	0
17	62	1.96	29	33	0	53	7	2	0	0	0
18	86	2.71	45	41	0	72	11	3	0	0	0
19	156	4.92	83	73	0	118	31	6	1	0	0
20-24	959	30.24	465	494	0	568	290	86	10	5	0
25-29	1,106	34.88	557	549	0	512	404	141	32	16	1
30-34	596	18.80	312	284	0	230	205	106	37	18	0
35-39	139	4.38	74	65	0	31	45	35	15	13	0
40-44	18	0.57	5	13	0	2	3	4	3	6	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	5	0.16	3	2	0	4	0	0	1	0	0
COUNTY TOTALS	3,171		1,595	1,576	0	1,631	998	383	99	59	1
PERCENT DISTRIBUTION		100.00	50.30	49.70	0.00	51.43	31.47	12.08	3.12	1.86	0.03
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.44	1	1	0	2	0	0	0	0	0
15	10	2.20	6	4	0	8	1	0	0	1	0
16	24	5.29	12	12	0	23	1	0	0	0	0
17	44	9.69	19	25	0	37	6	1	0	0	0
18	47	10.35	26	21	0	42	3	2	0	0	0
19	56	12.33	35	21	0	45	9	2	0	0	0
20-24	172	37.89	83	89	0	98	51	17	3	3	0
25-29	67	14.76	37	30	0	25	22	11	6	3	0
30-34	26	5.73	18	8	0	12	4	7	1	2	0
35-39	3	0.66	1	2	0	1	0	1	1	0	0
40-44	2	0.44	2	0	0	0	0	0	1	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.22	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	454		241	213	0	294	97	41	12	10	0
PERCENT DISTRIBUTION		100.00	53.08	46.92	0.00	64.76	21.37	9.03	2.64	2.20	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		14.32	15.11	13.52	0.00	18.03	9.72	10.70	12.12	16.95	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.24	1	0	0	1	0	0	0	0	0
15	1	0.24	0	1	0	1	0	0	0	0	0
16	5	1.22	2	3	0	5	0	0	0	0	0
17	7	1.70	4	3	0	7	0	0	0	0	0
18	16	3.89	7	9	0	10	6	0	0	0	0
19	24	5.84	16	8	0	20	3	0	0	1	0
20-24	153	37.23	74	79	0	78	52	21	1	1	0
25-29	129	31.39	69	60	0	38	62	18	6	5	0
30-34	49	11.92	21	28	0	8	24	10	3	4	0
35-39	24	5.84	14	10	0	4	3	4	7	6	0
40-44	2	0.49	1	1	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	411		209	202	0	172	150	53	17	19	0
PERCENT DISTRIBUTION		100.00	50.85	49.15	0.00	41.85	36.50	12.90	4.14	4.62	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.56	1	0	0	1	0	0	0	0	0
15	1	1.56	0	1	0	1	0	0	0	0	0
16	5	7.81	2	3	0	5	0	0	0	0	0
17	4	6.25	2	2	0	4	0	0	0	0	0
18	5	7.81	4	1	0	4	1	0	0	0	0
19	7	10.94	4	3	0	5	2	0	0	0	0
20-24	27	42.19	15	12	0	18	6	3	0	0	0
25-29	8	12.50	6	2	0	2	2	2	2	0	0
30-34	4	6.25	1	3	0	0	3	0	0	1	0
35-39	2	3.13	1	1	0	1	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	64		36	28	0	41	14	6	2	1	0
PERCENT DISTRIBUTION		100.00	56.25	43.75	0.00	64.06	21.88	9.38	3.13	1.56	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.57	17.22	13.86	0.00	23.84	9.33	11.32	11.76	5.26	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.46	1	2	0	3	0	0	0	0	0
16	5	0.77	2	3	0	5	0	0	0	0	0
17	17	2.62	11	6	0	13	4	0	0	0	0
18	19	2.93	11	8	0	18	1	0	0	0	0
19	45	6.94	25	20	0	34	10	0	0	1	0
20-24	231	35.65	131	100	0	129	78	22	1	1	0
25-29	202	31.17	96	106	0	87	78	26	5	6	0
30-34	106	16.36	63	43	0	35	38	19	12	2	0
35-39	17	2.62	6	11	0	3	4	2	3	5	0
40-44	3	0.46	1	2	0	1	0	0	0	1	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	648		347	301	0	328	213	69	21	16	1
PERCENT DISTRIBUTION		100.00	53.55	46.45	0.00	50.62	32.87	10.65	3.24	2.47	0.15
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	1.90	1	1	0	2	0	0	0	0	0
16	2	1.90	1	1	0	2	0	0	0	0	0
17	9	8.57	6	3	0	8	1	0	0	0	0
18	7	6.67	6	1	0	7	0	0	0	0	0
19	15	14.29	6	9	0	11	3	0	0	1	0
20-24	49	46.67	26	23	0	32	11	5	1	0	0
25-29	16	15.24	6	10	0	6	5	4	0	1	0
30-34	2	1.90	0	2	0	1	0	0	1	0	0
35-39	3	2.86	1	2	0	1	1	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	105		53	52	0	70	21	9	2	3	0
PERCENT DISTRIBUTION		100.00	50.48	49.52	0.00	66.67	20.00	8.57	1.90	2.86	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.20	15.27	17.28	0.00	21.34	9.86	13.04	9.52	18.75	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	1	0.06	0	1	0	1	0	0	0	0	0
15	5	0.32	1	4	0	5	0	0	0	0	0
16	19	1.23	7	12	0	16	3	0	0	0	0
17	23	1.49	12	11	0	17	6	0	0	0	0
18	55	3.56	24	31	0	39	14	1	0	1	0
19	84	5.43	45	39	0	59	22	2	0	1	0
20-24	545	35.25	292	253	0	288	194	53	9	1	0
25-29	512	33.12	259	253	0	169	218	98	18	8	1
30-34	248	16.04	138	110	0	60	106	56	13	13	0
35-39	46	2.98	19	27	0	8	15	11	6	6	0
40-44	7	0.45	3	4	0	0	2	0	4	1	0
GREATER THAN 44	1	0.06	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,546		801	745	0	663	580	221	50	31	1
PERCENT DISTRIBUTION		100.00	51.81	48.19	0.00	42.88	37.52	14.29	3.23	2.01	0.06
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.42	0	1	0	1	0	0	0	0	0
15	4	1.67	1	3	0	4	0	0	0	0	0
16	16	6.67	7	9	0	13	3	0	0	0	0
17	15	6.25	5	10	0	10	5	0	0	0	0
18	25	10.42	11	14	0	20	3	1	0	1	0
19	33	13.75	17	16	0	23	9	1	0	0	0
20-24	104	43.33	62	42	0	58	31	11	3	1	0
25-29	29	12.08	15	14	0	5	17	6	0	1	0
30-34	10	4.17	6	4	0	1	1	5	1	2	0
35-39	2	0.83	1	1	0	0	0	0	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	1	0.42	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	240		126	114	0	136	69	24	5	6	0
PERCENT DISTRIBUTION		100.00	52.50	47.50	0.00	56.67	28.75	10.00	2.08	2.50	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.52	15.73	15.30	0.00	20.51	11.90	10.86	10.00	19.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KNOX											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.21	0	1	0	1	0	0	0	0	0
16	2	0.43	0	2	0	2	0	0	0	0	0
17	15	3.21	9	6	0	11	4	0	0	0	0
18	24	5.14	12	12	0	21	3	0	0	0	0
19	18	3.85	5	13	0	15	3	0	0	0	0
20-24	134	28.69	74	60	0	67	47	15	3	2	0
25-29	156	33.40	76	80	0	57	58	33	4	4	0
30-34	90	19.27	43	47	0	23	35	20	7	5	0
35-39	26	5.57	15	11	0	7	10	4	2	3	0
40-44	1	0.21	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	467		234	233	0	204	160	72	16	15	0
PERCENT DISTRIBUTION		100.00	50.11	49.89	0.00	43.68	34.26	15.42	3.43	3.21	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.41	0	1	0	1	0	0	0	0	0
16	2	2.82	0	2	0	2	0	0	0	0	0
17	7	9.86	4	3	0	6	1	0	0	0	0
18	12	16.90	6	6	0	11	1	0	0	0	0
19	10	14.08	4	6	0	8	2	0	0	0	0
20-24	29	40.85	15	14	0	14	8	4	1	2	0
25-29	8	11.27	3	5	0	4	0	3	0	1	0
30-34	1	1.41	1	0	0	1	0	0	0	0	0
35-39	1	1.41	0	1	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	71		33	38	0	47	12	8	1	3	0
PERCENT DISTRIBUTION		100.00	46.48	53.52	0.00	66.20	16.90	11.27	1.41	4.23	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.20	14.10	16.31	0.00	23.04	7.50	11.11	6.25	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LINCOLN											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.24	1	0	0	1	0	0	0	0	0
16	8	1.90	4	4	0	8	0	0	0	0	0
17	14	3.33	5	9	0	12	2	0	0	0	0
18	11	2.62	8	3	0	10	1	0	0	0	0
19	25	5.95	15	10	0	16	7	2	0	0	0
20-24	121	28.81	63	58	0	65	46	9	1	0	0
25-29	134	31.90	66	68	0	55	47	24	6	2	0
30-34	86	20.48	49	37	0	23	33	20	4	5	1
35-39	18	4.29	7	11	0	2	5	7	3	1	0
40-44	1	0.24	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.24	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	420		219	201	0	193	141	63	14	8	1
PERCENT DISTRIBUTION		100.00	52.14	47.86	0.00	45.95	33.57	15.00	3.33	1.90	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.04	1	0	0	1	0	0	0	0	0
16	6	12.24	3	3	0	6	0	0	0	0	0
17	5	10.20	2	3	0	5	0	0	0	0	0
18	5	10.20	3	2	0	5	0	0	0	0	0
19	5	10.20	2	3	0	3	1	1	0	0	0
20-24	15	30.61	6	9	0	8	5	2	0	0	0
25-29	10	20.41	6	4	0	4	3	1	1	1	0
30-34	2	4.08	0	2	0	0	0	2	0	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	49		23	26	0	32	9	6	1	1	0
PERCENT DISTRIBUTION		100.00	46.94	53.06	0.00	65.31	18.37	12.24	2.04	2.04	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		11.67	10.50	12.94	0.00	16.58	6.38	9.52	7.14	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

ALL BIRTHS

OXFORD

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	7	0.99	3	4	0	7	0	0	0	0	0
16	9	1.28	6	3	0	8	1	0	0	0	0
17	14	1.99	8	6	0	13	1	0	0	0	0
18	23	3.27	13	10	0	16	5	2	0	0	0
19	35	4.97	22	13	0	23	12	0	0	0	0
20-24	289	41.05	144	145	0	142	103	39	4	1	0
25-29	196	27.84	101	95	0	66	85	31	11	3	0
30-34	112	15.91	53	59	0	34	37	26	8	7	0
35-39	14	1.99	7	7	0	1	3	3	4	3	0
40-44	4	0.57	2	2	0	0	1	0	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.14	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	704		359	345	0	311	248	101	28	16	0
PERCENT DISTRIBUTION		100.00	50.99	49.01	0.00	44.18	35.23	14.35	3.98	2.27	0.00

OUT OF WEDLOCK BIRTHS

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	7	6.48	3	4	0	7	0	0	0	0	0
16	6	5.56	5	1	0	5	1	0	0	0	0
17	8	7.41	6	2	0	7	1	0	0	0	0
18	3	2.78	2	1	0	1	2	0	0	0	0
19	18	16.67	9	9	0	13	5	0	0	0	0
20-24	35	32.41	16	19	0	20	10	5	0	0	0
25-29	24	22.22	14	10	0	15	2	4	2	1	0
30-34	5	4.63	1	4	0	1	1	2	0	1	0
35-39	2	1.85	0	2	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	108		56	52	0	69	22	12	3	2	0
PERCENT DISTRIBUTION		100.00	51.85	48.15	0.00	63.89	20.37	11.11	2.78	1.85	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.34	15.60	15.07	0.00	22.19	8.87	11.88	10.71	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX MALE	SEX FEMALE	SEX UNKNOWN	BIRTH ORDER 1	BIRTH ORDER 2	BIRTH ORDER 3	BIRTH ORDER 4	BIRTH ORDER GREATER THAN 4	BIRTH ORDER UNKNOWN
ALL BIRTHS											
PENOBSCOT											
LESS THAN 15	3	0.16	1	2	0	3	0	0	0	0	0
15	13	0.68	6	7	0	13	0	0	0	0	0
16	16	0.84	10	6	0	16	0	0	0	0	0
17	45	2.36	26	19	0	37	8	0	0	0	0
18	85	4.45	41	44	0	65	19	1	0	0	0
19	99	5.18	57	42	0	67	27	4	1	0	0
20-24	706	36.96	338	368	0	377	238	71	14	6	0
25-29	584	30.58	292	292	0	216	233	96	31	8	0
30-34	276	14.45	145	131	0	77	118	56	19	6	0
35-39	72	3.77	42	30	0	16	16	18	12	10	0
40-44	10	0.52	6	4	0	2	0	1	4	3	0
GREATER THAN 44	1	0.05	0	1	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1.910		964	946	0	889	659	247	81	34	0
PERCENT DISTRIBUTION		100.00	50.47	49.53	0.00	46.54	34.50	12.93	4.24	1.78	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.95	1	2	0	3	0	0	0	0	0
15	11	3.49	5	6	0	11	0	0	0	0	0
16	11	3.49	7	4	0	11	0	0	0	0	0
17	32	10.16	15	17	0	29	3	0	0	0	0
18	44	13.97	20	24	0	33	11	0	0	0	0
19	36	11.43	20	16	0	26	7	2	1	0	0
20-24	111	35.24	50	61	0	63	30	15	1	2	0
25-29	50	15.87	26	24	0	20	14	12	3	1	0
30-34	14	4.44	7	7	0	5	6	2	1	0	0
35-39	3	0.95	2	1	0	1	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	315		153	162	0	202	72	31	7	3	0
PERCENT DISTRIBUTION		100.00	48.57	51.43	0.00	64.13	22.86	9.84	2.22	0.95	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.49	15.87	17.12	0.00	22.72	10.93	12.55	8.64	8.82	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.43	0	1	0	1	0	0	0	0	0
16	2	0.86	0	2	0	2	0	0	0	0	0
17	6	2.59	5	1	0	6	0	0	0	0	0
18	12	5.17	6	6	0	12	0	0	0	0	0
19	12	5.17	5	7	0	7	5	0	0	0	0
20-24	87	37.50	50	37	0	41	37	7	1	1	0
25-29	64	27.59	29	35	0	20	25	13	6	0	0
30-34	29	12.50	19	10	0	6	11	7	3	2	0
35-39	16	6.90	7	9	0	2	2	6	1	5	0
40-44	3	1.29	1	2	0	0	0	0	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	232		122	110	0	97	80	33	11	11	0
PERCENT DISTRIBUTION		100.00	52.59	47.41	0.00	41.81	34.48	14.22	4.74	4.74	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.38	0	1	0	1	0	0	0	0	0
16	1	2.38	0	1	0	1	0	0	0	0	0
17	4	9.52	3	1	0	4	0	0	0	0	0
18	6	14.29	4	2	0	6	0	0	0	0	0
19	5	11.90	2	3	0	4	1	0	0	0	0
20-24	16	38.10	9	7	0	7	7	2	0	0	0
25-29	5	11.90	3	2	0	3	1	1	0	0	0
30-34	1	2.38	1	0	0	0	1	0	0	0	0
35-39	2	4.76	1	1	0	0	0	1	0	1	0
40-44	1	2.38	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	42		23	19	0	26	10	4	0	2	0
PERCENT DISTRIBUTION		100.00	54.76	45.24	0.00	61.90	23.81	9.52	0.00	4.76	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.10	18.85	17.27	0.00	26.80	12.50	12.12	0.00	18.18	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SAGADAHOC											
LESS THAN 15	1	0.19	1	0	0	1	0	0	0	0	0
15	1	0.19	0	1	0	1	0	0	0	0	0
16	10	1.92	4	6	0	9	1	0	0	0	0
17	8	1.54	3	5	0	7	1	0	0	0	0
18	10	1.92	4	6	0	8	2	0	0	0	0
19	23	4.41	12	11	0	19	4	0	0	0	0
20-24	198	38.00	108	90	0	109	68	17	2	2	0
25-29	169	32.44	83	86	0	57	76	30	5	1	0
30-34	80	15.36	41	39	0	24	26	20	5	5	0
35-39	18	3.45	10	8	0	3	6	4	2	3	0
40-44	3	0.58	2	1	0	1	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	521		268	253	0	239	184	71	14	13	0
PERCENT DISTRIBUTION		100.00	51.44	48.56	0.00	45.87	35.32	13.63	2.69	2.50	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.79	1	0	0	1	0	0	0	0	0
15	1	1.79	0	1	0	1	0	0	0	0	0
16	5	8.93	1	4	0	5	0	0	0	0	0
17	3	5.36	1	2	0	2	1	0	0	0	0
18	5	8.93	2	3	0	4	1	0	0	0	0
19	6	10.71	4	2	0	6	0	0	0	0	0
20-24	25	44.64	11	14	0	15	6	3	1	0	0
25-29	7	12.50	2	5	0	3	2	2	0	0	0
30-34	1	1.79	1	0	0	0	0	0	1	0	0
35-39	2	3.57	1	1	0	0	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	56		24	32	0	37	11	5	3	0	0
PERCENT DISTRIBUTION		100.00	42.86	57.14	0.00	66.07	19.64	8.93	5.36	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		10.75	8.96	12.65	0.00	15.48	5.98	7.04	21.43	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	1	0.15	1	0	0	1	0	0	0	0	0
15	3	0.44	2	1	0	3	0	0	0	0	0
16	10	1.47	6	4	0	9	1	0	0	0	0
17	24	3.53	12	12	0	21	2	0	0	1	0
18	19	2.79	6	13	0	13	5	1	0	0	0
19	50	7.35	24	26	0	36	12	1	1	0	0
20-24	259	38.09	112	147	0	114	100	36	5	4	0
25-29	198	29.12	117	81	0	57	76	45	15	5	0
30-34	91	13.38	41	50	0	22	28	26	10	5	0
35-39	23	3.38	17	6	0	0	3	10	4	6	0
40-44	2	0.29	1	1	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	680		339	341	0	276	228	119	35	22	0
PERCENT DISTRIBUTION		100.00	49.85	50.15	0.00	40.59	33.53	17.50	5.15	3.24	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.78	1	0	0	1	0	0	0	0	0
15	2	1.56	1	1	0	2	0	0	0	0	0
16	9	7.03	6	3	0	8	1	0	0	0	0
17	13	10.16	7	6	0	11	1	0	0	1	0
18	8	6.25	2	6	0	5	3	0	0	0	0
19	23	17.97	13	10	0	19	3	1	0	0	0
20-24	41	32.03	21	20	0	23	11	6	0	1	0
25-29	16	12.50	10	6	0	6	7	1	2	0	0
30-34	11	8.59	3	8	0	3	2	5	0	1	0
35-39	3	2.34	2	1	0	0	0	0	2	1	0
40-44	1	0.78	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	128		66	62	0	78	28	13	4	5	0
PERCENT DISTRIBUTION		100.00	51.56	48.44	0.00	60.94	21.88	10.16	3.13	3.91	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		18.82	19.47	18.18	0.00	28.26	12.28	10.92	11.43	22.73	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.87	1	3	0	4	0	0	0	0	0
16	6	1.30	2	4	0	6	0	0	0	0	0
17	9	1.95	2	7	0	8	1	0	0	0	0
18	27	5.84	14	13	0	22	5	0	0	0	0
19	25	5.41	12	13	0	20	4	1	0	0	0
20-24	166	35.93	73	93	0	82	55	25	2	2	0
25-29	129	27.92	65	64	0	44	59	15	8	2	1
30-34	73	15.80	38	35	0	20	25	15	6	7	0
35-39	22	4.76	11	11	0	5	6	3	4	4	0
40-44	1	0.22	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	462		218	244	0	211	155	59	20	16	1
PERCENT DISTRIBUTION		100.00	47.19	52.81	0.00	45.67	33.55	12.77	4.33	3.46	0.22
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	4.65	1	3	0	4	0	0	0	0	0
16	5	5.81	2	3	0	5	0	0	0	0	0
17	5	5.81	0	5	0	5	0	0	0	0	0
18	11	12.79	6	5	0	9	2	0	0	0	0
19	7	8.14	2	5	0	7	0	0	0	0	0
20-24	36	41.86	13	23	0	16	12	6	0	2	0
25-29	14	16.28	8	6	0	4	9	0	1	0	0
30-34	3	3.49	2	1	0	1	0	0	1	1	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	1	1.16	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	86		34	52	0	51	23	6	2	4	0
PERCENT DISTRIBUTION		100.00	39.53	60.47	0.00	59.30	26.74	6.98	2.33	4.65	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.61	15.60	21.31	0.00	24.17	14.84	10.17	10.00	25.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	2	0.39	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	1.17	6	0	0	5	0	0	0	1	0
17	15	2.91	7	8	0	8	6	0	0	0	1
18	23	4.47	14	9	0	20	2	1	0	0	0
19	35	6.80	17	18	0	30	3	1	0	0	1
20-24	214	41.55	118	96	0	84	87	29	7	7	0
25-29	146	28.35	78	68	0	40	51	31	16	8	0
30-34	54	10.49	25	29	0	14	17	14	4	4	1
35-39	13	2.52	5	8	0	1	4	6	1	1	0
40-44	7	1.36	4	3	0	0	1	2	0	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	515		275	240	0	204	171	84	28	25	3
PERCENT DISTRIBUTION		100.00	53.40	46.60	0.00	39.61	33.20	16.31	5.44	4.85	0.58
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	1.72	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	5.17	6	0	0	5	0	0	0	1	0
17	11	9.48	3	8	0	5	6	0	0	0	0
18	14	12.07	8	6	0	13	1	0	0	0	0
19	10	8.62	7	3	0	8	1	1	0	0	0
20-24	39	33.62	22	17	0	15	13	6	2	3	0
25-29	23	19.83	17	6	0	3	6	6	5	3	0
30-34	8	6.90	3	5	0	2	2	1	1	1	1
35-39	1	0.86	1	0	0	0	0	0	0	1	0
40-44	2	1.72	0	2	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	116		68	48	0	53	29	14	8	11	1
PERCENT DISTRIBUTION		100.00	58.62	41.38	0.00	45.69	25.00	12.07	6.90	9.48	0.86
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		22.52	24.73	20.00	0.00	25.98	16.96	16.67	28.57	44.00	33.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	1	0.05	0	1	0	1	0	0	0	0	0
15	3	0.14	1	2	0	3	0	0	0	0	0
16	23	1.10	12	11	0	22	1	0	0	0	0
17	41	1.96	15	26	0	39	2	0	0	0	0
18	63	3.01	26	37	0	52	8	3	0	0	0
19	84	4.02	44	40	0	62	20	1	0	1	0
20-24	692	33.08	359	333	0	397	234	52	7	2	0
25-29	702	33.56	365	337	0	268	281	116	24	13	0
30-34	377	18.02	211	166	0	124	133	72	31	17	0
35-39	86	4.11	46	40	0	24	18	18	15	11	0
40-44	8	0.38	5	3	0	1	1	4	1	1	0
GREATER THAN 44	1	0.05	0	1	0	0	0	0	0	1	0
UNKNOWN	11	0.53	8	3	0	4	4	2	1	0	0
COUNTY TOTALS	2,092		1,092	1,000	0	997	702	268	79	46	0
PERCENT DISTRIBUTION		100.00	52.20	47.80	0.00	47.66	33.56	12.81	3.78	2.20	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.43	0	1	0	1	0	0	0	0	0
15	2	0.86	1	1	0	2	0	0	0	0	0
16	17	7.33	8	9	0	16	1	0	0	0	0
17	21	9.05	7	14	0	20	1	0	0	0	0
18	23	9.91	13	10	0	20	2	1	0	0	0
19	24	10.34	11	13	0	21	3	0	0	0	0
20-24	83	35.78	34	49	0	52	20	9	1	1	0
25-29	41	17.67	20	21	0	15	14	9	2	1	0
30-34	17	7.33	6	11	0	5	5	4	3	0	0
35-39	2	0.86	2	0	0	2	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.43	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	232		103	129	0	155	46	23	6	2	0
PERCENT DISTRIBUTION		100.00	44.40	55.60	0.00	66.81	19.83	9.91	2.59	0.86	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		11.09	9.43	12.90	0.00	15.55	6.55	8.58	7.59	4.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			***************** BIRTH ORDER *****************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	15	0.09	7	8	0	15	0	0	0	0	0
15	74	0.45	35	39	0	71	2	0	0	1	0
16	189	1.14	94	95	0	179	9	0	0	1	0
17	370	2.23	182	188	0	313	53	2	0	1	1
18	585	3.53	283	302	0	464	104	16	0	1	0
19	884	5.33	473	411	0	641	207	28	3	4	1
20-24	5,914	35.68	3,017	2,897	0	3,117	2,076	593	86	42	0
25-29	5,233	31.57	2,661	2,572	0	1,922	2,110	877	225	96	3
30-34	2,577	15.55	1,350	1,227	0	763	940	553	200	119	2
35-39	623	3.76	324	299	0	125	156	154	93	95	0
40-44	89	0.54	44	45	0	9	10	17	15	37	1
GREATER THAN 44	4	0.02	1	3	0	1	0	0	0	3	0
UNKNOWN	19	0.11	11	8	0	11	4	2	2	0	0
STATE TOTALS	16,576		8,482	8,094	0	7,631	5,671	2,242	624	400	8
PERCENT DISTRIBUTION		100.00	51.17	48.83	0.00	46.04	34.21	13.53	3.76	2.41	0.05
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	15	0.60	7	8	0	15	0	0	0	0	0
15	63	2.52	30	33	0	60	2	0	0	1	0
16	137	5.47	72	65	0	129	7	0	0	1	0
17	224	8.95	104	120	0	193	29	1	0	1	0
18	269	10.75	136	133	0	224	37	7	0	1	0
19	307	12.27	167	140	0	236	57	12	1	1	0
20-24	939	37.51	474	465	0	521	279	106	16	17	0
25-29	382	15.26	201	181	0	133	132	70	29	18	0
30-34	118	4.71	55	63	0	33	29	32	10	13	1
35-39	35	1.40	18	17	0	10	3	8	8	6	0
40-44	11	0.44	5	6	0	0	0	1	1	9	0
GREATER THAN 44	1	0.04	1	0	0	1	0	0	0	0	0
UNKNOWN	2	0.08	2	0	0	2	0	0	0	0	0
STATE TOTALS	2,503		1,272	1,231	0	1,557	575	237	65	68	1
PERCENT DISTRIBUTION		100.00	50.82	49.18	0.00	62.21	22.97	9.47	2.60	2.72	0.04
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.10	15.00	15.21	0.00	20.40	10.14	10.57	10.42	17.00	12.50

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	5	0.34	4	0	1	0	0	0
1000-1499	7	0.47	3	3	1	0	0	0
1500-1999	15	1.01	6	5	4	0	0	0
2000-2499	62	4.18	37	15	7	3	0	0
2500-2999	206	13.88	102	61	31	9	1	2
3000-3499	545	36.73	289	163	86	5	0	2
3500-3999	450	30.32	247	137	56	10	0	0
4000-4499	160	10.78	87	51	21	1	0	0
4500-4999	32	2.16	20	7	4	1	0	0
GREATER THAN 4999	2	0.13	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,484		795	444	211	29	1	4
PERCENT DISTRIBUTION		100.00	53.57	29.92	14.22	1.95	0.07	0.27
AROOSTOOK								
LESS THAN 1000	3	0.23	3	0	0	0	0	0
1000-1499	4	0.30	1	0	2	0	0	1
1500-1999	15	1.14	9	3	2	0	0	1
2000-2499	43	3.27	19	9	9	4	0	2
2500-2999	157	11.96	70	53	25	4	2	3
3000-3499	484	36.86	250	148	67	7	4	8
3500-3999	432	32.90	198	154	61	8	1	10
4000-4499	142	10.81	69	48	21	2	0	2
4500-4999	27	2.06	11	7	7	1	1	0
GREATER THAN 4999	5	0.38	4	0	0	0	1	0
UNKNOWN	1	0.08	0	1	0	0	0	0
COUNTY TOTALS	1,313		634	423	194	26	9	27
PERCENT DISTRIBUTION		100.00	48.29	32.22	14.78	1.98	0.69	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
CUMBERLAND								
LESS THAN 1000	11	0.35	7	2	1	0	0	1
1000-1499	21	0.66	14	3	2	0	1	1
1500-1999	37	1.17	20	10	6	0	0	1
2000-2499	115	3.63	65	38	9	0	1	2
2500-2999	447	14.10	237	155	49	3	0	3
3000-3499	1,099	34.66	584	346	138	16	5	10
3500-3999	1,007	31.76	560	331	100	6	2	8
4000-4499	335	10.56	193	101	35	4	0	2
4500-4999	88	2.78	54	27	7	0	0	0
GREATER THAN 4999	10	0.32	7	2	1	0	0	0
UNKNOWN	1	0.03	1	0	0	0	0	0
COUNTY TOTALS	3,171		1,742	1,015	348	29	9	28
PERCENT DISTRIBUTION		100.00	54.94	32.01	10.97	0.91	0.28	0.88
FRANKLIN								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	2	0.49	2	0	0	0	0	0
1500-1999	7	1.70	5	1	0	0	0	1
2000-2499	19	4.62	7	4	7	1	0	0
2500-2999	56	13.63	30	15	9	0	0	2
3000-3499	164	39.90	78	57	27	1	0	1
3500-3999	113	27.49	63	33	15	1	1	0
4000-4499	40	9.73	19	15	5	1	0	0
4500-4999	9	2.19	7	1	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	411		212	126	64	4	1	4
PERCENT DISTRIBUTION		100.00	51.58	30.66	15.57	0.97	0.24	0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
HANCOCK								
LESS THAN 1000	9	1.39	3	4	2	0	0	0
1000-1499	4	0.62	3	0	0	1	0	0
1500-1999	3	0.46	0	1	2	0	0	0
2000-2499	27	4.17	12	5	8	2	0	0
2500-2999	81	12.50	31	31	14	4	0	1
3000-3499	235	36.27	100	79	46	6	1	3
3500-3999	212	32.72	90	83	36	3	0	0
4000-4499	57	8.80	21	22	14	0	0	0
4500-4999	16	2.47	5	6	5	0	0	0
GREATER THAN 4999	4	0.62	2	1	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	648		267	232	128	16	1	4
PERCENT DISTRIBUTION		100.00	41.20	35.80	19.75	2.47	0.15	0.62
KENNEBEC								
LESS THAN 1000	8	0.52	6	1	0	0	1	0
1000-1499	3	0.19	2	1	0	0	0	0
1500-1999	24	1.55	16	4	4	0	0	0
2000-2499	58	3.75	34	15	5	1	1	2
2500-2999	220	14.23	111	78	22	5	1	3
3000-3499	514	33.25	288	160	51	6	1	8
3500-3999	503	32.54	286	157	50	3	0	7
4000-4499	181	11.71	103	52	20	2	0	4
4500-4999	31	2.01	16	7	7	1	0	0
GREATER THAN 4999	3	0.19	2	0	1	0	0	0
UNKNOWN	1	0.06	0	0	1	0	0	0
COUNTY TOTALS	1,546		864	475	161	18	4	24
PERCENT DISTRIBUTION		100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN 1000	5	1.07	2	1	1	1	0	0
1000-1499	2	0.43	1	1	0	0	0	0
1500-1999	6	1.28	4	2	0	0	0	0
2000-2499	13	2.78	6	6	1	0	0	0
2500-2999	56	11.99	16	23	13	2	2	0
3000-3499	159	34.05	58	60	32	5	1	3
3500-3999	162	34.69	60	58	40	4	0	0
4000-4499	50	10.71	18	26	5	0	0	1
4500-4999	12	2.57	2	7	2	0	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.43	1	1	0	0	0	0
COUNTY TOTALS	467		168	185	94	12	3	5
PERCENT DISTRIBUTION		100.00	35.97	39.61	20.13	2.57	0.64	1.07
LINCOLN								
LESS THAN 1000	1	0.24	0	1	0	0	0	0
1000-1499	3	0.71	2	0	0	1	0	0
1500-1999	2	0.48	1	0	0	0	0	1
2000-2499	15	3.57	6	3	3	2	0	1
2500-2999	47	11.19	15	18	8	3	1	2
3000-3499	143	34.05	75	30	27	2	1	8
3500-3999	141	33.57	68	43	20	2	1	7
4000-4499	59	14.05	35	12	11	0	0	1
4500-4999	8	1.90	5	0	1	1	0	1
GREATER THAN 4999	1	0.24	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	420		207	108	70	11	3	21
PERCENT DISTRIBUTION		100.00	49.29	25.71	16.67	2.62	0.71	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
OXFORD								
LESS THAN 1000	5	0.71	2	1	2	0	0	0
1000-1499	3	0.43	2	1	0	0	0	0
1500-1999	5	0.71	2	1	2	0	0	0
2000-2499	24	3.41	14	6	3	1	0	0
2500-2999	87	12.36	31	36	18	1	0	1
3000-3499	259	36.79	107	88	57	4	1	2
3500-3999	213	30.26	90	70	48	5	0	0
4000-4499	87	12.36	39	25	21	2	0	0
4500-4999	19	2.70	6	9	3	0	0	1
GREATER THAN 4999	2	0.28	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	704		293	239	154	13	1	4
PERCENT DISTRIBUTION		100.00	41.62	33.95	21.88	1.85	0.14	0.57
PENOBSCOT								
LESS THAN 1000	10	0.52	9	0	0	0	0	1
1000-1499	8	0.42	4	3	1	0	0	0
1500-1999	20	1.05	15	2	2	0	1	0
2000-2499	74	3.87	41	19	11	1	0	2
2500-2999	256	13.40	172	54	22	3	0	5
3000-3499	704	36.86	431	159	92	15	4	3
3500-3999	594	31.10	378	129	69	13	0	5
4000-4499	199	10.42	109	60	22	3	2	3
4500-4999	40	2.09	28	7	4	1	0	0
GREATER THAN 4999	2	0.10	2	0	0	0	0	0
UNKNOWN	3	0.16	3	0	0	0	0	0
COUNTY TOTALS	1,910		1,192	433	223	36	7	19
PERCENT DISTRIBUTION		100.00	62.41	22.67	11.68	1.88	0.37	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	1	0.43	0	1	0	0	0	0
2000-2499	4	1.72	1	1	0	0	0	2
2500-2999	29	12.50	12	10	7	0	0	0
3000-3499	95	40.95	45	25	24	0	0	1
3500-3999	58	25.00	39	10	8	0	0	1
4000-4499	38	16.38	16	15	6	0	0	1
4500-4999	7	3.02	5	1	0	0	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	232		118	63	45	0	0	6
PERCENT DISTRIBUTION		100.00	50.86	27.16	19.40	0.00	0.00	2.59
SAGADAHOC								
LESS THAN 1000	2	0.38	1	1	0	0	0	0
1000-1499	1	0.19	1	0	0	0	0	0
1500-1999	7	1.34	3	3	1	0	0	0
2000-2499	18	3.45	10	2	6	0	0	0
2500-2999	74	14.20	41	21	10	1	0	1
3000-3499	173	33.21	86	53	28	2	1	3
3500-3999	172	33.01	94	39	35	3	0	1
4000-4499	57	10.94	35	16	3	3	0	0
4500-4999	15	2.88	7	5	3	0	0	0
GREATER THAN 4999	2	0.38	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	521		279	141	86	9	1	5
PERCENT DISTRIBUTION		100.00	53.55	27.06	16.51	1.73	0.19	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN 1000	3	0.44	2	1	0	0	0	0
1000-1499	3	0.44	2	1	0	0	0	0
1500-1999	4	0.59	2	0	2	0	0	0
2000-2499	24	3.53	11	9	3	0	0	1
2500-2999	95	13.97	44	34	13	4	0	0
3000-3499	257	37.79	111	83	56	4	0	3
3500-3999	206	30.29	108	73	21	2	0	2
4000-4499	68	10.00	37	22	9	0	0	0
4500-4999	17	2.50	5	8	2	2	0	0
GREATER THAN 4999	3	0.44	1	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	680		323	233	106	12	0	6
PERCENT DISTRIBUTION		100.00	47.50	34.26	15.59	1.76	0.00	0.88
WALDO								
LESS THAN 1000	1	0.22	1	0	0	0	0	0
1000-1499	4	0.87	3	0	1	0	0	0
1500-1999	5	1.08	1	1	3	0	0	0
2000-2499	10	2.16	1	5	4	0	0	0
2500-2999	66	14.29	30	20	13	3	0	0
3000-3499	172	37.23	83	54	29	2	1	3
3500-3999	145	31.39	68	46	27	4	0	0
4000-4499	53	11.47	25	13	14	1	0	0
4500-4999	6	1.30	5	1	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		217	140	91	10	1	3
PERCENT DISTRIBUTION		100.00	46.97	30.30	19.70	2.16	0.22	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.19	1	0	0	0	0	0
1500-1999	5	0.97	3	0	1	0	0	1
2000-2499	17	3.30	8	6	3	0	0	0
2500-2999	66	12.82	42	11	10	1	2	0
3000-3499	171	33.20	79	47	40	4	0	1
3500-3999	178	34.56	88	52	32	3	1	2
4000-4499	62	12.04	25	20	14	0	0	3
4500-4999	11	2.14	6	2	3	0	0	0
GREATER THAN 4999	3	0.58	0	1	1	1	0	0
UNKNOWN	1	0.19	1	0	0	0	0	0
COUNTY TOTALS	515		253	139	104	9	3	7
PERCENT DISTRIBUTION		100.00	49.13	26.99	20.19	1.75	0.58	1.36
YORK								
LESS THAN 1000	7	0.33	5	2	0	0	0	0
1000-1499	11	0.53	8	1	2	0	0	0
1500-1999	22	1.05	13	9	0	0	0	0
2000-2499	69	3.30	37	20	7	3	2	0
2500-2999	286	13.67	183	61	38	1	1	2
3000-3499	714	34.13	444	162	93	7	2	6
3500-3999	678	32.41	439	165	66	6	0	2
4000-4499	230	10.99	150	54	24	1	0	1
4500-4999	65	3.11	39	19	6	0	0	1
GREATER THAN 4999	9	0.43	6	3	0	0	0	0
UNKNOWN	1	0.05	1	0	0	0	0	0
COUNTY TOTALS	2,092		1,325	496	236	18	5	12
PERCENT DISTRIBUTION		100.00	63.34	23.71	11.28	0.86	0.24	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	71	0.43	46	14	7	1	1	2
1000-1499	77	0.46	49	14	9	2	1	2
1500-1999	178	1.07	100	43	29	0	1	5
2000-2499	592	3.57	309	163	86	18	4	12
2500-2999	2,229	13.45	1,167	681	302	44	10	25
3000-3499	5,888	35.52	3,108	1,714	893	86	22	65
3500-3999	5,264	31.76	2,876	1,580	684	73	6	45
4000-4499	1,818	10.97	981	552	245	20	2	18
4500-4999	403	2.43	221	114	55	7	1	5
GREATER THAN 4999	46	0.28	25	15	4	1	1	0
UNKNOWN	10	0.06	7	2	1	0	0	0
STATE TOTALS	16,576		8,889	4,892	2,315	252	49	179
PERCENT DISTRIBUTION		100.00	53.63	29.51	13.97	1.52	0.30	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	****** TRIMESTER PRENATAL CARE BEGAN ******									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	6	1	16.67	1	16.67	4	66.67	0	0.00	0	0.00
4	16	7	43.75	7	43.75	2	12.50	0	0.00	0	0.00
5	18	3	16.67	9	50.00	6	33.33	0	0.00	0	0.00
6	31	10	32.26	15	48.39	6	19.35	0	0.00	0	0.00
7	46	23	50.00	18	39.13	5	10.87	0	0.00	0	0.00
8	101	64	63.37	36	35.64	1	0.99	0	0.00	0	0.00
9	127	94	74.02	33	25.98	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,124	1,033	91.90	90	8.01	1	0.09	0	0.00	0	0.00
UNKNOWN	10	3	30.00	1	10.00	2	20.00	0	0.00	4	40.00
COUNTY TOTALS	1,484	1,239	83.49	211	14.22	29	1.95	1	0.07	4	0.27
AROOSTOOK											
0	5	1	20.00	0	0.00	0	0.00	3	60.00	1	20.00
1	4	0	0.00	0	0.00	3	75.00	1	25.00	0	0.00
2	6	3	50.00	1	16.67	2	33.33	0	0.00	0	0.00
3	8	3	37.50	4	50.00	1	12.50	0	0.00	0	0.00
4	22	5	22.73	11	50.00	6	27.27	0	0.00	0	0.00
5	17	6	35.29	9	52.94	2	11.76	0	0.00	0	0.00
6	47	22	46.81	21	44.68	4	8.51	0	0.00	0	0.00
7	67	39	58.21	26	38.81	1	1.49	0	0.00	1	1.49
8	99	69	69.70	26	26.26	1	1.01	0	0.00	3	3.03
9	109	84	77.06	23	21.10	2	1.83	0	0.00	0	0.00
GREATER THAN 9	886	812	91.65	69	7.79	2	0.23	0	0.00	3	0.34
UNKNOWN	43	13	30.23	4	9.30	2	4.65	5	11.63	19	44.19
COUNTY TOTALS	1,313	1,057	80.50	194	14.78	26	1.98	9	0.69	27	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	6	2	33.33	0	0.00	0	0.00	4	66.67	0	0.00
1	5	0	0.00	3	60.00	2	40.00	0	0.00	0	0.00
2	6	5	83.33	0	0.00	1	16.67	0	0.00	0	0.00
3	15	9	60.00	1	6.67	5	33.33	0	0.00	0	0.00
4	26	15	57.69	7	26.92	4	15.38	0	0.00	0	0.00
5	29	12	41.38	14	48.28	3	10.34	0	0.00	0	0.00
6	58	30	51.72	21	36.21	7	12.07	0	0.00	0	0.00
7	67	37	55.22	29	43.28	1	1.49	0	0.00	0	0.00
8	107	73	68.22	30	28.04	3	2.80	0	0.00	1	0.93
9	300	239	79.67	59	19.67	1	0.33	0	0.00	1	0.33
GREATER THAN 9	2,508	2,322	92.58	180	7.18	0	0.00	1	0.04	5	0.20
UNKNOWN	44	13	29.55	4	9.09	2	4.55	4	9.09	21	47.73
COUNTY TOTALS	3,171	2,757	86.94	348	10.97	29	0.91	9	0.28	28	0.88
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
6	14	6	42.86	7	50.00	1	7.14	0	0.00	0	0.00
7	23	14	60.87	9	39.13	0	0.00	0	0.00	0	0.00
8	45	35	77.78	10	22.22	0	0.00	0	0.00	0	0.00
9	46	41	89.13	5	10.87	0	0.00	0	0.00	0	0.00
GREATER THAN 9	263	236	89.73	26	9.89	1	0.38	0	0.00	0	0.00
UNKNOWN	8	1	12.50	1	12.50	1	12.50	1	12.50	4	50.00
COUNTY TOTALS	411	338	82.24	64	15.57	4	0.97	1	0.24	4	0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
4	11	3	27.27	3	27.27	5	45.45	0	0.00	0	0.00
5	10	4	40.00	3	30.00	3	30.00	0	0.00	0	0.00
6	21	8	38.10	12	57.14	1	4.76	0	0.00	0	0.00
7	34	14	41.18	18	52.94	2	5.88	0	0.00	0	0.00
8	48	31	64.58	16	33.33	1	2.08	0	0.00	0	0.00
9	86	70	81.40	16	18.60	0	0.00	0	0.00	0	0.00
GREATER THAN 9	418	360	86.12	57	13.64	0	0.00	0	0.00	1	0.24
UNKNOWN	12	7	58.33	0	0.00	1	8.33	1	8.33	3	25.00
COUNTY TOTALS	648	499	77.01	128	19.75	16	2.47	1	0.15	4	0.62
KENNEBEC											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
3	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
4	11	10	90.91	1	9.09	0	0.00	0	0.00	0	0.00
5	12	7	58.33	3	25.00	2	16.67	0	0.00	0	0.00
6	21	7	33.33	12	57.14	2	9.52	0	0.00	0	0.00
7	33	15	45.45	14	42.42	4	12.12	0	0.00	0	0.00
8	66	44	66.67	20	30.30	1	1.52	0	0.00	1	1.52
9	86	64	74.42	20	23.26	1	1.16	0	0.00	1	1.16
GREATER THAN 9	1,266	1,175	92.81	86	6.79	3	0.24	0	0.00	2	0.16
UNKNOWN	40	14	35.00	3	7.50	1	2.50	2	5.00	20	50.00
COUNTY TOTALS	1,546	1,339	86.61	161	10.41	18	1.16	4	0.26	24	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	3	1	33.33	1	33.33	0	0.00	0	0.00	1	33.33
4	7	3	42.86	2	28.57	1	14.29	0	0.00	1	14.29
5	7	3	42.86	2	28.57	1	14.29	0	0.00	1	14.29
6	13	4	30.77	7	53.85	2	15.38	0	0.00	0	0.00
7	13	7	53.85	5	38.46	0	0.00	1	7.69	0	0.00
8	23	14	60.87	8	34.78	1	4.35	0	0.00	0	0.00
9	33	16	48.48	14	42.42	2	6.06	1	3.03	0	0.00
GREATER THAN 9	361	303	83.93	54	14.96	2	0.55	0	0.00	2	0.55
UNKNOWN	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
COUNTY TOTALS	467	353	75.59	94	20.13	12	2.57	3	0.64	5	1.07
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	7	1	14.29	1	14.29	5	71.43	0	0.00	0	0.00
5	9	3	33.33	6	66.67	0	0.00	0	0.00	0	0.00
6	8	3	37.50	5	62.50	0	0.00	0	0.00	0	0.00
7	16	9	56.25	6	37.50	1	6.25	0	0.00	0	0.00
8	25	16	64.00	8	32.00	1	4.00	0	0.00	0	0.00
9	19	14	73.68	5	26.32	0	0.00	0	0.00	0	0.00
GREATER THAN 9	299	266	88.96	33	11.04	0	0.00	0	0.00	0	0.00
UNKNOWN	32	2	6.25	4	12.50	3	9.38	3	9.38	20	62.50
COUNTY TOTALS	420	315	75.00	70	16.67	11	2.62	3	0.71	21	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
4	15	4	26.67	8	53.33	3	20.00	0	0.00	0	0.00
5	15	3	20.00	11	73.33	1	6.67	0	0.00	0	0.00
6	31	14	45.16	16	51.61	1	3.23	0	0.00	0	0.00
7	38	19	50.00	18	47.37	0	0.00	0	0.00	1	2.63
8	69	46	66.67	23	33.33	0	0.00	0	0.00	0	0.00
9	88	67	76.14	21	23.86	0	0.00	0	0.00	0	0.00
GREATER THAN 9	426	370	86.85	55	12.91	1	0.23	0	0.00	0	0.00
UNKNOWN	11	6	54.55	1	9.09	0	0.00	1	9.09	3	27.27
COUNTY TOTALS	705	533	75.60	154	21.84	13	1.84	1	0.14	4	0.57
PENOBSCOT											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	16	9	56.25	3	18.75	4	25.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
3	7	3	42.86	0	0.00	4	57.14	0	0.00	0	0.00
4	20	7	35.00	6	30.00	7	35.00	0	0.00	0	0.00
5	26	8	30.77	14	53.85	4	15.38	0	0.00	0	0.00
6	45	21	46.67	20	44.44	4	8.89	0	0.00	0	0.00
7	70	47	67.14	21	30.00	1	1.43	1	1.43	0	0.00
8	145	96	66.21	46	31.72	2	1.38	0	0.00	1	0.69
9	173	139	80.35	32	18.50	1	0.58	0	0.00	1	0.58
GREATER THAN 9	1,316	1,235	93.84	76	5.78	3	0.23	1	0.08	1	0.08
UNKNOWN	87	60	68.97	4	4.60	4	4.60	3	3.45	16	18.39
COUNTY TOTALS	1,910	1,625	85.08	223	11.68	36	1.88	7	0.37	19	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
6	8	2	25.00	6	75.00	0	0.00	0	0.00	0	0.00
7	16	8	50.00	8	50.00	0	0.00	0	0.00	0	0.00
8	11	7	63.64	4	36.36	0	0.00	0	0.00	0	0.00
9	20	14	70.00	5	25.00	0	0.00	0	0.00	1	5.00
GREATER THAN 9	158	142	89.87	16	10.13	0	0.00	0	0.00	0	0.00
UNKNOWN	10	5	50.00	0	0.00	0	0.00	0	0.00	5	50.00
COUNTY TOTALS	232	181	78.02	45	19.40	0	0.00	0	0.00	6	2.59
SAGADAHOC											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
2	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	7	2	28.57	5	71.43	0	0.00	0	0.00	0	0.00
5	16	8	50.00	7	43.75	1	6.25	0	0.00	0	0.00
6	21	12	57.14	5	23.81	3	14.29	0	0.00	1	4.76
7	17	13	76.47	4	23.53	0	0.00	0	0.00	0	0.00
8	36	24	66.67	11	30.56	0	0.00	0	0.00	1	2.78
9	45	31	68.89	14	31.11	0	0.00	0	0.00	0	0.00
GREATER THAN 9	354	317	89.55	35	9.89	2	0.56	0	0.00	0	0.00
UNKNOWN	13	9	69.23	1	7.69	0	0.00	0	0.00	3	23.08
COUNTY TOTALS	521	420	80.61	86	16.51	9	1.73	1	0.19	5	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
5	18	8	44.44	8	44.44	2	11.11	0	0.00	0	0.00
6	24	8	33.33	15	62.50	1	4.17	0	0.00	0	0.00
7	30	12	40.00	17	56.67	1	3.33	0	0.00	0	0.00
8	55	41	74.55	12	21.82	2	3.64	0	0.00	0	0.00
9	67	52	77.61	15	22.39	0	0.00	0	0.00	0	0.00
GREATER THAN 9	450	417	92.67	31	6.89	2	0.44	0	0.00	0	0.00
UNKNOWN	19	12	63.16	1	5.26	0	0.00	0	0.00	6	31.58
COUNTY TOTALS	680	556	81.76	106	15.59	12	1.76	0	0.00	6	0.88
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
2	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
3	10	3	30.00	5	50.00	2	20.00	0	0.00	0	0.00
4	15	4	26.67	10	66.67	1	6.67	0	0.00	0	0.00
5	30	16	53.33	13	43.33	1	3.33	0	0.00	0	0.00
6	39	27	69.23	12	30.77	0	0.00	0	0.00	0	0.00
7	38	29	76.32	8	21.05	1	2.63	0	0.00	0	0.00
8	58	46	79.31	11	18.97	1	1.72	0	0.00	0	0.00
9	31	24	77.42	7	22.58	0	0.00	0	0.00	0	0.00
GREATER THAN 9	223	197	88.34	24	10.76	1	0.45	0	0.00	1	0.45
UNKNOWN	12	8	66.67	0	0.00	1	8.33	1	8.33	2	16.67
COUNTY TOTALS	462	357	77.27	91	19.70	10	2.16	1	0.22	3	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
3	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
4	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
5	13	7	53.85	5	38.46	0	0.00	0	0.00	1	7.69
6	25	9	36.00	15	60.00	1	4.00	0	0.00	0	0.00
7	36	18	50.00	16	44.44	2	5.56	0	0.00	0	0.00
8	40	27	67.50	11	27.50	2	5.00	0	0.00	0	0.00
9	60	47	78.33	12	20.00	1	1.67	0	0.00	0	0.00
GREATER THAN 9	305	273	89.51	30	9.84	1	0.33	0	0.00	1	0.33
UNKNOWN	15	6	40.00	2	13.33	0	0.00	2	13.33	5	33.33
COUNTY TOTALS	515	392	76.12	104	20.19	9	1.75	3	0.58	7	1.36
YORK											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	8	3	37.50	2	25.00	3	37.50	0	0.00	0	0.00
4	13	6	46.15	3	23.08	4	30.77	0	0.00	0	0.00
5	15	6	40.00	7	46.67	2	13.33	0	0.00	0	0.00
6	23	10	43.48	13	56.52	0	0.00	0	0.00	0	0.00
7	39	17	43.59	22	56.41	0	0.00	0	0.00	0	0.00
8	73	40	54.79	31	42.47	2	2.74	0	0.00	0	0.00
9	123	82	66.67	38	30.89	2	1.63	0	0.00	1	0.81
GREATER THAN 9	1,771	1,652	93.28	118	6.66	0	0.00	0	0.00	1	0.06
UNKNOWN	16	3	18.75	1	6.25	0	0.00	2	12.50	10	62.50
COUNTY TOTALS	2,091	1,820	87.04	236	11.29	18	0.86	5	0.24	12	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	********** TRIMESTER PRENATAL CARE BEGAN **********									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	23	3	13.04	0	0.00	0	0.00	18	78.26	2	8.70
1	53	20	37.74	11	20.75	21	39.62	1	1.89	0	0.00
2	39	15	38.46	9	23.08	15	38.46	0	0.00	0	0.00
3	93	32	34.41	31	33.33	29	31.18	0	0.00	1	1.08
4	191	73	38.22	76	39.79	41	21.47	0	0.00	1	0.52
5	246	99	40.24	117	47.56	28	11.38	0	0.00	2	0.81
6	429	193	44.99	202	47.09	33	7.69	0	0.00	1	0.23
7	583	321	55.06	239	40.99	19	3.26	2	0.34	2	0.34
8	1,001	673	67.23	303	30.27	18	1.80	0	0.00	7	0.70
9	1,413	1,078	76.29	319	22.58	10	0.71	1	0.07	5	0.35
GREATER THAN 9	12,128	11,110	91.61	980	8.08	19	0.16	2	0.02	17	0.14
UNKNOWN	377	164	43.50	28	7.43	19	5.04	25	6.63	141	37.40
STATE TOTALS	16,576	13,781	83.14	2,315	13.97	252	1.52	49	0.30	179	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	49	3.30	14	19	14	2	0	0
GRADES 9-11	301	20.28	141	74	68	15	1	2
GRADE 12	773	52.09	413	244	105	9	0	2
GREATER THAN GRADE 12	358	24.12	227	107	22	2	0	0
UNKNOWN	3	0.20	0	0	2	1	0	0
COUNTY TOTALS	1,484		795	444	211	29	1	4
PERCENT DISTRIBUTION		100.00	53.57	29.92	14.22	1.95	0.07	0.27
AROOSTOOK								
LESS THAN GRADE 9	35	2.67	18	9	8	0	0	0
GRADES 9-11	200	15.23	77	61	46	12	3	1
GRADE 12	666	50.72	324	218	102	9	3	10
GREATER THAN GRADE 12	392	29.86	214	131	37	5	1	4
UNKNOWN	20	1.52	1	4	1	0	2	12
COUNTY TOTALS	1,313		634	423	194	26	9	27
PERCENT DISTRIBUTION		100.00	48.29	32.22	14.78	1.98	0.69	2.06
CUMBERLAND								
LESS THAN GRADE 9	63	1.99	33	14	12	1	0	3
GRADES 9-11	411	12.96	182	141	73	10	2	3
GRADE 12	1,292	40.74	739	376	151	9	3	14
GREATER THAN GRADE 12	1,378	43.46	776	477	110	7	4	4
UNKNOWN	27	0.85	12	7	2	2	0	4
COUNTY TOTALS	3,171		1,742	1,015	348	29	9	28
PERCENT DISTRIBUTION		100.00	54.94	32.01	10.97	0.91	0.28	0.88

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH-	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	11	2.68	3	3	4	1	0	0
GRADES 9-11	49	11.92	12	17	16	1	0	3
GRADE 12	198	48.18	100	63	33	1	1	0
GREATER THAN GRADE 12	153	37.23	97	43	11	1	0	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	411		212	126	64	4	1	4
PERCENT DISTRIBUTION		100.00	51.58	30.66	15.57	0.97	0.24	0.97
HANCOCK								
LESS THAN GRADE 9	13	2.01	4	4	3	2	0	0
GRADES 9-11	68	10.49	21	27	16	3	1	0
GRADE 12	305	47.07	122	104	69	9	0	1
GREATER THAN GRADE 12	257	39.66	118	95	39	2	0	3
UNKNOWN	5	0.77	2	2	1	0	0	0
COUNTY TOTALS	648		267	232	128	16	1	4
PERCENT DISTRIBUTION		100.00	41.20	35.80	19.75	2.47	0.15	0.62
KENNEBEC								
LESS THAN GRADE 9	26	1.68	14	7	4	0	0	1
GRADES 9-11	189	12.23	83	50	43	6	2	5
GRADE 12	740	47.87	416	228	78	8	2	8
GREATER THAN GRADE 12	579	37.45	350	187	35	4	0	3
UNKNOWN	12	0.78	1	3	1	0	0	7
COUNTY TOTALS	1,546		864	475	161	18	4	24
PERCENT DISTRIBUTION		100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ******************** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	9	1.93	2	4	3	0	0	0
GRADES 9-11	68	14.56	16	23	25	3	0	1
GRADE 12	201	43.04	66	87	40	6	1	1
GREATER THAN GRADE 12	184	39.40	83	69	25	2	2	3
UNKNOWN	5	1.07	1	2	1	1	0	0
COUNTY TOTALS	467		168	185	94	12	3	5
PERCENT DISTRIBUTION		100.00	35.97	39.61	20.13	2.57	0.64	1.07
LINCOLN								
LESS THAN GRADE 9	6	1.43	2	2	2	0	0	0
GRADES 9-11	60	14.29	20	16	15	5	1	3
GRADE 12	200	47.62	99	47	35	4	1	14
GREATER THAN GRADE 12	152	36.19	86	43	18	1	1	3
UNKNOWN	2	0.48	0	0	0	1	0	1
COUNTY TOTALS	420		207	108	70	11	3	21
PERCENT DISTRIBUTION		100.00	49.29	25.71	16.67	2.62	0.71	5.00
OXFORD								
LESS THAN GRADE 9	17	2.41	5	4	7	0	0	1
GRADES 9-11	116	16.45	34	43	32	6	0	1
GRADE 12	372	52.77	159	128	78	4	1	2
GREATER THAN GRADE 12	191	27.09	93	61	35	2	0	0
UNKNOWN	9	1.28	3	3	2	1	0	0
COUNTY TOTALS	705		294	239	154	13	1	4
PERCENT DISTRIBUTION		100.00	41.70	33.90	21.84	1.84	0.14	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************* MONTH PRENATAL CARE BEGAN *******************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	47	2.46	22	10	12	2	1	0
GRADES 9-11	284	14.87	135	73	59	15	0	2
GRADE 12	873	45.71	531	209	108	15	5	5
GREATER THAN GRADE 12	691	36.18	499	141	44	4	0	3
UNKNOWN	15	0.79	5	0	0	0	1	9
COUNTY TOTALS	1,910		1,192	433	223	36	7	19
PERCENT DISTRIBUTION		100.00	62.41	22.67	11.68	1.88	0.37	0.99
PISCATAQUIS								
LESS THAN GRADE 9	2	0.86	0	1	1	0	0	0
GRADES 9-11	37	15.95	14	11	11	0	0	1
GRADE 12	125	53.88	66	30	25	0	0	4
GREATER THAN GRADE 12	67	28.88	38	21	8	0	0	0
UNKNOWN	1	0.43	0	0	0	0	0	1
COUNTY TOTALS	232		118	63	45	0	0	6
PERCENT DISTRIBUTION		100.00	50.86	27.16	19.40	0.00	0.00	2.59
SAGADAHOC								
LESS THAN GRADE 9	12	2.30	3	5	3	1	0	0
GRADES 9-11	62	11.90	26	22	12	2	0	0
GRADE 12	255	48.94	140	57	49	4	1	4
GREATER THAN GRADE 12	186	35.70	105	57	22	2	0	0
UNKNOWN	6	1.15	5	0	0	0	0	1
COUNTY TOTALS	521		279	141	86	9	1	5
PERCENT DISTRIBUTION		100.00	53.55	27.06	16.51	1.73	0.19	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	****************** MONTH PRENATAL CARE BEGAN ******************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	17	2.50	5	4	7	1	0	0
GRADES 9-11	125	18.38	53	33	29	5	0	5
GRADE 12	348	51.18	158	133	56	1	0	0
GREATER THAN GRADE 12	188	27.65	106	63	14	5	0	0
UNKNOWN	2	0.29	1	0	0	0	0	1
COUNTY TOTALS	680		323	233	106	12	0	6
PERCENT DISTRIBUTION		100.00	47.50	34.26	15.59	1.76	0.00	0.88
WALDO								
LESS THAN GRADE 9	12	2.60	4	2	4	1	0	1
GRADES 9-11	57	12.34	21	14	18	4	0	0
GRADE 12	251	54.33	112	78	54	4	1	2
GREATER THAN GRADE 12	142	30.74	80	46	15	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		217	140	91	10	1	3
PERCENT DISTRIBUTION		100.00	46.97	30.30	19.70	2.16	0.22	0.65
WASHINGTON								
LESS THAN GRADE 9	21	4.08	13	7	0	0	0	1
GRADES 9-11	84	16.31	34	18	28	4	0	0
GRADE 12	253	49.13	126	71	49	4	2	1
GREATER THAN GRADE 12	150	29.13	80	41	27	1	0	1
UNKNOWN	7	1.36	0	2	0	0	1	4
COUNTY TOTALS	515		253	139	104	9	3	7
PERCENT DISTRIBUTION		100.00	49.13	26.99	20.19	1.75	0.58	1.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************				
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	43	2.06	20	9	11	1	1	1
GRADES 9-11	264	12.63	137	58	58	9	0	2
GRADE 12	939	44.91	591	236	102	5	0	5
GREATER THAN GRADE 12	776	37.11	534	175	60	2	4	1
UNKNOWN	69	3.30	42	18	5	1	0	3
COUNTY TOTALS	2,091		1,324	496	236	18	5	12
PERCENT DISTRIBUTION		100.00	63.32	23.72	11.29	0.86	0.24	0.57
MAINE SUMMARY								
LESS THAN GRADE 9	383	2.31	162	104	95	12	2	8
GRADES 9-11	2,375	14.33	1,006	681	549	100	10	29
GRADE 12	7,791	47.00	4,162	2,309	1,134	92	21	73
GREATER THAN GRADE 12	5,844	35.26	3,486	1,757	522	41	12	26
UNKNOWN	183	1.10	73	41	15	7	4	43
STATE TOTALS	16,576		8,889	4,892	2,315	252	49	179
PERCENT DISTRIBUTION		100.00	53.63	29.51	13.97	1.52	0.30	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-09

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	BIRTHWEIGHT IN GRAMS OVER 4999
BATH MEMORIAL HOSPITAL	247	31	28	9	2	17	38	6	10	1
BLUE HILL MEMORIAL HOSP.	329	49	58	1	0	42	36	9	13	2
CALAIS REGIONAL HOSPITAL	177	49	28	22	0	39	24	4	8	4
CARY MEDICAL CENTER	248	42	40	4	0	36	51	2	15	3
CASTINE COMMUNITY HOSPITAL	1	0	0	0	0	1	0	0	1	0
CENTRAL MAINE MEDICAL CENTER	1,052	184	154	11	1	196	154	17	66	1
CHARLES A.DEAN MEMORIAL HOSP.	25	6	5	0	0	6	1	0	0	0
DOWN EAST COMMUNITY HOSPITAL	194	40	34	10	2	17	8	3	3	0
EASTERN MAINE MED CTR	1,664	285	197	39	4	298	268	19	105	5
FRANKLIN MEMORIAL HOSPITAL	503	79	64	2	0	50	49	12	33	1
HENRIETTA D.GOODALL HOSP.	405	45	47	11	1	53	50	8	12	1
HOULTON REGIONAL HOSPITAL	250	45	40	6	2	34	22	6	13	2
J.A.TAYLOR OSTEOPATHIC HOSP.	52	11	10	1	0	7	9	1	4	0
KEN VALLEY MED CTR-AUGUSTA	707	139	110	9	2	181	110	15	41	3
MAINE COAST MEMORIAL HOSP.	205	36	27	2	0	122	30	7	16	0
MAINE MEDICAL CENTER	2,438	284	195	27	7	429	222	31	241	10
MAYO REGIONAL HOSPITAL	291	55	52	2	0	48	34	7	8	0
MERCY HOSPITAL	436	100	80	7	1	46	85	7	28	2
MID-MAINE MEDICAL CTR-SETON	1,042	149	119	9	0	205	113	17	31	1
MILES MEMORIAL HOSPITAL	150	21	25	1	2	21	5	5	3	0
MILLINOCKET REGIONAL HOSP.	181	34	37	0	2	16	46	2	7	0
MOUNT DESERT ISLAND HOSPITAL	82	11	4	0	1	13	8	2	4	2
NORTH CUMBERLAND MEM.HOSP.	150	32	26	0	0	23	27	1	4	1
NORTHERN MAINE MEDICAL CTR	105	14	13	0	1	33	23	0	5	0
OSTEOPATHIC HOSPITAL OF MAINE	477	98	79	5	0	111	40	14	22	1
PARKVIEW MEMORIAL HOSPITAL	912	70	96	16	2	96	88	32	41	3
PENOBSCOT BAY MEDICAL CETER	535	79	71	3	3	195	75	8	21	2
PENOBSCOTT VALLEY HOSPITAL	130	19	23	1	0	23	21	1	9	0
REDINGTON-FAIRVIEW HOSP.	213	47	40	1	2	40	35	6	10	1
REGIONAL MEMORIAL HOSPITAL	1	0	0	0	0	0	0	0	0	0
RUMFORD COMMUNITY HOSPITAL	123	27	14	1	0	15	16	3	2	0
SEBASTICOOK VALLEY HOSPITAL	5	0	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	522	71	61	0	0	70	72	7	32	0
ST.ANDREWS HOSPITAL	49	4	4	3	0	7	7	5	2	0
ST.JOSEPH'S HOSPITAL	1	1	1	0	1	0	0	0	0	0
STEPHENS MEMORIAL HOSPITAL	301	45	46	0	1	27	33	6	4	0
THE AROOS MED CTR-PRESQUE ISLE	394	55	52	6	2	92	45	4	16	1
US AIR FORCE HOSPITAL	291	13	29	30	0	45	32	9	9	0
WALDO COUNTY GENERAL HOSPITAL	200	42	40	2	0	39	25	9	8	0
WATERVILLE OSTEOPATHIC HOSP.	111	24	18	0	1	24	7	2	5	1
WEBBER HOSPITAL	502	92	84	8	2	91	73	24	31	2
WESTBROOK COMMUNITY HOSPITAL	35	5	1	2	0	3	6	2	3	0
AT HOME	193	23	10	3	4	20	0	2	5	1
BORN ON WAY TO HOSPITAL	9	0	1	0	0	2	0	0	0	0
DOCTOR'S OFFICE	3	0	0	0	0	0	0	0	0	0
OTHER SPECIFIED PLACE	1	1	0	0	0	0	0	0	0	0
OUT PATIENT FACILITY	104	12	12	0	0	6	0	1	0	0
STREET ADDRESS	1	0	0	0	0	0	0	1	0	0
STATE TOTALS	16,047	2,469	2,073	254	46	2,899	1,989	317	891	51

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	******************** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE ******************								
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS	
									UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	247	12.55	11.34	3.64	0.81	6.88	15.38	2.43	4.05	0.40
BLUE HILL MEMORIAL HOSP.	329	14.89	17.02	0.30	0.00	12.77	10.94	2.74	3.95	0.61
CALAIS REGIONAL HOSPITAL	177	27.68	15.82	12.43	0.00	22.03	13.56	2.26	4.52	2.26
CARY MEDICAL CENTER	248	16.94	16.13	1.61	0.00	14.52	20.56	0.81	6.05	1.21
CASTINE COMMUNITY HOSPITAL	1	0.00	0.00	0.00	0.00	100.00	0.00	0.00	100.00	0.00
CENTRAL MAINE MEDICAL CENTER	1,052	17.49	14.64	1.05	0.10	18.63	14.64	1.62	6.27	0.10
CHARLES A.DEAN MEMORIAL HOSP.	25	24.00	20.00	0.00	0.00	24.00	4.00	0.00	0.00	0.00
DOWN EAST COMMUNITY HOSPITAL	194	20.62	17.53	5.15	1.03	8.76	4.12	1.55	1.55	0.00
EASTERN MAINE MED CTR	1,664	17.13	11.84	2.34	0.24	17.91	16.11	1.14	6.31	0.30
FRANKLIN MEMORIAL HOSPITAL	503	15.71	12.72	0.40	0.00	15.90	9.74	2.39	6.56	0.20
HENRIETTA D.GOODALL HOSP.	405	11.11	11.60	2.72	0.25	20.49	12.35	1.98	2.96	0.25
HOULTON REGIONAL HOSPITAL	250	18.00	16.00	2.40	0.80	13.60	8.80	2.40	5.20	0.80
J.A.TAYLOR OSTEOPATHIC HOSP.	52	21.15	19.23	1.92	0.00	13.46	17.31	1.92	7.69	0.00
KEN VALLEY MED CTR-AUGUSTA	707	19.66	15.56	1.27	0.28	25.60	15.56	2.12	5.80	0.42
MAINE COAST MEMORIAL HOSP.	205	17.56	13.17	0.98	0.00	59.51	14.63	3.41	7.80	0.00
MAINE MEDICAL CENTER	2,438	11.65	8.00	1.11	0.29	17.60	9.11	1.27	9.89	0.41
MAYO REGIONAL HOSPITAL	291	18.90	17.87	0.69	0.00	16.49	11.68	2.41	2.75	0.00
MERCY HOSPITAL	436	22.94	18.35	1.61	0.23	10.55	19.50	1.61	6.42	0.46
MID-MAINE MEDICAL CTR-SETON	1,042	14.30	11.42	0.86	0.00	19.67	10.84	1.63	2.98	0.10
MILES MEMORIAL HOSPITAL	150	14.00	16.67	0.67	1.33	14.00	3.33	3.33	2.00	0.00
MILLINOCKET REGIONAL HOSP.	181	18.78	20.44	0.00	1.10	8.84	25.41	1.10	3.87	0.00
MOUNT DESERT ISLAND HOSPITAL	82	13.41	4.88	0.00	1.22	15.85	10.98	2.44	4.88	2.44
NORTH CUMBERLAND MEM.HOSP.	150	21.33	17.33	0.00	0.00	15.33	18.00	0.67	2.67	0.67
NORTHERN MAINE MEDICAL CTR	105	13.33	12.38	0.00	0.95	31.43	21.90	0.00	4.76	0.00
OSTEOPATHIC HOSPITAL OF MAINE	477	20.55	16.56	1.05	0.00	23.27	8.39	2.94	4.61	0.21
PARKVIEW MEMORIAL HOSPITAL	912	7.68	10.53	1.75	0.22	10.53	9.65	3.51	4.50	0.33
PENOBSCOT BAY MEDICAL CETER	535	14.77	13.27	0.56	0.56	36.45	14.02	1.50	3.93	0.37
PENOBSCOTT VALLEY HOSPITAL	130	14.62	17.69	0.77	0.00	17.69	16.15	0.77	6.92	0.00
REDINGTON-FAIRVIEW HOSP.	213	22.07	18.78	0.47	0.94	18.78	16.43	2.82	4.69	0.47
REGIONAL MEMORIAL HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
RUMFORD COMMUNITY HOSPITAL	123	21.95	11.38	0.81	0.00	12.20	13.01	2.44	1.63	0.00
SEBASTICOOK VALLEY HOSPITAL	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	522	13.60	11.69	0.00	0.00	13.41	13.79	1.34	6.13	0.00
ST.ANDREWS HOSPITAL	49	8.16	8.16	6.12	0.00	14.29	14.29	10.20	4.08	0.00
ST.JOSEPH'S HOSPITAL	1	100.00	100.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00
STEPHENS MEMORIAL HOSPITAL	301	14.95	15.28	0.00	0.33	8.97	10.96	1.99	1.33	0.00
THE AROOS MED CTR-PRESQUE ISLE	394	13.96	13.20	1.52	0.51	23.35	11.42	1.02	4.06	0.25
US AIR FORCE HOSPITAL	291	4.47	9.97	10.31	0.00	15.46	11.00	3.09	3.09	0.00
WALDO COUNTY GENERAL HOSPITAL	200	21.00	20.00	1.00	0.00	19.50	12.50	4.50	4.00	0.00
WATERVILLE OSTEOPATHIC HOSP.	111	21.62	16.22	0.00	0.90	21.62	6.31	1.80	4.50	0.90
WEBBER HOSPITAL	502	18.33	16.73	1.59	0.40	18.13	14.54	4.78	6.18	0.40
WESTBROOK COMMUNITY HOSPITAL	35	14.29	2.86	5.71	0.00	8.57	17.14	5.71	8.57	0.00
AT HOME	193	11.92	5.18	1.55	2.07	10.36	0.00	1.04	2.59	0.52
BORN ON WAY TO HOSPITAL	9	0.00	11.11	0.00	0.00	22.22	0.00	0.00	0.00	0.00
DOCTOR'S OFFICE	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	104	11.54	11.54	0.00	0.00	5.77	0.00	0.96	0.00	0.00
STREET ADDRESS	1	0.00	0.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00
STATE PERCENTAGES	16,047	15.39	12.92	1.58	0.29	18.07	12.39	1.98	5.55	0.32

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

			***** BIRTHWEIGHT IN GRAMS *****									
	TOTAL BIRTHS		< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	247	100.0	1	0.4	0	0.0	1	0.4	246	99.6	0	0.0
BLUE HILL MEMORIAL HOSP.	329	100.0	4	1.2	0	0.0	4	1.2	325	98.8	0	0.0
CALAIS REGIONAL HOSPITAL	177	100.0	0	0.0	0	0.0	0	0.0	176	99.4	1	0.6
CARY MEDICAL CENTER	248	100.0	1	0.4	0	0.0	1	0.4	247	99.6	0	0.0
CASTINE COMMUNITY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,052	100.0	1	0.1	8	0.8	9	0.9	1,043	99.1	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	25	100.0	0	0.0	0	0.0	0	0.0	25	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	194	100.0	0	0.0	0	0.0	0	0.0	194	100.0	0	0.0
EASTERN MAINE MED CTR	1,664	100.0	5	0.3	7	0.4	12	0.7	1,649	99.1	3	0.2
FRANKLIN MEMORIAL HOSPITAL	503	100.0	0	0.0	1	0.2	1	0.2	502	99.8	0	0.0
HENRIETTA D. GOODALL HOSP	405	100.0	2	0.5	1	0.2	3	0.7	402	99.3	0	0.0
HOULTON REGIONAL HOSPITAL	250	100.0	0	0.0	1	0.4	1	0.4	248	99.2	1	0.4
JAMES A. TAYLOR OSTEOP HOSP	52	100.0	0	0.0	0	0.0	0	0.0	52	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	707	100.0	4	0.6	0	0.0	4	0.6	702	99.3	1	0.1
MAINE COAST MEM. HOSPITAL	205	100.0	2	1.0	2	1.0	4	2.0	201	98.0	0	0.0
MAINE MEDICAL CENTER	2,438	100.0	38	1.6	36	1.5	74	3.0	2,362	96.9	2	0.1
MAYO REGIONAL HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
MERCY HOSPITAL	436	100.0	0	0.0	0	0.0	0	0.0	436	100.0	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,042	100.0	2	0.2	0	0.0	2	0.2	1,040	99.8	0	0.0
MILES MEMORIAL HOSPITAL	150	100.0	0	0.0	0	0.0	0	0.0	150	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	181	100.0	0	0.0	1	0.6	1	0.6	180	99.4	0	0.0
MOUNT DESERT ISLAND HOSPITAL	82	100.0	0	0.0	0	0.0	0	0.0	82	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	150	100.0	0	0.0	1	0.7	1	0.7	149	99.3	0	0.0
NORTHERN MAINE MEDICAL CTR	105	100.0	0	0.0	0	0.0	0	0.0	105	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	477	100.0	1	0.2	2	0.4	3	0.6	474	99.4	0	0.0
PARKVIEW MEMORIAL HOSPITAL	912	100.0	3	0.3	3	0.3	6	0.7	906	99.3	0	0.0
PENOBSCOT BAY MEDICAL CENTER	535	100.0	3	0.6	0	0.0	3	0.6	530	99.1	2	0.4
PENOBSCOT VALLEY HOSPITAL	130	100.0	0	0.0	0	0.0	0	0.0	130	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	213	100.0	0	0.0	0	0.0	0	0.0	213	100.0	0	0.0
REGIONAL MEMORIAL HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	123	100.0	0	0.0	0	0.0	0	0.0	123	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	5	100.0	0	0.0	0	0.0	0	0.0	5	100.0	0	0.0
ST. ANDREWS HOSPITAL	49	100.0	0	0.0	0	0.0	0	0.0	49	100.0	0	0.0
ST. JOSEPH'S HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	522	100.0	0	0.0	1	0.2	1	0.2	521	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	301	100.0	0	0.0	0	0.0	0	0.0	301	100.0	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	394	100.0	0	0.0	2	0.5	2	0.5	392	99.5	0	0.0
US AIR FORCE HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	200	100.0	1	0.5	0	0.0	1	0.5	199	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	111	100.0	0	0.0	1	0.9	1	0.9	110	99.1	0	0.0
WEBBER HOSPITAL	502	100.0	0	0.0	2	0.4	2	0.4	500	99.6	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

			****************************** BIRTHWEIGHT IN GRAMS ******************************									
	TOTAL BIRTHS		< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WESTBROOK COMMUNITY HOSPITAL	35	100.0	0	0.0	0	0.0	0	0.0	35	100.0	0	0.0
AT HOME	193	100.0	0	0.0	0	0.0	0	0.0	192	99.5	1	0.5
BORN OR DIED ON WAY TO HOSP	9	100.0	0	0.0	0	0.0	0	0.0	9	100.0	0	0.0
DOCTOR'S OFFICE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
OTHER SPECIFIED PLACE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	104	100.0	0	0.0	0	0.0	0	0.0	104	100.0	0	0.0
STREET ADDRESS	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
STATE TOTALS	16,047	100.0	68	0.4	69	0.4	137	0.9	15,899	99.1	11	0.1

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
SEPTICEMIA (038)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	1	100.00	0	0.00
FEMALE	2	0	0.00	2	100.00
TOTALS	3	1	33.33	2	66.67
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM (520-534,536-543,562-579)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
SPINA BIFIDA (741)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2,742.4-742.9,743)					
MALE	3	2	66.67	1	33.33
FEMALE	1	0	0.00	1	100.00
TOTALS	4	2	50.00	2	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	3	3	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
FEMALE	5	3	60.00	2	40.00
TOTALS	8	6	75.00	2	25.00
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	1	100.00	0	0.00
FEMALE	3	2	66.67	1	33.33
TOTALS	4	3	75.00	1	25.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	5	5	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	6	6	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	4	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	9	9	100.00	0	0.00
FEMALE	6	6	100.00	0	0.00
TOTALS	15	15	100.00	0	0.00
BIRTH TRAUMA (767)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	7	5	71.43	2	28.57
FEMALE	4	4	100.00	0	0.00
TOTALS	11	9	81.82	2	18.18
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	15	13	86.67	2	13.33
FEMALE	6	4	66.67	2	33.33
TOTALS	21	17	80.95	4	19.05
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
MALE	1	0	0.00	1	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
TOTALS	1	0	0.00	1	100.00
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)					
FEMALE	2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)					
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	11	0	0.00	11	100.00
FEMALE	10	1	10.00	9	90.00
TOTALS	21	1	4.76	20	95.24
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT (E911-E912)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ALL OTHER CAUSES (RESIDUAL)					
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
STATE					
MALE	83	62	74.70	21	25.30
FEMALE	62	37	59.68	25	40.32
TOTALS	145	99	68.28	46	31.72

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (7400)								
MALE	2	1.85	0	1	0	0	0	1
FEMALE	1	0.93	0	0	0	1	0	0
TOTALS	3	2.78	0	1	0	1	0	1
CONGENITAL HYDROCEPHALUS (7423)								
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	0	0	0	0
SPECIFIED ANOMALIES OF FACE AND NECK (7448)								
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY (7475)								
MALE	1	0.93	0	1	0	0	0	0
TOTALS	1	0.93	0	1	0	0	0	0
MULTIPLE CONGENITAL ANOMALIES (7597)								
MALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
UNSPECIFIED CONGENITAL ANOMALY (7599)								
MALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY (7660)								
MALE	2	1.85	1	1	0	0	0	0
FEMALE	2	1.85	0	0	0	1	1	0
TOTALS	4	3.70	1	1	0	1	1	0
MATERNAL RENAL AND URINARY TRACT DISEASES (7601)								
MALE	1	0.93	0	0	1	0	0	0
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	2	1.85	1	0	1	0	0	0
PREMATURE RUPTURE OF MEMBRANES (7611)								
MALE	3	2.78	2	0	0	0	1	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	5	4.63	4	0	0	0	1	0
MULTIPLE PREGNANCY (7615)								
FEMALE	2	1.85	0	0	2	0	0	0
TOTALS	2	1.85	0	0	2	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	GESTATION WEEKS 20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762								
MALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	0	0	0	0
OTHER FORMS OF PLACENTAL SEPARATION AND HEMORRHAGE (7621)								
MALE	2	1.85	1	1	0	0	0	0
FEMALE	7	6.48	2	0	0	2	0	3
TOTALS	9	8.33	3	1	0	2	0	3
UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA (7622)								
MALE	2	1.85	0	0	0	1	1	0
FEMALE	2	1.85	0	1	1	0	0	0
TOTALS	4	3.70	0	1	1	1	1	0
OTHER COMPRESSION OF UMBILICAL CORD (7625)								
MALE	11	10.19	0	0	1	1	5	4
FEMALE	5	4.63	0	1	0	0	3	1
TOTALS	16	14.81	0	1	1	1	8	5
UNSPECIFIED CONDITIONS OF UMBILICAL CORD (7626)								
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (7630)								
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
EXTREME IMMATURITY (7650)								
MALE	2	1.85	2	0	0	0	0	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	4	3.70	4	0	0	0	0	0
PREMATURITY OR SMALL SIZE NOT CLASSIFIABLE (7651)								
MALE	3	2.78	2	0	0	1	0	0
TOTALS	3	2.78	2	0	0	1	0	0
OTHER SPECIFIED BIRTH TRAUMA (7678)								
FEMALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
FETAL DEATH FROM ASPHYXIA OR ANOXIA BEFORE ONSET OF LABOR (7680)								
MALE	7	6.48	0	0	0	2	2	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FEMALE	8	7.41	5	0	0	1	0	2
UNKNOWN	1	0.93	0	0	0	1	0	0
TOTALS	16	14.81	5	0	0	4	2	5
FETAL DISTRESS UNSPECIFIED (7684)								
FEMALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
RESPIRATORY PROBLEMS OF FETUS AFTER BIRTH (7708)								
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
CONDITIONS INVOLVING THE INTEGUMENT & TEMPERATURE REGULATION OF FETUS (7780)								
FEMALE	1	0.93	0	1	0	0	0	0
TOTALS	1	0.93	0	1	0	0	0	0
OTHER SPECIFIED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (7798)								
MALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
UNSPECIFIED CONDITION ORIGINATING IN THE PERINATAL PERIOD (7799)								
MALE	10	9.26	1	0	1	2	3	3
FEMALE	9	8.33	0	1	3	0	2	3
UNKNOWN	1	0.93	1	0	0	0	0	0
TOTALS	20	18.52	2	1	4	2	5	6
UNDIAGNOSED DISEASE, NOT SPECIFIED AS TO SITE OR SYSTEM INVOLVED (7999)								
MALE	3	2.78	0	0	1	0	2	0
FEMALE	4	3.70	0	1	0	0	1	2
TOTALS	7	6.48	0	1	1	0	3	2
STATE								
MALE	55	50.93	10	4	4	9	16	12
FEMALE	51	47.22	13	5	6	6	9	12
UNKNOWN	2	1.85	1	0	0	1	0	0
TOTALS	108	100.00	24	9	10	16	25	24

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	10	0.06	10	10.10	1000.0
500-999	61	0.37	32	32.32	524.6
1000-1499	77	0.46	5	5.05	64.9
1500-1999	178	1.07	10	10.10	56.2
2000-2499	592	3.57	6	6.06	10.1
2500-2999	2,229	13.45	9	9.09	4.0
3000-3499	5,888	35.52	9	9.09	1.5
3500-3999	5,264	31.76	7	7.07	1.3
4000-4499	1,818	10.97	2	2.02	1.1
4500-4999	403	2.43	1	1.01	2.5
GREATER THAN 4999	46	0.28	1	1.01	21.7
UNKNOWN	10	0.06	2	2.02	200.0
STATE TOTALS	16,576	100.00	99	100.00	6.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1983 NEONATAL DEATHS BY 1983 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1983 NEONATAL DEATH COHORT OCCURRED IN 1982.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-04

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	COMPLICATIONS			
			PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	24	22.22	10	9	3	2
24-27	9	8.33	3	2	1	1
28-31	10	9.26	5	1	1	1
32-35	16	14.81	6	4	5	0
36-39	25	23.15	5	3	3	5
OVER 39	24	22.22	4	6	1	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	108		33	25	14	11
PERCENT DISTRIBUTION		100.00	30.56	23.15	12.96	10.19

AGE OF PATIENT(YRS.)	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
LESS THAN 15	0	0.00	0	0	0	0
15	0	0.00	0	0	0	0
16	3	2.78	2	1	1	0
17	2	1.85	0	1	0	0
18	3	2.78	1	0	1	0
19	9	8.33	4	2	1	0
20-24	34	31.48	12	9	5	4
25-29	28	25.93	8	6	1	2
30-34	18	16.67	3	3	3	3
35-39	4	3.70	0	0	0	2
40-44	0	0.00	0	0	0	0
OVER 44	7	6.48	3	3	2	0
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	17	15.74	7	4	3	0
STATE TOTALS	108		33	25	14	11
PERCENT DISTRIBUTION		100.00	30.56	23.15	12.96	10.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-05

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		****************** INFANT DEATHS ******************						PERINATAL	
			TOTAL		NEONATAL		POSTNEONATAL			
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	1,011	10.1	12	8.0	6	4.0	6	4.0	13	8.7
AROOSTOOK	718	8.0	13	9.9	7	5.3	6	4.5	15	11.4
CUMBERLAND	2,110	9.6	24	7.5	15	4.7	9	2.8	33	10.3
FRANKLIN	232	8.1	6	14.6	5	12.1	1	2.4	9	21.7
HANCOCK	462	10.8	9	13.8	7	10.8	2	3.0	13	19.9
KENNEBEC	1,075	9.6	12	7.7	9	5.8	3	1.9	23	14.7
KNOX	401	11.8	6	12.8	6	12.8	0	0.0	9	19.1
LINCOLN	323	12.1	4	9.5	4	9.5	0	0.0	8	18.9
OXFORD	553	11.2	10	14.1	6	8.5	4	5.6	16	22.4
PENOBSCOT	1,128	8.1	15	7.8	11	5.7	4	2.0	19	9.9
PISCATAQUIS	185	10.3	2	8.6	1	4.3	1	4.3	2	8.6
SAGADAHOC	244	8.2	4	7.6	3	5.7	1	1.9	6	11.5
SOMERSET	502	11.0	7	10.2	6	8.8	1	1.4	12	17.5
WALDO	292	10.1	6	12.9	1	2.1	5	10.8	4	8.6
WASHINGTON	372	10.8	2	3.8	1	1.9	1	1.9	5	9.7
YORK	1,308	8.8	13	6.2	11	5.2	2	0.9	20	9.5
STATE TOTALS	10,916	9.5	145	8.7	99	5.9	46	2.7	207	12.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1983 POPULATION PROJECTIONS).
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-06

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	7	6.48	1	3	7	6	1	0	0	0	2	0
AROOSTOOK	8	7.41	1	5	8	7	0	0	1	0	0	0
CUMBERLAND	18	16.67	2	11	18	5	1	0	12	0	1	6
FRANKLIN	4	3.70	2	1	4	3	1	0	0	0	1	0
HANCOCK	6	5.56	1	4	6	3	2	1	0	0	0	0
KENNEBEC	14	12.96	4	8	14	6	1	1	6	0	2	1
KNOX	3	2.78	2	2	3	2	1	0	0	0	0	0
LINCOLN	4	3.70	0	2	4	3	0	0	1	0	0	0
OXFORD	10	9.26	4	7	10	6	1	0	3	0	5	0
PENOBSCOT	8	7.41	1	7	8	6	1	0	1	0	1	0
PISCATAQUIS	1	0.93	1	0	0	1	0	0	0	0	0	0
SAGADAHOC	3	2.78	0	1	3	2	0	0	1	0	0	0
SOMERSET	6	5.56	2	4	6	3	0	0	3	0	2	0
WALDO	3	2.78	1	2	2	1	0	0	2	0	2	0
WASHINGTON	4	3.70	1	3	4	3	0	0	1	0	1	1
YORK	9	8.33	0	3	9	4	1	0	4	0	0	0
STATE TOTALS	108		23	63	106	61	10	2	35	0	17	8
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS		100.00	21.30	58.33	98.15	56.48	9.26	1.85	32.41	0.00	15.74	7.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-07

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	RISK CHARACTERISTICS: CONGENITAL ANOMALIES		FETAL WEIGHT: < 500 GRAMS		FETAL WEIGHT: < 2500 GRAMS		LESS THAN 28 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	7	0	0.0	1	14.3	3	42.9	1	14.3	2.50
AROOSTOOK	8	2	25.0	5	62.5	6	75.0	3	37.5	0.33
CUMBERLAND	18	2	11.1	0	0.0	7	38.9	7	38.9	0.80
FRANKLIN	4	1	25.0	0	0.0	2	50.0	1	25.0	1.00
HANCOCK	6	0	0.0	0	0.0	1	16.7	3	50.0	2.00
KENNEBEC	14	1	7.1	2	14.3	6	42.9	3	21.4	1.40
KNOX	3	0	0.0	2	66.7	2	66.7	2	66.7	2.00
LINCOLN	4	0	0.0	0	0.0	1	25.0	1	25.0	0.00
OXFORD	10	0	0.0	3	30.0	8	80.0	5	50.0	1.50
PENOBSCOT	8	3	37.5	0	0.0	2	25.0	0	0.0	1.67
PISCATAQUIS	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
SAGADAHOC	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
SOMERSET	6	0	0.0	0	0.0	1	16.7	1	16.7	0.20
WALDO	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WASHINGTON	4	0	0.0	0	0.0	1	25.0	1	25.0	3.00
YORK	9	0	0.0	2	22.2	4	44.4	5	55.6	0.50
STATE TOTALS	108	11	10.2	15	13.9	47	43.5	33	30.6	1.08

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,179	2,128	2,051	1	1	1	364.7	382.4	347.9
MALIGNANT NEOPLASMS (140-208)	2,503	1,347	1,156	2	2	2	218.4	242.1	196.1
CEREBROVASCULAR DISEASE (430-438)	790	302	488	3	4	3	68.9	54.3	82.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	445	313	132	4	3	6	38.8	56.2	22.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	442	295	147	5	5	5	38.6	53.0	24.9
PNEUMONIA & INFLUENZA (480-487)	365	163	202	6	6	4	31.9	29.3	34.3
ATHEROSCLEROSIS (440)	176	66	110	7	10	7	15.4	11.9	18.7
DIABETES MELLITUS (250)	169	69	100	8	9	8	14.7	12.4	17.0
SUICIDE (E950-E959)	162	122	40	9	7	12	14.1	21.9	6.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	97	43	10	8	11	12.2	17.4	7.3
TOTAL FOR AGE GROUP	10,916	5,674	5,242				952.5	1,019.7	889.2
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	76	51	25	1	1	1	456.6	598.9	307.6
CONGENITAL ANOMALIES (740-759)	35	15	20	2	2	2	210.3	176.1	246.1
PNEUMONIA & INFLUENZA (480-487)	2	1	1	3	3	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	4	6	3	###	###	###
MENINGITIS (320-322)	1	0	1	5	6	3	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	1	0	6	3	6	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	7	3	6	###	###	###
TOTAL FOR AGE GROUP	145	83	62				871.2	974.6	762.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	23	10	1	1	1	14.2	19.2	8.9
MALIGNANT NEOPLASMS (140-208)	7	2	5	2	2	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	3	2	5	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	4	4	3	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	5	4	3	###	###	###
MENINGITIS (320-322)	1	1	0	6	4	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	7	4	5	###	###	###
TOTAL FOR AGE GROUP	60	41	19				25.9	34.3	16.9
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	117	95	22	1	1	1	59.2	95.7	22.4
SUICIDE (E950-E959)	41	31	10	2	2	2	20.8	31.2	10.2
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	5	2	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	5	4	1	4	4	5	###	###	###
DIABETES MELLITUS (250)	2	0	2	5	7	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	6	7	5	###	###	###
MALIGNANT NEOPLASMS (140-208)	1	0	1	7	7	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	7	5	###	###	###
CONGENITAL ANOMALIES (740-759)	1	1	0	10	5	9	###	###	###
TOTAL FOR AGE GROUP	189	145	44				95.7	146.1	44.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	74	56	18	1	1	1	39.1	59.5	18.9
SUICIDE (E950-E959)	37	28	9	2	2	3	19.5	29.7	###
MALIGNANT NEOPLASMS (140-208)	31	18	13	3	3	2	16.4	19.1	13.7
HEART DISEASE (390-398,402,404-429)	11	10	1	4	4	4	5.8	10.6	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	3	1	5	5	4	###	###	###
DIABETES MELLITUS (250)	2	2	0	6	6	9	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	8	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	1	1	8	8	4	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	2	0	9	6	9	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	10	8	4	###	###	###
TOTAL FOR AGE GROUP	187	138	49				98.8	146.5	51.5
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	63	24	39	1	3	1	43.8	33.4	54.2
HEART DISEASE (390-398,402,404-429)	55	44	11	2	1	2	38.2	61.2	15.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	37	6	3	2	3	29.9	51.5	###
SUICIDE (E950-E959)	22	17	5	4	4	4	15.3	23.6	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	9	1	5	5	8	7.0	###	###
CEREBROVASCULAR DISEASE (430-438)	9	4	5	6	7	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	8	6	2	7	6	6	###	###	###
DIABETES MELLITUS (250)	5	4	1	8	7	8	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	9	9	8	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3	1	2	10	11	6	###	###	###
TOTAL FOR AGE GROUP	252	170	82				175.1	236.5	113.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
- MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	698	511	187	1	1	2	319.4	490.1	163.7
MALIGNANT NEOPLASMS (140-208)	670	378	292	2	2	1	306.6	362.5	255.6
CEREBROVASCULAR DISEASE (430-438)	80	38	42	3	5	3	36.6	36.4	36.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	4	4	4	29.7	40.3	20.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	64	47	17	5	3	5	29.3	45.1	14.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	50	35	15	6	6	6	22.9	33.6	13.1
SUICIDE (E950-E959)	35	26	9	7	7	9	16.0	24.9	###
DIABETES MELLITUS (250)	32	17	15	8	8	6	14.6	16.3	13.1
PNEUMONIA & INFLUENZA (480-487)	30	17	13	9	8	8	13.7	16.3	11.4
INFECTIOUS & PARASITIC DISEASES (001-139)	18	9	9	10	10	9	8.2	###	###
TOTAL FOR AGE GROUP	1,940	1,237	703				887.7	1,186.3	615.3
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	989	604	385	1	1	1	1,154.8	1,606.3	801.3
MALIGNANT NEOPLASMS (140-208)	811	458	353	2	2	2	946.9	1,218.0	734.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	158	109	49	3	3	4	184.5	289.9	102.0
CEREBROVASCULAR DISEASE (430-438)	120	60	60	4	4	3	140.1	159.6	124.9
PNEUMONIA & INFLUENZA (480-487)	50	32	18	5	5	7	58.4	85.1	37.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	45	25	20	6	7	6	52.5	66.5	41.6
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	39	26	13	7	6	8	45.5	69.1	27.1
DIABETES MELLITUS (250)	37	12	25	8	9	5	43.2	31.9	52.0
INFECTIOUS & PARASITIC DISEASES (001-139)	19	13	6	9	8	11	22.2	34.6	###
ATHEROSCLEROSIS (440)	19	10	9	10	11	9	22.2	26.6	###
TOTAL FOR AGE GROUP	2,564	1,522	1,042				2,993.7	4,047.7	2,168.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
- OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
- SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
- ALL OTHER EXTERNAL CAUSES (E980-E999)
- ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,256	598	658	1	1	1	2,681.0	3,503.4	2,209.5
MALIGNANT NEOPLASMS (140-208)	650	351	299	2	2	2	1,387.4	2,056.4	1,004.0
CEREBROVASCULAR DISEASE (430-438)	268	114	154	3	3	3	572.1	667.9	517.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	153	102	51	4	4	4	326.6	597.6	171.3
PNEUMONIA & INFLUENZA (480-487)	100	52	48	5	5	5	213.5	304.6	161.2
DIABETES MELLITUS (250)	56	20	36	6	8	6	119.5	117.2	120.9
ATHEROSCLEROSIS (440)	51	21	30	7	7	7	108.9	123.0	100.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	25	19	8	6	9	93.9	146.5	63.8
INFECTIOUS & PARASITIC DISEASES (001-139)	32	14	18	9	9	10	68.3	82.0	60.4
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	30	10	20	10	11	8	64.0	58.6	67.2
TOTAL FOR AGE GROUP	3,037	1,509	1,528				6,482.5	8,840.6	5,131.0
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,165	357	808	1	1	1	7,418.5	8,567.3	7,003.6
CEREBROVASCULAR DISEASE (430-438)	310	84	226	2	3	2	1,974.0	2,015.8	1,958.9
MALIGNANT NEOPLASMS (140-208)	270	116	154	3	2	3	1,719.3	2,783.8	1,334.8
PNEUMONIA & INFLUENZA (480-487)	180	60	120	4	4	4	1,146.2	1,439.9	1,040.1
ATHEROSCLEROSIS (440)	98	29	69	5	6	5	624.0	695.9	598.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	63	41	22	6	5	7	401.2	983.9	190.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	16	22	7	7	7	242.0	384.0	190.7
DIABETES MELLITUS (250)	35	14	21	8	8	9	222.9	336.0	182.0
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	11	24	9	9	6	222.9	264.0	208.0
INFECTIOUS & PARASITIC DISEASES (001-139)	18	5	13	10	10	11	114.6	###	112.7
TOTAL FOR AGE GROUP	2,542	829	1,713				16,187.0	19,894.4	14,847.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-02 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST** TOTAL	MALE	FEMALE	PERCENT YEARS OF LIFE LOST TOT.	MALE	FEM.	RANK BY YEARS OF LIFE LOST TOT.	MALE	FEM.	AVERAGE YEARS OF LIFE LOST PER DEATH TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	46,789	25,252	21,537	29.8	29.7	29.9	1	1	1	11	12	11
MALIGNANT NEOPLASMS (140-208)	36,623	17,432	19,191	23.3	20.5	26.6	2	2	2	15	13	17
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	15,909	11,739	4,170	10.1	13.8	5.8	3	3	4	36	38	32
CEREBROVASCULAR DISEASE (430-438)	7,739	2,853	4,886	4.9	3.4	6.8	4	7	3	10	9	10
SUICIDE (E950-E959)	5,838	4,220	1,618	3.7	5.0	2.2	5	4	9	36	35	40
PERINATAL CONDITIONS (760-779)	5,581	3,597	1,984	3.6	4.2	2.8	6	5	6	71	69	73
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,048	3,031	2,017	3.2	3.6	2.8	7	6	5	11	10	14
PNEUMONIA & INFLUENZA (480-487)	3,388	1,478	1,910	2.2	1.7	2.7	8	9	7	9	9	9
CONGENITAL ANOMALIES (740-759)	3,075	1,307	1,768	2.0	1.5	2.5	9	10	8	62	59	63
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,488	1,710	778	1.6	2.0	1.1	10	8	12	18	18	18
DIABETES MELLITUS (250)	2,266	901	1,365	1.4	1.1	1.9	11	11	10	13	13	14
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,431	867	564	0.9	1.0	0.8	12	12	14	9	9	10
ATHEROSCLEROSIS (440)	1,417	562	855	0.9	0.7	1.2	13	15	11	8	9	8
INFECTIOUS & PARASITIC DISEASES (001-139)	1,385	643	742	0.9	0.8	1.0	14	14	13	15	14	15
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,051	794	257	0.7	0.9	0.4	15	13	17	40	38	51
BENIGN NEOPLASMS (210-239)	770	420	350	0.5	0.5	0.5	16	16	16	17	16	19
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	761	227	534	0.5	0.3	0.7	17	17	15	9	8	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	399	179	220	0.3	0.2	0.3	18	19	19	11	12	10
HYPERTENSION (401,403)	344	118	226	0.2	0.1	0.3	19	20	18	9	9	9
ULCER OF STOMACH & DUODENUM (531-533)	318	102	216	0.2	0.1	0.3	20	21	20	9	10	9
MENINGITIS (320-322)	286	190	96	0.2	0.2	0.1	21	18	22	32	27	48
ANEMIAS (280-285)	186	102	84	0.1	0.1	0.1	22	21	23	11	17	8
NUTRITIONAL DEFICIENCIES (260-269)	168	70	98	0.1	0.1	0.1	23	24	21	10	10	10
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	131	85	46	0.1	0.1	0.1	24	23	25	9	9	8
KIDNEY INFECTIONS (590)	86	15	71	0.1	0.0	0.1	25	26	24	11	8	12
APPENDICITIS (540-543)	41	11	30	0.0	0.0	0.0	26	27	26	14	11	15
HYPERPLASIA OF PROSTATE (600)	40	40	0	0.0	0.0	0.0	27	25	28	7	7	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	31	7	24	0.0	0.0	0.0	28	28	27	10	7	12
ALL OTHER EXTERNAL CAUSES (E980-E999)	250	103	147	0.2	0.1	0.2				31	34	29
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,176	1,050	1,126	1.4	1.2	1.6				38	39	38
ALL OTHER CAUSES (RESIDUAL)	11,166	6,007	5,159	7.1	7.1	7.2				15	16	13
ALL CAUSES	157,181	85,112	72,069	100.	100.	100.				14	15	14

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
ILL-DEFINED INTESTINAL INFECTIONS (009)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
TOTALS	3	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0
OTHER TUBERCULOSIS (013-018)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS (034-035)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENIGOCOCCAL INFECTION (036)																	
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
SEPTICEMIA (038)																	
MALE	26	0	0	0	0	0	0	0	1	1	1	4	1	5	7	2	4
FEMALE	24	1	0	0	0	0	0	0	0	1	0	0	1	1	5	8	7
TOTALS	50	1	0	0	0	0	0	0	1	2	1	4	2	6	12	10	11
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	5	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	0
VIRAL HEPATITIS (070)																	
FEMALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																	
MALE	6	0	1	0	0	0	0	0	0	0	1	0	0	2	2	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	5
TOTALS	13	0	1	0	0	0	0	0	0	0	2	0	0	3	2	0	5
NEUROSYPHILIS (094)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MYCOSES (110-118)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** AGE AT DEATH(YRS.) ******															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	3	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0
TOTALS	5	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0	0
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	13	0	0	0	0	0	0	0	0	1	2	4	3	1	2	0	0
FEMALE	3	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
TOTALS	16	0	0	0	0	0	0	0	0	2	3	5	3	1	2	0	0
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	21	0	0	0	0	0	0	0	0	3	6	2	4	3	1	1	1
FEMALE	3	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0
TOTALS	24	0	0	1	0	0	0	0	1	3	6	2	5	3	1	1	1
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	8	0	0	0	0	0	0	0	0	2	1	0	0	2	3	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	3	1	0	1	1
TOTALS	15	0	0	0	0	0	0	0	0	2	1	1	3	3	3	1	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	32	0	0	0	0	0	0	0	0	2	5	5	10	4	3	1	2
FEMALE	13	0	0	0	0	0	0	0	0	1	0	3	2	4	0	2	1
TOTALS	45	0	0	0	0	0	0	0	0	3	5	8	12	8	3	3	3
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	38	0	0	0	0	0	0	0	1	3	3	2	6	5	7	9	2
FEMALE	29	0	0	0	0	0	0	0	0	1	1	0	1	6	11	5	4
TOTALS	67	0	0	0	0	0	0	0	1	4	4	2	7	11	18	14	6
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	0	2	2	1	1
MALIGNANT NEOPLASMS OF: DESCENDING COLON (153.2)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	1	0	0	2	2	0
FEMALE	6	0	0	0	0	0	0	0	2	0	0	1	0	1	0	2	0
TOTALS	12	0	0	0	0	0	0	0	2	0	1	2	0	1	2	4	0
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
FEMALE	10	0	0	0	0	0	0	0	0	0	1	1	0	1	1	3	3
TOTALS	12	0	0	0	0	0	0	0	0	0	1	1	0	1	2	4	3
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	104	0	0	0	0	0	0	3	2	8	8	8	7	15	24	14	15

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	121	0	0	0	0	0	0	0	0	9	7	8	16	13	20	23	25
TOTALS	225	0	0	0	0	0	0	3	2	17	15	16	23	28	44	37	40
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																	
MALE	29	0	0	0	0	0	0	0	2	2	3	1	3	9	3	1	5
FEMALE	32	0	0	0	0	0	0	0	1	1	5	2	5	4	3	7	4
TOTALS	61	0	0	0	0	0	0	0	3	3	8	3	8	13	6	8	9
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	2	0	1	0	2	0	0	1
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	0
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	1
FEMALE	7	0	0	0	0	0	0	1	0	0	0	0	2	1	1	0	2
TOTALS	13	0	0	0	0	0	0	1	0	0	1	2	2	1	1	2	3
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																	
MALE	9	0	0	0	0	0	0	0	0	1	1	1	1	3	1	0	1
FEMALE	16	0	0	0	0	0	0	0	0	0	4	1	3	3	1	1	3
TOTALS	25	0	0	0	0	0	0	0	0	1	5	2	4	6	2	1	4
MALIGNANT NEOPLASMS OF: PANCREAS (157)																	
MALE	52	0	0	0	0	0	0	0	1	4	6	8	7	8	5	6	7
FEMALE	67	0	0	0	0	0	0	0	0	3	4	8	11	17	9	7	8
TOTALS	119	0	0	0	0	0	0	0	1	7	10	16	18	25	14	13	15
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																	
MALE	17	0	0	0	0	0	0	0	0	0	1	4	2	4	1	4	1
FEMALE	25	0	0	0	0	0	0	0	0	1	1	2	2	5	7	6	1
TOTALS	42	0	0	0	0	0	0	0	0	1	2	6	4	9	8	10	2
MALIGNANT NEOPLASMS OF: LARYNX (161)																	
MALE	14	0	0	0	0	0	0	0	0	0	2	2	2	3	4	0	1
FEMALE	4	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0
TOTALS	18	0	0	0	0	0	0	0	0	1	3	2	3	3	5	0	1
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	468	0	0	0	0	0	0	3	9	37	51	73	84	95	64	37	15
FEMALE	178	0	0	0	0	0	0	1	5	19	11	29	36	30	28	10	9
TOTALS	646	0	0	0	0	0	0	4	14	56	62	102	120	125	92	47	24
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																	
MALE	5	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	4	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1
FEMALE	3	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	7	0	0	0	0	0	1	0	0	0	2	0	1	0	1	1	1
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	1
FEMALE	7	0	0	0	0	0	0	1	1	0	0	0	2	0	0	2	1
TOTALS	12	0	0	0	0	0	0	1	2	0	0	1	3	1	0	2	2
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	14	0	0	0	0	0	0	2	1	6	0	1	3	1	0	0	0
FEMALE	13	0	0	0	0	0	0	4	0	3	2	1	0	0	0	1	2
TOTALS	27	0	0	0	0	0	0	6	1	9	2	2	3	1	0	1	2
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
TOTALS	8	0	0	0	0	0	0	0	0	0	1	3	0	1	0	0	3
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	207	0	0	0	0	0	0	2	8	24	23	23	30	32	23	24	18
TOTALS	207	0	0	0	0	0	0	2	8	24	23	23	30	32	23	24	18
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	29	0	0	0	0	0	0	1	11	1	5	3	3	1	0	3	1
TOTALS	29	0	0	0	0	0	0	1	11	1	5	3	3	1	0	3	1
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4
TOTALS	33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	63	0	0	0	0	0	0	0	3	6	3	11	14	8	8	2	8
TOTALS	63	0	0	0	0	0	0	0	3	6	3	11	14	8	8	2	8
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	3
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	3
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	155	0	0	0	0	0	0	0	0	1	2	10	9	41	33	26	33
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
TOTALS	157	0	0	0	0	0	0	0	0	2	2	10	9	41	33	27	33
MALIGNANT NEOPLASMS OF: TESTIS (186)																	
MALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: BLADDER (188)																	
MALE	54	0	0	0	0	0	0	0	0	2	3	6	9	6	10	10	8
FEMALE	17	0	0	0	0	0	0	0	0	0	1	0	2	2	4	3	5
TOTALS	71	0	0	0	0	0	0	0	0	2	4	6	11	8	14	13	13
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																	
MALE	27	0	0	0	0	0	0	0	0	3	2	5	4	3	3	6	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		AGE AT DEATH(YRS.)															
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	21	0	0	0	0	0	0	1	2	1	0	2	2	2	4	1	6
TOTALS	48	0	0	0	0	0	0	1	2	4	2	7	6	5	7	7	7
MALIGNANT NEOPLASMS OF: EYE (190)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF: BRAIN (191)																	
MALE	23	0	0	0	1	0	0	2	4	3	3	4	2	2	1	1	0
FEMALE	26	0	0	0	1	0	0	0	1	4	3	2	1	8	3	2	1
TOTALS	49	0	0	0	2	0	0	2	5	7	6	6	3	10	4	3	1
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
FEMALE	5	0	0	1	0	0	0	0	0	0	0	0	0	1	1	1	1
TOTALS	7	0	0	1	0	0	0	0	0	0	0	0	1	1	2	1	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	118	0	0	0	0	0	0	2	1	5	9	12	19	29	14	15	12
FEMALE	87	0	0	0	0	0	0	0	2	6	3	7	9	16	8	14	22
TOTALS	205	0	0	0	0	0	0	2	3	11	12	19	28	45	22	29	34
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	13	0	0	0	0	0	0	1	0	0	1	0	3	2	3	2	1
FEMALE	11	0	0	0	0	0	0	0	1	0	0	0	1	4	2	3	0
TOTALS	24	0	0	0	0	0	0	1	1	0	1	0	4	6	5	5	1
HODGKIN'S DISEASE (201)																	
MALE	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	27	0	0	0	0	0	0	1	0	2	3	1	3	8	6	2	1
FEMALE	30	0	0	0	0	0	0	1	0	1	1	3	3	6	6	1	8
TOTALS	57	0	0	0	0	0	0	2	0	3	4	4	6	14	12	3	9
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	15	0	0	0	0	0	0	0	0	1	1	0	4	2	3	3	1
FEMALE	18	0	0	0	0	0	0	0	0	1	1	2	4	1	3	3	3
TOTALS	33	0	0	0	0	0	0	0	0	2	2	2	8	3	6	6	4
LYMPHOID LEUKEMIA (204)																	
MALE	11	0	0	0	0	0	0	0	0	1	0	1	3	1	1	2	2
FEMALE	11	0	0	0	1	0	0	0	0	0	0	0	2	1	1	2	4
TOTALS	22	0	0	0	1	0	0	0	0	1	0	1	5	2	2	4	6
MYELOID LEUKEMIA (205)																	
MALE	18	0	0	0	0	0	0	0	1	2	1	1	6	2	2	2	1
FEMALE	17	0	0	0	0	0	0	1	1	2	2	0	4	2	2	3	0
TOTALS	35	0	0	0	0	0	0	1	2	4	3	1	10	4	4	5	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******** AGE AT DEATH(YRS.) ********															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MONOCYTIC LEUKEMIA (206)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	13	0	0	0	0	0	0	1	0	0	2	0	2	5	1	1	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	3	0	0	1	1
TOTALS	19	0	0	0	0	0	0	1	0	0	2	1	5	5	1	2	2
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	1
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	5	0	0	0	0	0	0	0	1	1	1	0	0	0	2	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	1	1	1	0	0	1	2	0	0
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	16	0	0	0	1	0	0	1	0	1	0	2	5	2	0	0	4
FEMALE	14	0	0	0	0	0	0	0	1	1	2	2	0	2	2	0	4
TOTALS	30	0	0	0	1	0	0	1	1	2	2	4	5	4	2	0	8
DISORDERS OF THYROID GLAND (240-246)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
TOTALS	5	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0
DIABETES MELLITUS (250)																	
MALE	69	0	0	0	0	0	0	2	4	4	7	6	7	5	12	8	14
FEMALE	100	0	0	0	0	1	1	0	1	3	5	7	14	11	15	21	21
TOTALS	169	0	0	0	0	1	1	2	5	7	12	13	21	16	27	29	35
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
CYSTIC FIBROSIS (277.0)																	
MALE	4	0	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	5	0	2	0	0	1	2	0	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	2	0	0	1	0	2	0	0	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	20	0	1	0	0	0	0	0	2	2	2	0	2	3	1	3	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	27	1	0	0	0	0	0	0	0	0	1	3	2	1	3	3	13
TOTALS	47	1	1	0	0	0	0	0	2	2	3	3	4	4	4	6	17
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1
FEMALE	10	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	7
TOTALS	15	0	0	0	0	0	0	0	0	1	0	0	0	3	2	1	8
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
DEFICIENCY ANEMIAS (280-281)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
APLASTIC ANEMIA (284)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4
TOTALS	9	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	9	1	0	0	0	0	0	0	0	0	2	0	0	3	2	1	0
FEMALE	6	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0	1
TOTALS	15	1	0	0	0	0	1	0	0	0	4	0	1	3	3	1	1
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	10
TOTALS	24	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	16
ALCOHOLIC PSYCHOSES (291)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
ALL OTHER PHYCHOSES (292-299)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	3
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	18	0	0	0	0	0	1	0	2	7	2	3	2	1	0	0	0
FEMALE	10	0	0	0	0	0	0	0	0	5	1	1	1	1	1	0	0
TOTALS	28	0	0	0	0	0	1	0	2	12	3	4	3	2	1	0	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	17	0	0	0	0	0	0	0	1	1	1	0	2	1	5	4	2
FEMALE	17	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	12
TOTALS	34	0	0	0	0	0	0	1	1	1	1	0	3	2	6	5	14
MENTAL RETARDATION (317-319)																	
MALE	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
TOTALS	4	0	0	0	1	0	0	0	1	0	1	0	1	0	0	0	0
MENINGITIS (320-322)																	
MALE	7	0	1	0	0	0	0	0	0	2	2	0	1	1	0	0	0
FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	9	1	1	0	0	0	0	0	0	2	2	0	2	1	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	14	0	0	0	0	0	0	0	0	0	0	0	0	4	5	3	2
FEMALE	21	0	0	0	0	0	0	0	0	0	1	0	0	1	3	7	9
TOTALS	35	0	0	0	0	0	0	0	0	0	1	0	0	5	8	10	11
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	37	0	1	0	0	0	0	2	1	0	3	1	8	5	9	6	1
FEMALE	33	0	0	0	0	0	0	0	1	1	2	2	5	2	6	4	10
TOTALS	70	0	1	0	0	0	0	2	2	1	5	3	13	7	15	10	11
MULTIPLE SCLEROSIS (340)																	
MALE	4	0	0	0	0	1	0	0	1	0	0	0	1	1	0	0	0
FEMALE	7	0	0	0	0	0	0	0	1	0	1	3	1	1	0	0	0
TOTALS	11	0	0	0	0	1	0	0	2	0	1	3	2	2	0	0	0
INFANTILE CEREBRAL PALSY (343)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
EPILEPSY (345)																	
MALE	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0
TOTALS	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	23	0	1	1	0	2	0	0	0	4	2	0	4	3	2	3	1
FEMALE	14	0	0	1	0	0	0	1	1	1	0	0	2	3	0	5	0
TOTALS	37	0	1	2	0	2	0	1	1	5	2	0	6	6	2	8	1
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
MALE	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
FEMALE	7	0	0	0	0	0	0	0	0	2	1	1	0	1	1	1	0
TOTALS	10	0	0	0	0	0	0	0	0	2	1	1	0	1	3	2	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
DISEASE OF AORTIC VALVE (395)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL AND AORTIC VALVES (396)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	9	0	0	0	0	0	0	1	0	2	1	0	2	0	0	2	1
FEMALE	14	0	0	0	0	0	0	0	0	0	1	1	1	4	3	1	3
TOTALS	23	0	0	0	0	0	0	1	0	2	2	1	3	4	3	3	4
ESSENTIAL HYPERTENSION (401)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	0	2	3	0	5
TOTALS	17	0	0	0	0	0	0	0	0	1	1	1	1	2	4	1	6
HYPERTENSIVE HEART DISEASE (402)																	
MALE	23	0	0	0	0	0	0	2	0	2	2	2	2	3	3	5	2
FEMALE	52	0	0	0	0	0	0	0	0	0	0	0	1	7	8	11	25
TOTALS	75	0	0	0	0	0	0	2	0	2	2	2	3	10	11	16	27
HYPERTENSIVE RENAL DISEASE (403)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	3	1	2
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	9
TOTALS	20	0	0	0	0	0	0	0	0	0	0	0	3	0	5	1	11
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	3
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5
TOTALS	16	0	0	0	0	0	0	0	0	0	0	0	0	3	2	3	8
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	948	0	0	0	0	0	2	2	22	75	86	116	117	168	139	113	108
FEMALE	760	0	0	0	0	0	0	0	3	21	23	52	72	130	138	116	205
TOTALS	1,708	0	0	0	0	0	2	2	25	96	109	168	189	298	277	229	313
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	33	0	0	0	0	0	0	0	1	5	3	5	7	4	4	1	3
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	3	1	0	1
TOTALS	39	0	0	0	0	0	0	0	1	5	3	6	7	7	5	1	4
ANGINA PECTORIS (413)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	7	0	0	0	0	0	0	0	1	0	0	1	0	0	1	2	2
TOTALS	9	0	0	0	0	0	0	0	1	0	0	1	0	1	1	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	683	0	0	0	0	1	0	0	11	34	31	57	82	95	111	106	155
FEMALE	738	0	0	0	0	0	0	0	2	5	11	25	31	60	88	138	378
TOTALS	1,421	0	0	0	0	1	0	0	13	39	42	82	113	155	199	244	533
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	29	0	0	0	0	0	0	0	2	0	1	3	7	2	9	3	2
FEMALE	34	0	0	0	0	0	0	0	0	3	2	1	3	4	8	4	9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	63	0	0	0	0	0	0	0	2	3	3	4	10	6	17	7	11
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
FEMALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
FEMALE	4	0	0	0	0	0	0	0	2,	0	0	0	1	1	0	0	0
TOTALS	4	0	0	0	0	0	0	0	2	0	0	0	1	1	0	0	0
MITRAL VALVE DISORDERS (424.0)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3
AORTIC VALVE DISORDERS (424.1)																	
MALE	15	0	0	0	0	0	0	0	0	2	0	1	4	2	4	2	0
FEMALE	20	0	0	0	0	0	0	0	0	0	0	1	0	1	6	6	6
TOTALS	35	0	0	0	0	0	0	0	0	2	0	2	4	3	10	8	6
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	7	0	0	0	0	0	0	0	0	0	1	1	0	2	1	1	1
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	2
TOTALS	12	0	0	0	0	0	0	0	0	1	1	1	0	2	1	3	3
HEART FAILURE (428)																	
MALE	71	0	0	0	0	0	0	1	3	1	3	4	10	12	8	11	18
FEMALE	112	0	0	0	0	0	0	1	0	1	1	2	4	8	17	23	55
TOTALS	183	0	0	0	0	0	0	2	3	2	4	6	14	20	25	34	73
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																	
MALE	290	0	0	0	0	0	1	4	5	18	23	31	39	40	34	36	59
FEMALE	272	0	0	0	0	1	0	0	2	9	7	14	21	29	31	46	112
TOTALS	562	0	0	0	0	1	1	4	7	27	30	45	60	69	65	82	171
SUBARACHNOID HEMORRHAGE (430)																	
MALE	12	0	0	0	0	0	0	1	3	1	2	1	1	0	3	0	0
FEMALE	22	0	0	0	0	0	0	0	2	7	2	1	2	1	2	2	3
TOTALS	34	0	0	0	0	0	0	1	5	8	4	2	3	1	5	2	3
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
MALE	41	0	0	0	0	0	1	0	1	3	2	3	4	6	5	6	10
FEMALE	69	0	0	0	0	0	0	1	2	2	4	6	3	11	12	6	22
TOTALS	110	0	0	0	0	0	1	1	3	5	6	9	7	17	17	12	32
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
MALE	41	0	0	0	0	0	0	0	0	1	0	5	3	5	6	10	11

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	87	0	0	0	0	0	0	0	0	2	0	3	3	5	12	16	46
TOTALS	128	0	0	0	0	0	0	0	0	3	0	8	6	10	18	26	57
CEREBRAL EMBOLISM (434.1)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																	
MALE	170	0	0	0	0	0	0	0	0	4	6	10	13	22	32	32	51
FEMALE	241	0	0	0	0	0	0	0	0	1	6	6	10	22	30	49	117
TOTALS	411	0	0	0	0	0	0	0	0	5	12	16	23	44	62	81	168
OTHER CEREBROVASCULAR DISEASE (435,437-438)																	
MALE	36	0	0	0	0	0	0	0	0	0	0	0	2	4	9	10	11
FEMALE	61	0	0	0	0	0	0	0	1	0	2	0	1	1	7	13	36
TOTALS	97	0	0	0	0	0	0	0	1	0	2	0	3	5	16	23	47
ATHEROSCLEROSIS (440)																	
MALE	66	0	0	0	0	0	0	0	1	2	1	2	5	5	14	7	29
FEMALE	110	0	0	0	0	0	0	0	0	0	0	2	2	7	12	18	69
TOTALS	176	0	0	0	0	0	0	0	1	2	1	4	7	12	26	25	98
AORTIC ANEURYSM (441)																	
MALE	64	0	0	0	0	0	0	0	0	0	2	3	6	14	16	11	12
FEMALE	41	0	0	0	0	0	0	0	0	1	0	1	4	6	10	11	8
TOTALS	105	0	0	0	0	0	0	0	0	1	2	4	10	20	26	22	20
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																	
MALE	31	0	0	0	0	0	0	0	0	0	2	2	3	6	7	6	5
FEMALE	16	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	11
TOTALS	47	0	0	0	0	0	0	0	0	0	2	2	3	6	10	8	16
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1
FEMALE	9	0	0	0	0	0	0	0	0	0	1	1	0	1	3	0	3
TOTALS	14	0	0	0	0	0	0	0	0	0	2	2	1	2	3	0	4
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																	
MALE	9	0	0	0	0	0	0	0	1	1	0	0	2	1	2	1	1
FEMALE	6	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0
TOTALS	15	0	0	0	0	0	0	0	1	2	0	1	3	3	3	1	1
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	1
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** AGE AT DEATH(YRS.) ******															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
VIRAL PNEUMONIA (480)																	
MALE	7	0	0	0	0	0	0	0	0	1	1	1	1	0	0	2	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	10	0	0	0	0	0	0	0	0	1	1	1	1	0	1	3	2
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																	
MALE	7	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	4
FEMALE	10	0	0	0	0	0	0	1	0	0	0	1	0	1	4	0	3
TOTALS	17	0	0	0	0	0	0	1	0	1	0	1	0	3	4	0	7
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																	
MALE	19	0	0	0	0	0	0	0	0	1	1	0	1	3	3	4	6
FEMALE	23	0	0	0	0	1	0	0	0	1	1	0	1	1	2	1	15
TOTALS	42	0	0	0	0	1	0	0	0	2	2	0	2	4	5	5	21
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																	
MALE	112	1	0	0	0	0	0	1	0	2	2	3	12	12	20	19	40
FEMALE	139	1	0	0	0	0	0	0	0	2	6	2	5	10	7	20	86
TOTALS	251	2	0	0	0	0	0	1	0	4	8	5	17	22	27	39	126
INFLUENZA (487)																	
MALE	18	0	0	0	0	0	0	0	0	0	3	1	0	1	3	1	9
FEMALE	27	0	0	0	0	0	0	0	0	0	0	0	0	0	2	10	15
TOTALS	45	0	0	0	0	0	0	0	0	0	3	1	0	1	5	11	24
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
CHRONIC BRONCHITIS (491)																	
MALE	16	0	0	0	0	0	0	0	0	1	0	0	6	2	4	2	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	2	1	2	1	2	1
TOTALS	25	0	0	0	0	0	0	0	0	1	0	2	7	4	5	4	2
EMPHYSEMA (492)																	
MALE	68	0	0	0	0	0	0	0	0	2	2	5	16	16	10	9	8
FEMALE	18	0	0	0	0	0	0	0	0	2	1	1	5	5	1	1	2
TOTALS	86	0	0	0	0	0	0	0	0	4	3	6	21	21	11	10	10
ASTHMA (493)																	
MALE	11	0	0	0	0	0	0	0	1	1	3	1	2	2	1	0	0
FEMALE	11	0	0	0	0	0	0	0	0	0	2	0	2	3	2	1	1
TOTALS	22	0	0	0	0	0	0	0	1	1	5	1	4	5	3	1	1
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																	
MALE	197	0	0	0	0	0	0	0	0	6	4	17	25	39	44	32	30
FEMALE	106	0	0	0	0	0	0	0	2	5	1	9	15	16	26	15	17

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	303	0	0	0	0	0	0	0	2	11	5	26	40	55	70	47	47
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	2
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	6
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	0	4	5	1	8
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
MALE	3	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0
PLEURISY (511)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	44	1	1	0	0	1	0	0	2	4	1	5	6	5	5	6	7
FEMALE	37	2	0	0	0	0	0	0	0	1	2	2	1	4	3	8	14
TOTALS	81	3	1	0	0	1	0	0	2	5	3	7	7	9	8	14	21
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
GASTRIC ULCER (531)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	3
TOTALS	12	0	0	0	0	0	0	0	0	0	1	1	1	3	1	2	3
DUODENAL ULCER (532)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	3
TOTALS	11	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	4
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	4
GASTRITIS AND DUODENITIS (535)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	15	1	0	0	0	0	0	0	0	0	0	1	2	1	1	5	4
FEMALE	22	0	0	0	0	0	0	0	0	1	2	0	0	0	5	5	9
TOTALS	37	1	0	0	0	0	0	0	0	1	2	1	2	1	6	10	13

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		************************************ AGE AT DEATH(YRS.) ************************************															
(CONT.)																	
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	6	0	0	0	0	0	0	0	0	2	0	0	1	1	0	1	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	8	0	0	0	0	0	0	0	0	2	0	0	1	1	1	2	1
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	14	0	0	0	0	0	0	0	0	1	1	1	1	3	3	1	3
FEMALE	20	0	0	0	0	0	0	0	0	1	1	0	2	3	3	3	7
TOTALS	34	0	0	0	0	0	0	0	0	2	2	1	3	6	6	4	10
DIVERTICULA OF INTESTINE (562)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
FEMALE	10	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	4
TOTALS	13	0	0	0	0	0	0	0	0	0	1	1	0	2	1	3	5
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	35	0	0	0	0	0	0	1	7	4	6	7	4	3	3	0	0
FEMALE	14	0	0	0	0	0	0	0	1	3	0	4	4	0	2	0	0
TOTALS	49	0	0	0	0	0	0	1	8	7	6	11	8	3	5	0	0
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	3	0	2	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0
TOTALS	9	0	0	0	0	0	0	0	0	1	0	4	0	3	0	1	0
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	57	0	0	0	0	0	0	1	2	8	8	11	11	6	5	3	2
FEMALE	25	0	0	0	0	0	0	0	0	3	0	5	4	4	4	2	3
TOTALS	82	0	0	0	0	0	0	1	2	11	8	16	15	10	9	5	5
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	2	0	2	3	0	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3
TOTALS	15	0	0	0	0	0	0	0	0	0	0	2	0	2	4	2	5
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	62	1	1	0	0	0	0	4	1	5	4	7	8	7	8	6	10
FEMALE	62	0	0	0	0	1	0	0	2	2	2	0	2	3	10	11	29
TOTALS	124	1	1	0	0	1	0	4	3	7	6	7	10	10	18	17	39
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	2	1	3	1	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	2	3	2	3
RENAL FAILURE (584-586,588-589)																	
MALE	23	0	0	0	0	0	0	0	1	0	0	0	2	2	5	4	9
FEMALE	48	0	0	0	0	0	0	0	0	1	1	1	2	4	6	10	23
TOTALS	71	0	0	0	0	0	0	0	1	1	1	1	4	6	11	14	32
INFECTIONS OF KIDNEY (590)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	2
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
URINARY CALCULUS (592,594)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																	
MALE	17	0	0	0	0	0	0	0	0	0	0	1	1	0	3	5	7
FEMALE	32	1	0	0	0	0	0	1	0	1	0	0	1	0	5	7	16
TOTALS	49	1	0	0	0	0	0	1	0	1	0	1	2	0	8	12	23
HYPERPLASIA OF PROSTATE (600)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DISORDERS OF BREAST (610-611)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0
FEMALE	9	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1	3
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	2	3	2	2	3
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	1	0	1	1	0	0	0	2	1	0
TOTALS	8	0	0	0	0	0	0	1	0	1	1	1	0	0	3	1	0
RHEUMATISM, EXCLUDING THE BACK (725-729)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
TOTALS	4	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2
SPINA BIFIDA (741)																	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																	
MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	5	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	9	8	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)																	
MALE	5	3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	8	5	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	13	8	1	0	1	0	0	1	0	0	0	0	0	1	0	1	0
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																	
MALE	3	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	6	4	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																	
MALE	11	8	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
FEMALE	10	6	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0
TOTALS	21	14	0	0	0	0	1	0	1	0	1	1	1	0	0	1	1
BIRTH TRAUMA (767)																	
MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-799)																	
MALE	40	39	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	19	17	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	59	56	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	26	11	0	0	0	0	0	1	2	2	1	1	1	3	0	2	2
FEMALE	28	10	1	0	0	1	0	0	1	0	0	2	0	2	2	2	7
TOTALS	54	21	1	0	0	1	0	1	3	2	1	3	1	5	2	4	9
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	39	0	0	0	1	4	7	11	5	2	1	1	2	2	1	2	0
FEMALE	23	0	0	0	0	1	4	8	1	1	1	1	2	4	0	0	0
TOTALS	62	0	0	0	1	5	11	19	6	3	2	2	4	6	1	2	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	17	0	1	2	0	3	4	3	0	0	1	0	0	1	1	0	1
FEMALE	8	0	1	1	0	0	0	0	1	0	0	0	0	1	2	1	1
TOTALS	25	0	2	3	0	3	4	3	1	0	1	0	0	2	3	1	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	29	0	0	1	1	5	10	8	2	1	0	0	0	1	0	0	0
FEMALE	7	0	0	0	0	1	3	0	1	0	0	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************************************* AGE AT DEATH(YRS.) *************************************															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	36	0	0	1	1	6	13	8	3	1	0	0	0	1	1	1	0
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	62	0	0	0	0	18	16	12	9	2	0	0	1	2	2	0	0
FEMALE	19	0	0	0	1	1	6	5	1	0	2	0	1	2	0	0	0
TOTALS	81	0	0	0	1	19	22	17	10	2	2	0	2	4	2	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	14	0	0	1	1	1	2	4	1	1	1	1	0	0	1	0	0
FEMALE	8	0	0	0	0	2	3	1	0	1	0	0	1	0	0	0	0
TOTALS	22	0	0	1	1	3	5	5	1	2	1	1	1	0	1	0	0
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	5	0	0	1	0	0	2	1	1	0	0	0	0	0	0	0	0
TOTALS	5	0	0	1	0	0	2	1	1	0	0	0	0	0	0	0	0
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	16	0	0	0	1	2	3	4	1	2	1	1	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	17	0	0	0	1	2	3	5	1	2	1	1	0	1	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	8	0	0	0	0	0	0	2	2	2	0	1	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	9	0	0	0	0	0	0	2	2	2	1	1	1	0	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	4	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	7	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	3
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	5	0	0	0	0	0	1	0	3	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	6	0	0	0	0	0	1	0	3	1	0	0	0	0	0	1	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	10	0	0	0	0	0	0	0	1	0	0	0	1	2	2	0	4
FEMALE	11	0	0	0	0	0	0	0	1	0	1	1	2	1	2	1	2
TOTALS	21	0	0	0	0	0	0	0	2	0	1	1	3	3	4	1	6
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	13	0	0	0	0	3	1	1	4	0	0	1	0	1	0	0	2
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
TOTALS	17	0	0	0	0	3	1	1	4	1	0	1	0	1	1	0	4
FALL ON SAME LEVEL (E885-E886)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIIED FALLS (E887-E888)																	
MALE	17	0	0	0	0	0	0	0	1	0	0	3	0	1	1	5	6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	14	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	10
TOTALS	31	0	0	0	0	0	0	1	1	0	0	3	1	1	1	7	16
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	15	0	2	0	0	0	3	1	0	2	1	1	2	0	2	1	0
FEMALE	10	0	0	1	0	0	1	0	0	0	1	1	1	0	0	2	3
TOTALS	25	0	2	1	0	0	4	1	0	2	2	2	3	0	2	3	3
LIGHTNING (E907)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	20	0	3	2	1	5	1	3	1	1	0	1	0	1	1	0	0
FEMALE	6	0	0	1	2	0	0	1	1	0	0	0	0	1	0	0	0
TOTALS	26	0	3	3	3	5	1	4	2	1	0	1	0	2	1	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	7	1	1	0	0	0	0	0	1	0	0	0	1	0	1	0	2
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	1
TOTALS	12	1	1	0	0	0	0	1	1	0	0	1	1	0	2	1	3
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	3	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																	
MALE	22	0	2	2	0	0	2	1	5	0	2	1	4	1	2	0	0
FEMALE	8	0	3	0	0	0	0	0	0	0	0	0	1	1	2	0	1
TOTALS	30	0	5	2	0	0	2	1	5	0	2	1	5	2	4	0	1
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	10	0	0	0	0	0	2	4	2	0	0	0	0	0	1	1	0
FEMALE	13	0	0	0	0	0	2	3	3	1	1	0	0	2	1	0	0
TOTALS	23	0	0	0	0	0	4	7	5	1	1	0	0	2	2	1	0
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																	
FEMALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	18	0	0	0	0	1	1	5	5	3	1	0	0	1	0	1	0
FEMALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
TOTALS	20	0	0	0	0	1	2	6	5	3	1	0	0	1	0	1	0
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	13	0	0	0	0	1	3	1	1	3	0	0	2	1	0	0	1
FEMALE	6	0	0	0	0	0	0	1	1	2	0	1	0	0	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		AGE AT DEATH(YRS.)															
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	19	0	0	0	0	1	3	2	2	5	0	1	2	1	0	1	1
SUICIDE BY HANDGUN (E955.0)																	
MALE	5	0	0	0	0	0	0	3	0	0	1	0	0	1	0	0	0
FEMALE	3	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0
TOTALS	8	0	0	0	0	0	2	4	0	0	1	0	0	1	0	0	0
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	69	0	0	0	0	8	13	14	9	6	7	2	3	2	2	3	0
FEMALE	7	0	0	0	0	2	1	2	0	2	0	0	0	0	0	0	0
TOTALS	76	0	0	0	0	10	14	16	9	8	7	2	3	2	2	3	0
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																	
MALE	7	0	0	0	0	1	1	1	0	1	0	2	0	1	0	0	0
FEMALE	7	0	0	0	0	0	1	1	0	2	0	0	3	0	0	0	0
TOTALS	14	0	0	0	0	1	2	2	0	3	0	2	3	1	0	0	0
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																	
MALE	13	0	0	1	0	2	2	1	3	3	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
TOTALS	16	0	0	1	0	2	2	2	5	3	0	0	0	0	1	0	0
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	8	0	0	0	0	0	1	2	3	0	0	1	1	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	9	0	0	0	0	1	1	2	3	0	0	1	1	0	0	0	0
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	0
INJURY INFLICTED FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																	
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
STATE																	
MALE	5,674	83	21	11	9	62	83	138	170	345	374	518	672	850	825	684	829
FEMALE	5,242	62	6	7	6	15	29	49	82	204	194	305	434	608	722	806	1,713
TOTALS	10,916	145	27	18	15	77	112	187	252	549	568	823	1,106	1,458	1,547	1,490	2,542
PERCENT DISTRIBUTION																	
MALE	100.00	1.46	0.37	0.19	0.16	1.09	1.46	2.43	3.00	6.08	6.59	9.13	11.84	14.98	14.54	12.05	14.61
FEMALE	100.00	1.18	0.11	0.13	0.11	0.29	0.55	0.93	1.56	3.89	3.70	5.82	8.28	11.60	13.77	15.38	32.68
TOTALS	100.00	1.33	0.25	0.16	0.14	0.71	1.03	1.71	2.31	5.03	5.20	7.54	10.13	13.36	14.17	13.65	23.29

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	4	4.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	1	1	1.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	50	301	6.020
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	3	8	2.666
SYPHILIS (090-097)	1	1	1.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	32	73	2.281
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	55	72	1.309
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	645	737	1.142
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	669	749	1.119
MAL. NEO. BREAST (174-175)	208	254	1.221
MAL. NEO. GENITAL ORGANS (179-187)	293	369	1.259
MAL. NEO. URINARY ORGANS (188-189)	119	147	1.235
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	318	728	2.289
LEUKEMIA (204-208)	79	97	1.227
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	117	159	1.358
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	45	76	1.688
DIABETES MELLITUS (250)	169	847	5.011
NUTRITIONAL DEFICIENCIES (260-269)	17	255	15.000
ANEMIAS (280-285)	17	182	10.705
MENINGITIS (320-322)	9	23	2.555
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	38	64	1.684
HYPERTENSIVE HEART DISEASE (402)	75	164	2.186
HYPERTENSIVE HEART & RENAL DIS. (404)	16	6	0.375
ACUTE MYOCARDIAL INFARCTION (410)	1,708	1,852	1.084
OTHER ACUTE & SUBACUTE I.H.D. (411)	39	73	1.871
ANGINA PECTORIS (413)	9	55	6.111
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,421	2,754	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	53	149	2.811
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	820	4,004	4.882
HYPERTENSION W/WO RENAL DISEASE (401, 403)	37	578	15.621
INTRACEREBRAL HEMORRHAGE (431-432)	110	158	1.436
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	128	188	1.468

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	3	21	7.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	549	1,192	2.171
ATHEROSCLEROSIS (440)	176	946	5.375
OTHER DIS. ARTERIES & CAPIL. (441-448)	152	327	2.151
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	16	5.333
PNEUMONIA (480-486)	320	988	3.087
INFLUENZA (487)	45	68	1.511
BRONCHITIS CHRONIC & UNSPEC. (490-491)	28	67	2.392
EMPHYSEMA (492)	86	197	2.290
ASTHMA (493)	22	54	2.454
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	306	893	2.918
ULCER OF STOMACH & DUODENUM (531-533)	34	88	2.588
APPENDICITIS (540-543)	3	5	1.666
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	37	117	3.162
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	204	1.457
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	15	49	3.266
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	0	8	0.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	13	30	2.307
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	71	590	8.309
INFECTIONS OF KIDNEY (590)	8	25	3.125
HYPERPLASIA OF PROSTATE ALL (600)	6	17	2.833
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	50	80	1.600
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	20	34	1.700
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	59	95	1.610
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	57	2,078	36.456
ALL OTHER DISEASES (RESIDUAL)	764	3,130	4.096
MOTOR VEHICLE ACCIDENTS (E810-E825)	233	235	1.008
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	212	526	2.481
SUICIDE (E950-E959)	162	207	1.277
HOMICIDE & LEGAL INTERVENTION (E960-E978)	26	37	1.423
ALL OTHER EXTERNAL CAUSES (E980-E999)	8	91	11.375
TOTAL FOR ALL CAUSES	10,916	27,556**	2.524

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

** THE TOTAL NUMBER OF MULTIPLE CAUSES FOUND THAT ARE NONUNDERLYING CAUSES:
NATURE OF INJURY CODES: 1285 SECONDARY NEOPLASMS: 557
THESE CODES ARE NOT INCLUDED IN THE ABOVE TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-05

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH *****								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,011	52.82	1.29	0.00	2.77	26.51	0.00	0.00	12.56	4.06
AROOSTOOK	718	63.65	2.51	0.00	0.14	14.90	0.00	0.00	13.65	5.15
CUMBERLAND	2,110	58.63	1.37	0.00	0.24	20.38	0.00	0.00	16.45	2.94
FRANKLIN	232	50.86	2.16	0.00	0.00	21.55	0.00	0.43	19.40	5.60
HANCOCK	462	51.73	1.95	0.43	0.00	21.65	0.00	0.22	17.32	6.71
KENNEBEC	1,075	54.14	1.67	0.00	0.00	25.86	0.00	0.00	14.60	3.72
KNOX	401	49.63	2.00	0.00	0.00	27.18	0.25	0.00	16.46	4.49
LINCOLN	323	50.15	1.86	0.00	0.31	24.77	0.00	0.00	19.50	3.41
OXFORD	553	56.24	2.35	0.18	0.18	22.06	0.00	0.00	14.83	4.16
PENOBSCOT	1,128	54.70	1.24	0.27	0.00	20.92	0.00	0.00	16.58	6.29
PISCATAQUIS	185	50.27	2.16	0.00	0.00	21.62	0.00	0.00	16.76	9.19
SAGADAHOC	244	59.43	1.23	0.00	0.00	17.62	0.00	0.00	18.03	3.69
SOMERSET	502	56.57	1.00	0.00	0.40	23.90	0.00	0.40	13.15	4.58
WALDO	292	53.77	0.34	0.34	0.00	18.49	0.00	0.00	21.92	5.14
WASHINGTON	372	51.08	2.15	0.27	0.00	23.66	0.00	0.54	16.40	5.91
YORK	1,308	53.44	9.71	0.08	0.00	17.89	0.00	0.00	15.29	3.59
STATE TOTALS	10,916	55.19	2.57	0.08	0.35	21.61	0.01	0.05	15.74	4.40

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-06

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

		******************** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN HOSPITALS ********************								
									* ACCIDENTS *	
COUNTY	TOTAL DEATHS IN HOSPITALS	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	547	5.48	7.50	20.29	14.26	0.73	0.55	2.38	1.83	1.28
AROOSTOOK	475	6.74	7.58	20.21	10.11	2.32	0.84	1.26	1.47	2.95
CUMBERLAND	1,266	6.32	8.06	15.24	10.35	1.82	1.11	3.40	1.74	1.11
FRANKLIN	123	4.88	5.69	17.07	12.20	0.81	0.00	4.88	2.44	3.25
HANCOCK	248	7.66	6.05	18.55	9.27	1.21	1.61	2.82	0.81	1.21
KENNEBEC	600	5.67	6.33	13.67	15.50	1.50	1.33	2.83	2.00	1.83
KNOX	207	4.35	8.21	20.77	8.70	0.97	0.48	1.45	2.90	2.90
LINCOLN	168	5.95	8.93	19.64	12.50	1.79	1.79	1.79	1.79	0.00
OXFORD	324	6.48	7.41	17.90	8.64	0.31	1.85	3.70	1.54	2.78
PENOBSCOT	631	7.45	7.13	17.27	10.30	1.11	0.79	2.85	1.43	2.38
PISCATAQUIS	97	2.06	4.12	19.59	11.34	1.03	2.06	2.06	1.03	2.06
SAGADAHOC	148	7.43	5.41	17.57	13.51	0.68	1.35	3.38	1.35	3.38
SOMERSET	289	6.57	9.69	13.15	12.11	0.35	0.00	2.42	2.08	0.69
WALDO	158	10.13	4.43	15.82	8.23	0.63	1.90	1.27	0.63	0.63
WASHINGTON	198	8.08	5.56	14.14	6.06	0.51	1.52	3.54	4.04	0.51
YORK	826	6.42	6.54	21.07	9.56	1.21	0.73	1.82	0.97	1.33
STATE TOTALS	6,305	6.42	7.17	17.48	10.94	1.25	1.02	2.63	1.67	1.67

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-07 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	********** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES ***********								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807
ANDROSCOGGIN	268	4.85	2.24	11.94	27.99	0.00	1.12	4.10	0.00	0.37
AROOSTOOK	107	4.67	2.80	10.28	16.82	2.80	1.87	5.61	0.00	1.87
CUMBERLAND	430	3.95	2.79	8.84	21.16	0.47	5.58	5.81	0.00	0.23
FRANKLIN	50	4.00	8.00	6.00	16.00	0.00	2.00	0.00	0.00	2.00
HANCOCK	100	5.00	3.00	7.00	16.00	0.00	2.00	3.00	0.00	1.00
KENNEBEC	278	5.76	3.60	10.43	21.22	1.80	1.80	4.32	0.00	0.00
KNOX	109	4.59	2.75	4.59	12.84	0.00	0.00	6.42	0.00	0.92
LINCOLN	80	8.75	3.75	2.50	13.75	1.25	0.00	12.50	0.00	2.50
OXFORD	122	2.46	2.46	7.38	21.31	2.46	0.82	2.46	0.82	0.00
PENOBSCOT	236	2.12	3.81	9.32	16.95	1.27	3.39	6.78	0.00	1.69
PISCATAQUIS	40	5.00	0.00	7.50	7.50	0.00	2.50	17.50	0.00	2.50
SAGADAHOC	43	4.65	11.63	4.65	20.93	0.00	0.00	6.98	0.00	0.00
SOMERSET	120	5.83	2.50	5.00	21.67	0.83	0.00	5.83	0.00	0.00
WALDO	54	7.41	7.41	9.26	11.11	0.00	0.00	7.41	0.00	0.00
WASHINGTON	88	5.68	4.55	3.41	10.23	0.00	0.00	4.55	0.00	0.00
YORK	234	3.85	2.56	8.12	19.66	0.43	1.71	5.13	0.00	0.00
STATE TOTALS	2,359	4.54	3.31	8.31	19.37	0.81	2.16	5.51	0.04	0.59

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-08

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	********************** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING AT HOME **********************								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	127	5.51	9.45	16.54	23.62	0.00	1.57	0.79	2.36	1.57
AROOSTOOK	98	9.18	6.12	27.55	11.22	2.04	0.00	0.00	2.04	2.04
CUMBERLAND	347	6.92	7.78	13.54	15.85	0.29	0.86	1.73	0.00	1.15
FRANKLIN	45	6.67	4.44	22.22	8.89	2.22	0.00	0.00	0.00	0.00
HANCOCK	80	6.25	10.00	21.25	12.50	1.25	0.00	2.50	0.00	2.50
KENNEBEC	157	5.73	6.37	24.20	18.47	0.00	1.27	1.27	0.64	3.18
KNOX	66	6.06	9.09	16.67	21.21	0.00	0.00	0.00	1.52	0.00
LINCOLN	63	6.35	6.35	17.46	11.11	1.59	0.00	1.59	3.17	0.00
OXFORD	82	4.88	6.10	23.17	23.17	1.22	0.00	0.00	0.00	3.66
PENOBSCOT	187	6.42	5.88	18.72	11.76	0.53	0.53	1.07	0.53	1.60
PISCATAQUIS	31	6.45	3.23	16.13	9.68	3.23	0.00	3.23	0.00	0.00
SAGADAHOC	44	6.82	4.55	11.36	29.55	0.00	0.00	0.00	2.27	0.00
SOMERSET	66	9.09	4.55	19.70	16.67	1.52	0.00	0.00	1.52	3.03
WALDO	64	9.38	6.25	17.19	9.38	0.00	0.00	0.00	1.56	3.13
WASHINGTON	61	4.92	3.28	37.70	11.48	0.00	0.00	1.64	1.64	0.00
YORK	200	7.50	7.00	22.00	16.00	0.00	1.50	1.50	0.00	1.00
STATE TOTALS	1,718	6.75	6.81	19.62	15.89	0.58	0.64	1.11	0.81	1.57

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-01 TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL TERMINATIONS	FETAL DEATHS		MISCARRIAGES		INDUCED ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	68	0	0.00	21	3.91	47	1.43
5-8	2,068	0	0.00	239	44.51	1,829	55.78
9-12	1,432	0	0.00	203	37.80	1,229	37.48
13-19	198	0	0.00	51	9.50	147	4.48
20-23	31	26	24.07	0	0.00	5	0.15
24-27	10	10	9.26	0	0.00	0	0.00
28-31	10	10	9.26	0	0.00	0	0.00
32-35	17	17	15.74	0	0.00	0	0.00
36-38	19	19	17.59	0	0.00	0	0.00
> 39	22	22	20.37	0	0.00	0	0.00
UNKNOWN	49	4	3.70	23	4.28	22	0.67
STATE TOTALS	3,924	108	100.00	537	100.00	3,279	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-02

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

TERMINATION PROCEDURES	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	3,737	97.42	2,091	420	560	269	194	46	55	38	22	21	2	1	3	15
SHARP CURETTAGE	57	1.49	36	4	7	4	2	1	1	1	1	0	0	0	0	0
SALINE INSTILLATION	4	0.10	0	0	0	0	1	0	1	1	0	1	0	0	0	0
PROSTAGLANDIN INSTILLATION	8	0.21	0	0	0	0	0	0	0	0	2	1	1	3	1	0
HYSTEROTOMY	2	0.05	0	0	0	1	0	0	0	0	0	0	0	0	1	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	28	0.73	7	0	1	1	2	1	0	1	1	1	3	0	0	10
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65
ADDITIONAL PROCEDURES USED																
NONE	2,361	61.52	1,562	209	340	127	84	4	3	2	3	2	3	3	0	19
SUCTION CURETTAGE	39	1.02	22	3	5	4	2	1	0	0	1	0	1	0	0	0
SHARP CURETTAGE	1,426	37.15	547	212	222	144	111	43	53	38	22	21	2	1	4	6
SALINE INSTILLATION	2	0.05	0	0	1	0	0	0	0	1	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	2	0.05	0	0	0	0	0	0	1	0	0	1	0	0	0	0
HYSTEROTOMY	2	0.05	0	0	1	0	1	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	6	0.16	3	0	1	0	1	0	0	0	0	0	0	0	1	0
STATE TOTALS	3,838		2,134	424	570	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.60	11.05	14.85	7.17	5.18	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-03

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			WEEKS OF GESTATION												
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER	UNKNOWN
LESS THAN 15	26	0.79	12	4	2	1	3	0	1	2	1	0	0	0	0	0
15	58	1.77	31	6	9	6	3	1	1	1	0	0	0	0	0	0
16	125	3.81	63	11	26	6	5	6	3	1	1	2	1	0	0	0
17	190	5.79	94	12	33	16	14	4	9	6	0	1	0	0	1	0
18	270	8.23	123	36	47	27	22	0	6	4	3	1	0	0	0	1
19	303	9.24	163	27	55	20	20	6	4	0	1	3	1	0	0	3
20-24	1,168	35.62	684	126	177	68	62	13	12	9	4	2	1	2	3	5
25-29	614	18.73	373	76	79	42	23	7	4	1	2	1	1	0	0	5
30-34	330	10.06	207	36	40	14	17	1	2	3	3	1	1	0	0	5
35-39	133	4.06	91	13	16	6	2	1	1	0	0	0	0	1	1	1
40-44	47	1.43	28	4	6	4	1	1	0	0	1	1	0	1	0	0
GREATER THAN 44	2	0.06	1	0	0	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	13	0.40	6	1	1	1	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,279		1,876	352	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00	57.21	10.73	14.97	6.47	5.31	1.22	1.31	0.82	0.49	0.37	0.15	0.12	0.15	0.67
RACE OF PATIENT																
WHITE	3,215	98.05	1,840	348	483	207	167	40	40	27	16	11	5	4	5	22
BLACK	15	0.46	6	2	1	1	5	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	4	0.12	4	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	45	1.37	26	2	7	4	2	0	3	0	0	1	0	0	0	0
STATE TOTALS	3,279		1,876	352	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00	57.21	10.73	14.97	6.47	5.31	1.22	1.31	0.82	0.49	0.37	0.15	0.12	0.15	0.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-04

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION: LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	26	0.68	12	4	2	1	3	0	1	2	1	0	0	0	0	0
15	67	1.75	35	7	10	8	4	1	1	1	0	0	0	0	0	0
16	156	4.07	77	11	29	10	8	7	7	2	2	2	1	0	0	0
17	245	6.39	110	19	43	21	16	5	9	7	5	8	0	0	1	1
18	310	8.08	135	42	57	30	22	2	7	7	5	1	1	0	0	1
19	357	9.31	185	33	61	29	22	8	7	2	1	4	1	0	0	4
20-24	1,364	35.56	782	157	205	81	74	15	14	14	6	5	1	2	3	5
25-29	712	18.56	421	90	90	58	25	7	8	3	2	1	1	0	0	6
30-34	371	9.67	234	41	44	17	19	1	2	3	3	1	1	0	0	5
35-39	159	4.14	107	15	17	13	2	1	1	0	0	0	0	1	1	1
40-44	52	1.36	29	4	8	4	2	1	0	0	1	2	0	1	0	0
GREATER THAN 44	2	0.05	1	0	0	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	15	0.39	6	1	2	2	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

RACE OF PATIENT	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
WHITE	3,758	97.97	2,092	420	560	268	192	47	50	41	26	22	6	4	5	25
BLACK	20	0.52	7	2	1	2	5	0	3	0	0	0	0	0	0	0
AMERICAN INDIAN	5	0.13	5	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	53	1.38	30	2	7	5	2	1	4	0	0	2	0	0	0	0
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-05

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

		RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
MARITAL STATUS	TOTAL ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	661	639	96.67	4	0.61	1	0.15	17	2.57
NOT MARRIED	2,555	2,515	98.43	10	0.39	3	0.12	27	1.06
UNKNOWN	63	61	96.83	1	1.59	0	0.00	1	1.59
STATE TOTALS	3,279	3,215	98.05	15	0.46	4	0.12	45	1.37
AGE OF PATIENT(YRS.)									
LESS THAN 15	26	26	100.00	0	0.00	0	0.00	0	0.00
15	58	56	96.55	0	0.00	1	1.72	1	1.72
16	125	124	99.20	0	0.00	0	0.00	1	0.80
17	190	185	97.37	1	0.53	0	0.00	4	2.11
18	270	265	98.15	3	1.11	0	0.00	2	0.74
19	303	300	99.01	1	0.33	0	0.00	2	0.66
20-24	1,168	1,140	97.60	8	0.68	2	0.17	18	1.54
25-29	614	608	99.02	2	0.33	1	0.16	3	0.49
30-34	330	326	98.79	0	0.00	0	0.00	4	1.21
35-39	133	127	95.49	0	0.00	0	0.00	6	4.51
40-44	47	44	93.62	0	0.00	0	0.00	3	6.38
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	13	12	92.31	0	0.00	0	0.00	1	7.69
TEENAGE TOTALS	972	956	98.35	5	0.51	1	0.10	10	1.03
STATE TOTALS	3,279	3,215	98.05	15	0.46	4	0.12	45	1.37

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-06

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	751	728	96.94	4	0.53	1	0.13	18	2.40
NOT MARRIED	3,016	2,964	98.28	15	0.50	4	0.13	33	1.09
UNKNOWN	69	66	95.65	1	1.45	0	0.00	2	2.90
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38
AGE OF PATIENT(YRS.)									
LESS THAN 15	26	26	100.00	0	0.00	0	0.00	0	0.00
15	67	65	97.01	0	0.00	1	1.49	1	1.49
16	156	154	98.72	0	0.00	0	0.00	2	1.28
17	245	239	97.55	1	0.41	0	0.00	5	2.04
18	310	304	98.06	4	1.29	0	0.00	2	0.65
19	357	352	98.60	1	0.28	1	0.28	3	0.84
20-24	1,364	1,330	97.51	11	0.81	2	0.15	21	1.54
25-29	712	704	98.88	3	0.42	1	0.14	4	0.56
30-34	371	367	98.92	0	0.00	0	0.00	4	1.08
35-39	159	153	96.23	0	0.00	0	0.00	6	3.77
40-44	52	49	94.23	0	0.00	0	0.00	3	5.77
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	15	13	86.67	0	0.00	0	0.00	2	13.33
TEENAGE TOTALS	1,161	1,140	98.19	6	0.52	2	0.17	13	1.12
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-07

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

			******* COMPLICATIONS OF PREGNANCY *******						
WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,134	55.63	2,101	10	3	1	3	5	13
9	424	11.05	422	1	0	0	1	0	0
10	568	14.81	560	1	1	1	0	4	3
11	275	7.17	270	1	0	0	0	2	3
12	199	5.19	190	0	0	0	1	3	5
13	48	1.25	48	0	0	0	0	0	0
14	57	1.49	55	2	1	0	0	1	0
15	41	1.07	40	0	0	0	0	1	0
16	26	0.68	24	0	0	0	0	1	1
17	24	0.63	24	0	0	0	0	0	0
18	6	0.16	3	1	2	0	0	0	2
19	4	0.10	3	0	1	0	0	1	0
GREATER THAN 19	5	0.13	4	0	0	0	0	0	1
UNKNOWN	25	0.65	16	2	0	0	0	0	9
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION		100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96

AGE OF PATIENT(YRS.)									
LESS THAN 15	26	0.68	26	0	0	0	0	0	0
15	67	1.75	67	0	0	0	0	0	0
16	156	4.07	155	0	0	0	0	1	0
17	245	6.39	241	0	0	0	1	0	3
18	310	8.08	309	1	1	0	0	2	0
19	357	9.31	354	0	0	0	0	0	3
20-24	1,364	35.56	1,339	6	2	0	4	7	8
25-29	712	18.56	689	7	3	1	0	6	11
30-34	371	9.67	356	2	1	1	0	1	11
35-39	159	4.14	156	1	1	0	0	1	1
40-44	52	1.36	52	0	0	0	0	0	0
GREATER THAN 44	2	0.05	1	1	0	0	0	0	0
UNKNOWN	15	0.39	15	0	0	0	0	0	0
TEENAGE TOTALS	1,161	30.27	1,152	1	1	0	1	3	6
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION		100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-08 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

MARITAL STATUS	TOTAL ABORTIONS	OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	661	145	176	200	50	29	61	417	155	41	8	3	37	516	64	22	3	0	56
NOT MARRIED	2,555	1,872	340	141	55	24	123	1,719	559	134	27	[illegible]	109	2,241	117	16	6	3	172
UNKNOWN	63	38	9	6	1	2	7	38	14	7	0	1	3	52	2	2	0	0	7
STATE TOTALS	3,279	2,055	525	347	106	55	191	2,174	728	182	35	11	149	2,809	183	40	9	3	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.17
AGE OF PATIENT(YRS.)																			
LESS THAN 15	26	24	0	0	0	0	2	23	1	0	0	0	2	24	0	0	0	0	2
15	58	56	0	0	0	0	2	53	2	0	0	0	3	55	1	0	0	0	2
16	125	118	4	0	0	0	3	114	5	0	0	0	6	119	0	0	0	0	6
17	190	165	14	0	0	0	11	150	28	0	0	0	12	174	0	0	0	0	16
18	270	239	20	2	0	1	8	231	28	1	0	0	10	254	4	0	1	0	11
19	303	256	31	7	0	0	9	230	53	8	1	0	11	276	8	2	0	0	17
20-24	1,168	780	206	88	23	4	67	730	308	61	12	3	54	1,013	58	9	1	2	85
25-29	614	285	149	107	22	7	44	333	167	65	13	6	30	506	42	11	2	0	53
30-34	330	93	76	88	30	13	30	191	83	36	7	0	13	252	44	7	3	0	24
35-39	133	24	22	39	17	18	13	75	39	9	2	2	6	93	18	3	1	0	18
40-44	47	3	3	15	14	11	1	35	9	2	0	0	1	28	8	8	1	1	1
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	13	12	0	0	0	0	1	7	5	0	0	0	1	13	0	0	0	0	0
TEENAGE TOTALS	972	858	69	9	0	1	35	801	117	9	1	0	44	902	13	2	1	0	54
PERCENT DIST.	100.00	88.27	7.10	0.93	0.00	0.10	3.60	82.41	12.04	0.93	0.10	0.00	4.53	92.80	1.34	0.21	0.10	0.00	5.56
STATE TOTALS	3,279	2,055	525	347	106	55	191	2,174	728	182	35	11	149	2,809	183	40	9	3	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.17

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-09 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	751	170	196	226	61	33	65	494	162	44	9	4	38	597	72	23	3	0	56
NOT MARRIED	3,016	2,264	381	157	59	26	129	2,102	621	143	29	8	113	2,673	131	17	7	4	184
UNKNOWN	69	43	10	6	1	2	7	43	15	7	0	1	3	56	3	2	0	1	7
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44
AGE OF PATIENT(YRS.)																			
LESS THAN 15	26	24	0	0	0	0	2	23	1	0	0	0	2	24	0	0	0	0	2
15	67	65	0	0	0	0	2	62	2	0	0	0	3	64	1	0	0	0	2
16	156	147	5	0	0	0	4	144	6	0	0	0	6	150	0	0	0	0	6
17	245	218	16	0	0	0	11	199	33	1	0	0	12	228	1	0	0	0	16
18	310	278	20	3	0	1	8	268	31	1	0	0	10	293	5	0	1	0	11
19	357	302	38	8	0	0	9	281	56	8	1	0	11	327	10	2	0	0	18
20-24	1,364	936	232	94	27	4	71	891	332	67	13	4	57	1,197	63	9	1	2	92
25-29	712	347	167	119	23	9	47	408	186	66	14	7	31	594	47	12	3	0	56
30-34	371	114	80	97	35	14	31	218	93	38	8	0	14	284	51	8	3	1	24
35-39	159	28	26	50	21	20	14	94	44	11	2	2	6	116	20	3	1	0	19
40-44	52	4	3	17	15	12	1	40	9	2	0	0	1	33	8	8	1	1	1
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	15	14	0	0	0	0	1	9	5	0	0	0	1	14	0	0	0	1	0
TEENAGE TOTALS	1,161	1,034	79	11	0	1	36	977	129	10	1	0	44	1,086	17	2	1	0	55
PERCENT DIST.	100.00	89.06	6.80	0.95	0.00	0.09	3.10	84.15	11.11	0.86	0.09	0.00	3.79	93.54	1.46	0.17	0.09	0.00	4.74
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	65	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	1	TENNESSEE	0
ARIZONA	1	MINNESOTA	0	TEXAS	0
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	3	MISSOURI	1	VERMONT	3
COLORADO	0	MONTANA	0	VIRGINIA	0
CONNECTICUT	5	NEBRASKA	0	WASHINGTON	1
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	3	NEW HAMPSHIRE	49	WISCONSIN	0
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	0	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	10	PUERTO RICO	0
ILLINOIS	0	NORTH CAROLINA	0	VIRGIN ISLANDS	0
INDIANA	0	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	0	CANADA	404
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	2	OTHER W. HEMISPHERE	0
MAINE	3,279	RHODE ISLAND	2	REST OF THE WORLD	2
MARYLAND	3	SOUTH CAROLINA	0	UNKNOWN	0
				TOTAL	3,836

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	********** AGE OF BRIDE(YRS.) **********														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	34	0.29	2	10	13	7	1	0	0	0	1	0	0	0	0	0	0
18-19	588	5.09	10	89	334	106	33	6	5	2	2	0	0	1	0	0	0
20-21	1,478	12.79	7	105	587	497	151	61	35	9	19	3	2	0	0	0	2
22-23	1,718	14.87	1	32	380	561	472	135	56	37	31	4	4	0	1	0	4
24-25	1,508	13.05	2	24	191	341	386	283	129	67	66	13	3	2	0	0	1
26-27	1,158	10.02	0	8	95	174	250	238	197	82	86	21	5	0	1	0	1
28-29	922	7.98	1	6	38	89	149	159	157	117	153	38	12	2	0	0	1
30-34	1,538	13.31	0	3	47	93	175	184	222	230	398	140	35	8	3	0	0
35-39	956	8.27	0	3	16	45	58	86	79	119	276	184	68	16	4	0	2
40-44	557	4.82	0	0	5	9	8	20	27	38	120	161	114	40	15	0	0
45-49	341	2.95	0	0	1	4	3	8	12	8	61	72	92	52	27	1	0
50-64	570	4.93	0	0	1	1	6	6	2	11	33	66	114	99	210	21	0
OVER 64	182	1.58	0	0	0	0	1	0	0	1	1	3	10	12	85	69	0
UNKNOWN	2	0.02	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
STATE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DISTRIBUTION		100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-02

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			****** EDUCATION OF BRIDE(YRS.) ******											
EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	92	0.80	11	9	8	13	7	36	2	2	0	4	0	0
8	283	2.45	12	48	19	29	23	120	8	6	4	7	3	4
9	311	2.69	11	14	37	47	28	150	11	5	0	6	0	2
10	482	4.17	10	23	34	88	50	223	22	15	2	8	0	7
11	504	4.36	5	14	39	49	67	287	20	11	2	7	2	1
12	5,582	48.32	18	76	141	269	326	3,526	400	391	121	233	51	30
13	691	5.98	1	0	8	16	25	294	143	95	30	61	14	4
14	1,058	9.16	1	8	9	17	23	427	108	217	63	148	33	4
15	345	2.99	1	0	3	3	4	120	35	58	39	64	17	1
16	1,312	11.36	3	3	4	4	8	300	94	209	83	490	110	4
OVER 16	577	4.99	1	2	1	2	3	87	58	76	39	165	141	2
UNKNOWN	316	2.74	1	2	3	1	2	33	4	4	2	6	0	258
STATE TOTALS	11,553		75	199	306	538	566	5,603	905	1,089	385	1,199	371	317
PERCENT DISTRIBUTION		100.00	0.65	1.72	2.65	4.66	4.90	48.50	7.83	9.43	3.33	10.38	3.21	2.74

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			AGE OF BRIDE(YRS.)														
PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	7,433	64.34	24	279	1,693	1,816	1,470	864	515	303	329	73	22	13	17	6	9
WIDOWED	391	3.38	0	0	1	0	5	5	4	8	22	32	42	35	168	68	1
DIVORCED	3,720	32.20	0	1	14	110	217	317	399	411	895	600	395	182	161	17	1
ANNULLED	7	0.06	0	0	0	1	0	0	2	1	1	0	0	2	0	0	0
UNKNOWN	2	0.02	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DIST.		100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

			AGE OF GROOM(YRS.)														
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,358	63.69	1	34	587	1,466	1,638	1,293	874	538	615	181	56	24	41	9	1
WIDOWED	361	3.12	0	0	0	0	0	1	1	4	4	11	18	28	154	140	0
DIVORCED	3,825	33.11	0	0	1	12	80	212	283	380	917	763	482	288	374	32	1
ANNULLED	7	0.06	0	0	0	0	0	1	0	0	1	1	1	1	1	1	0
UNKNOWN	2	0.02	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
GROOM TOTALS	11,553		1	34	588	1,478	1,718	1,508	1,158	922	1,538	956	557	341	570	182	2
PERCENT DIST.		100.00	0.01	0.29	5.09	12.79	14.87	13.05	10.02	7.98	13.31	8.27	4.82	2.95	4.93	1.58	0.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
  RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-04

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			********************* NUMBER OF PREVIOUS MARRIAGES OF BRIDE *********************									
NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	0	1	2	3	4	5	6	7	8	UNKNOWN
0	7,359	63.70	6,116	1,060	155	24	3	0	0	1	0	0
1	3,305	28.61	1,129	1,746	350	62	16	2	0	0	0	0
2	710	6.15	160	343	164	30	13	0	0	0	0	0
3	141	1.22	21	70	34	13	3	0	0	0	0	0
4	29	0.25	6	9	9	3	2	0	0	0	0	0
5	7	0.06	3	3	1	0	0	0	0	0	0	0
6	0	0.00	0	0	0	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,553		7,436	3,232	713	132	37	2	0	1	0	0
PERCENT DISTRIBUTION		100.00	64.36	27.98	6.17	1.14	0.32	0.02	0.00	0.01	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-05 DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** NUMBER OF MINOR CHILDREN ******						***** PLAINTIFF *****			** DECREE GRANTED ***		
			0	1	2	3	4	OVER 4	WIFE	HUSBAND	BOTH	WIFE	HUSBAND	BOTH
UNDER 1	283	4.77	236	32	9	4	2	0	177	106	0	95	46	142
1-2	1,137	19.14	729	337	57	12	1	1	731	406	0	411	180	546
3-4	1,041	17.53	489	358	168	22	4	0	710	330	1	351	130	560
5-6	716	12.06	291	209	166	41	8	1	480	236	0	285	106	325
7-8	566	9.53	173	156	186	46	4	1	368	198	0	187	70	309
9-10	455	7.66	122	119	158	45	11	0	310	145	0	170	69	216
11-12	371	6.25	76	84	158	40	11	2	249	122	0	120	46	205
13-14	281	4.73	40	63	113	56	8	1	181	99	1	86	37	158
15-16	181	3.05	20	29	80	40	9	3	121	59	1	55	24	102
17-18	204	3.43	24	26	84	43	22	5	132	72	0	68	25	111
19-20	150	2.53	28	48	46	21	5	2	103	47	0	54	24	72
21-22	125	2.10	52	34	30	6	3	0	75	50	0	35	19	71
23-24	100	1.68	42	39	15	4	0	0	63	37	0	30	13	57
25-26	76	1.28	47	19	8	1	0	1	50	26	0	28	10	38
27-28	70	1.18	44	19	6	1	0	0	45	25	0	33	6	31
29-30	60	1.01	43	15	2	0	0	0	42	18	0	26	4	30
31-34	65	1.09	54	9	1	0	0	1	38	27	0	19	11	35
35-39	35	0.59	33	2	0	0	0	0	21	14	0	13	5	17
OVER 39	23	0.39	21	2	0	0	0	0	16	7	0	6	5	12
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,939		2,564	1,600	1,287	382	88	18	3,912	2,024	3	2,072	830	3,037
PERCENT DIST.		100.00	43.17	26.94	21.67	6.43	1.48	0.30	65.87	34.08	0.05	34.89	13.98	51.14

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

APPENDIX 1

Copies of Maine Certificates:
Birth
Fetal Death
Death
Spontaneous and Induced Abortion
Marriage
Divorce

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

63042 -0

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

SPECIMEN COPY

CHILD—NAME FIRST MIDDLE LAST 1.			SEX 2.	DATE OF BIRTH (Mo., Day, Yr.) 3a.	HOUR 3b. M
HOSPITAL—NAME (If not in hospital, give street and number) 4a.	CITY, TOWN OR LOCATION OF BIRTH 4b.			COUNTY OF BIRTH 4c.	
I certify that the stated information concerning this child is true to the best of my knowledge and belief 5a. (Signature) ▶	DATE SIGNED (Mo., Day, Yr.) 5b.	NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print) 5c.			
CERTIFIER—NAME AND TITLE (Type or print) 5d.	MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip) 5e.				
REGISTRAR 6a. (Signature) ▶			DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.) 6b.		
MOTHER—MAIDEN NAME FIRST MIDDLE LAST 7a.			AGE (At time of this birth) 7b.	STATE OF BIRTH (If not in U.S.A., name country) 7c.	
STATE OF RESIDENCE 8a.	COUNTY OF RESIDENCE 8b.	CITY, TOWN OR LOCATION OF RESIDENCE 8c.	STREET AND NUMBER OF RESIDENCE 8d.		
MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only 9a.			YEARS LIVING IN PRESENT TOWN 9b.		
FATHER—NAME FIRST MIDDLE LAST 10a.			AGE (At time of this birth) 10b.	STATE OF BIRTH (If not U.S.A., name country) 10c.	
I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief (Signature of Parent or 11a. other Informant) ▶			RELATION TO CHILD 11b.		

SPECIMEN COPY

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE-MOTHER (e.g. White, Black, American Indian, etc.) (Specify) 12	RACE-FATHER (e.g. White, Black, American Indian, etc.) (Specify) 13	BIRTH WEIGHT 14	THIS BIRTH Single, twin, triplet, etc. (Specify) 15a	IF NOT SINGLE BIRTH-Born first, second, third, etc. (Specify) 15b	IS MOTHER MARRIED? (Specify yes or no) 16

VS-R183

STATE COPY

PREGNANCY HISTORY	(Do not include this child) (Complete each section)	(Number) 17a None ☐	(Number) 17b None ☐	(Month, Year) 17c
	OTHER TERMINATIONS (Spontaneous and induced)	Before 20 weeks (Number) 17d None ☐	After 20 weeks (Number) 17e None ☐	DATE OF LAST OTHER TERMINATION (as indicated in 17d or 17e) 17f Mo. Yr.

	ORIGIN OR DESCENT—MOTHER	EDUCATION—(highest grade completed)		OCCUPATION—MOTHER	INDUSTRY—MOTHER
MOTHER	(Specify Italian, Mexican, French, etc.) 18a	Elementary or Secondary (0-12) 18b	College (1-4 or 5+) 18c	18d	18e
	ORIGIN OR DESCENT—FATHER	EDUCATION		OCCUPATION—FATHER	INDUSTRY—FATHER
FATHER	(Specify Italian, Mexican, English, etc.) 19a	(0-12) 19b	(1-4 or 5+) 19c	19d	19e
MOTHER	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 20	MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify) 21a		PRENATAL VISITS Total Number (If none, so state) 21b	
CHILD	APGAR SCORE 1 Min. 22a · 5 Min. 22b	GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks) 23		CONDITION OF INFANT AT BIRTH (Specify) 24 Normal ☐ Respiratory Distress ☐ Birth Injury ☐ Other (Specify) ☐	

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN

25 COMPLICATIONS OF PREGNANCY (check all which apply)	26 ILLNESS OR CONDS AFFECTING PREGNANCY (Check all which apply)	27 COMPLICATIONS OF LABOR (Check all which apply)	28 METHOD OF DELIVERY (check one)	29 CONGENITAL ANOMALIES (check all which apply)	
Bleeding in Early Pregnancy a ☐	Tobacco Use a ☐	Abruptio Placenta a ☐	Spontaneous Controlled a ☐	Anencephalus a ☐	Of Digestive System (specify) ______ j ☐
Eclampsia b ☐	Heart Disease Symptomatic b ☐	Placenta Previa b ☐	Spontaneous Uncontrolled b ☐	Spina Bifida b ☐	Of Genital Organs (specify) ______ k ☐
Preeclampsia c ☐	Hypertension c ☐	Cord Prolapse or Compression c ☐	Low Forceps c ☐	Other Nervous System (specify) ______ c ☐	Of Urinary System (specify) ______ l ☐
Rh Sensitization d ☐	Chronic Renal Disease d ☐	Dystocia (Specify type) ______ d ☐	Other Forceps Procedure d ☐	Cleft Lip/Palate (specify) ______ d ☐	Of Musculoskeletal (specify) ______ m ☐
Anemia (hgb. < 10 gm/hct < 30%) g ☐	Pyelocystitis e ☐	Breech e ☐	Primary C-Section e ☐	Of Eye (specify) ______ e ☐	Of Integument (specify) ______ n ☐
Amnionitis h ☐	DES Exposure f ☐	Intrapartum Fever/Chorioamnionitis g ☐	Repeat C-Section f ☐	Of Ear, Face, Neck (specify) ______ f ☐	Chromosomal (specify) ______ o ☐
Urinary Tract Infection i ☐	Alcohol Dependence g ☐	Fetal Distress h ☐	Breech Delivery g ☐	Of Heart (specify) ______ g ☐	Other (specify) ______ y ☐
Premature Labor (before 37 weeks) j ☐	Drug Addiction or Dependence h ☐	Labor > 16 hrs. i ☐	Version and Extraction h ☐	Of Other Circulatory System (specify) ______ h ☐	______ z ☐
Premature Delivery (before 37 weeks) k ☐	Previous C-section (specify number) ______ i ☐	Other (specify) ______ y ☐	Other (specify) ______ y ☐	Of Respiratory System (specify) ______ i ☐	
PROM (> 24 hours before delivery) l ☐	Obesity j ☐	None z ☐			
Other (specify) ______ y ☐	Gestational Diabetes k ☐				
None z ☐	Chronic Diabetes l ☐				
	Other (specify) ______ y ☐				
	None z ☐				

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

SPECIMEN COPY



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL—
STATE
COPY

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF FETAL DEATH

SPECIMEN COPY

HOSPITAL – NAME
CITY, TOWN OR LOCATION OF DELIVERY
COUNTY OF DELIVERY
DATE OF DELIVERY
HOUR OF DELIVERY
SEX OF FETUS
WEIGHT OF FETUS
MOTHER – MAIDEN NAME — FIRST — MIDDLE — LAST
AGE (At time of this delivery)
RESIDENCE – STATE
COUNTY
CITY, TOWN OR LOCATION
STREET AND NUMBER
PREGNANCY HISTORY
LIVE BIRTHS
OTHER TERMINATIONS
RACE – (e.g., White, Black, American Indian, etc.) (Specify)
EDUCATION (Specify only highest grade completed)
Elementary or Secondary (0-12)
College (1-4 or 5+)
DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
IS MOTHER MARRIED? (Specify yes or no)
None ☐ None ☐ None ☐ None ☐
MONTH OF PREGNANCY PRENATAL CARE BEGAN First, Second, etc. (Specify)
PRENATAL VISITS – Total number (If none, so state)
THIS BIRTH – Single, twin, triplet, etc. (Specify)
IF NOT SINGLE BIRTH – Born first, second third, etc (Specify)
DATE OF LAST LIVE BIRTH (Month, Year)
DATE OF LAST OTHER TERMINATION (Month, Year)
FATHER – NAME — FIRST — MIDDLE — LAST
AGE (At time of this delivery)
RACE – (e.g. White, Black, American Indian, etc.)(Specify)
EDUCATION (Specify only highest grade completed)
Elementary or Secondary (0-12)
College (1-4 or 5+)
FUNERAL DIRECTOR - SIGNATURE
Buried ☐
Cremated ☐
REGISTRAR - SIGNATURE
DATE RECEIVED BY LOCAL REGISTRAR
IMMEDIATE CAUSE
ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)
PART I
(a)
DUE TO, OR AS A CONSEQUENCE OF
(b)
DUE TO, OR AS A CONSEQUENCE OF
(c)
Specify Fetal or Maternal
PART II
OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER
FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify)
PHYSICIAN'S ESTIMATE OF GESTATION
AUTOPSY (Specify yes or no)
COMPLICATIONS OF PREGNANCY (Describe or write "none")
COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none")
CONCURRENT ILLNESSES CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none")
CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none")
CERTIFIER NAME (Type or Print)
DEGREE OR TITLE
DATE SIGNED (Month, Day, Year)

SPECIMEN COPY

VS-4 R178



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL
COPY
STATE

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

SPECIMEN COPY

DECEDENT – NAME — FIRST — MIDDLE — LAST
SEX
DATE OF DEATH (Mo., Day, Yr.)
RACE – (e.g., White, Black, American Indian, etc.) (Specify)
AGE – Last Birthday (Years)
UNDER 1 YEAR
UNDER 1 DAY
DATE OF BIRTH (Mo., Day, Yr.)
COUNTY OF DEATH
CITY, TOWN OR LOCATION OF DEATH
HOSPITAL OR OTHER INSTITUTION
STATE OF BIRTH
CITIZEN OF WHAT COUNTRY
ORIGIN OR DESCENT
MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)
SURVIVING SPOUSE
SOCIAL SECURITY NUMBER
VETERAN Yes ☐ No ☐
USUAL OCCUPATION
KIND OF BUSINESS OR INDUSTRY
RESIDENCE – STATE
COUNTY
CITY, TOWN OR LOCATION
STREET AND NUMBER
FATHER – NAME — FIRST — MIDDLE — LAST
MOTHER – MAIDEN NAME — FIRST — MIDDLE — LAST
INFORMANT – NAME (Type or Print)
MAILING ADDRESS — STREET OR R.F.D. NO. — CITY OR TOWN — STATE — ZIP
BURIAL, CREMATION, REMOVAL, OTHER
MO. — DAY — YEAR
CEMETERY OR CREMATORY - NAME
LOCATION — CITY OR TOWN — STATE
FUNERAL SERVICE LICENSEE or authorized person (Signature)
NAME OF FACILITY
ADDRESS OF FACILITY - CITY OR TOWN
DATE SIGNED (Mo., Day, Yr.)
HOUR OF DEATH
I DID NOT VIEW THE BODY AFTER DEATH
NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)
DATE SIGNED (Mo., Day, Yr.)
HOUR OF DEATH
PRONOUNCED DEAD (Mo., Day, Yr.)
NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)
CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST
IMMEDIATE CAUSE
(ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).)
PART I
(a)
DUE TO, OR AS A CONSEQUENCE OF
(b)
DUE TO, OR AS A CONSEQUENCE OF
(c)
PART II
OTHER SIGNIFICANT CONDITIONS
AUTOPSY
ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST.
DATE OF INJURY
HOUR OF INJURY
DESCRIBE HOW INJURY OCCURRED
INJURY AT WORK
PLACE OF INJURY
LOCATION — STREET OR R.F.D. No. — CITY OR TOWN — STATE
REGISTRAR
DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)

SPECIMEN COPY

VS-3 R878



STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES

REPORT OF ABORTION (Spontaneous and Induced)

FACILITY NAME (IF NOT INSTITUTION GIVE ADDRESS) 1

COUNTY OF ABORTION 2(a)

CITY OR TOWN OF ABORTION 2(b)

REPORT NUMBER 3 № 16234

AGE OF PATIENT 4

PATIENT MARRIED? 5 ☐ YES ☐ NO

DATE OF ABORTION 6

RESIDENCE OF PATIENT (STATE) 7(a)

COUNTY 7(b)

CITY OR TOWN 7(c)

TYPE OF ABORTION 8 ☐ SPONTANEOUS ☐ INDUCED

RACE (CHECK) ☐ White ☐ Black ☐ American Indian ☐ Other

EDUCATION (0-17) HIGHEST GRADE COMPLETED 10

PREVIOUS PREGNANCIES (COMPLETE EACH SECTION)

LIVE BIRTHS: Now Living Number ____ 11(a) None ☐; Now Dead Number ____ 11(b) None ☐

OTHER TERMINATIONS: Spontaneous Number ____ 11(c) None ☐; Induced Number ____ 11(d) None ☐

TERMINATION PROCEDURE

PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY) / ADDITIONAL PROCEDURES USED IF ANY (CHECK ALL THAT APPLY)

☐ .... SPONTANEOUS ABORTION—NOT APPLICABLE

☐ .... SUCTION CURETTAGE .... ☐

☐ .... SHARP CURETTAGE .... ☐

☐ .... INTRA-UTERINE SALINE INSTILLATION .... ☐

☐ . INTRA-UTERINE PROSTAGLANDIN INSTILLATION. ☐

☐ .... HYSTEROTOMY .... ☐

☐ .... HYSTERECTOMY .... ☐

☐ .... OTHER (SPECIFY) .... ☐

12(a)

COMPLICATIONS OF PREGNANCY

CHECK ALL THAT APPLY

NONE .... ☐

HEMORRHAGE .... ☐

INFECTION .... ☐

UTERINE PERFORATION .... ☐

CERVICAL LACERATION .... ☐

RETAINED PRODUCTS .... ☐

OTHER (SPECIFY) .... ☐

12(b)

SIGNATURE OF ATTENDING PHYSICIAN 13

ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION 14

PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE 15

NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN 16

VS 4A R0180

SPECIMEN COPY

SPECIMEN COPY



14004

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL
CITY OR TOWN

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
LICENSE AND CERTIFICATE OF MARRIAGE

LAST 1 AGE 2

CITY, TOWN OR LOCATION 3b

COUNTY 3c

STATE 3d

STATE 10d

I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

GROOM'S SIGNATURE 15

BRIDE'S SIGNATURE 16

ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE NAMED PARTIES UNDER THE LAWS OF MAINE.

SIGNATURE OF CLERK 17d

CITY OR TOWN 17e

THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE.

I CERTIFY THE ABOVE NAMED PERSONS WERE MARRIED ON 18a MONTH DAY YEAR

WHERE MARRIED CITY 18b

COUNTY 18c

PERSON PERFORMING CEREMONY (Signature) 18d

PRINTED NAME 18e

TITLE 18f

ADDRESS OF ABOVE PERSON 18h

SIGNATURE OF CLERK 20a (Signature)

DATE RECEIVED 20b

INFORMATION FOR STATISTICAL PURPOSES ONLY

RACE GROOM 21

RACE BRIDE 25

VS 2 R078

SPECIMEN COPY

SPECIMEN COPY



SPECIMEN COPY

Form VS-6 R-777

STATE OF MAINE

State File No.

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	LAST
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE		6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE ☐ ANNULMENT ☐	8. PLAINTIFF HUSBAND ☐ WIFE ☐	9. DECREE GRANTED TO HUSBAND ☐ WIFE ☐
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR JUDGEMENT	
MINOR CHILDREN	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
Use Reverse Side for Additional Names			
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

SPECIMEN COPY

APPENDIX 2

1983 Population Estimates and Projections

Population Estimates by County
Maine - July 1, 1983

County	Estimated Resident Population July 1, 1983
State total	1,145,730
Androscoggin	99,981
Aroostook	89,545
Cumberland	220,767
Franklin	28,294
Hancock	42,951
Kennebec	111,144
Knox	33,882
Lincoln	27,175
Oxford	49,312
Penobscot	137,911
Piscataquis	17,905
Sagadahoc	29,807
Somerset	46,126
Waldo	29,076
Washington	34,146
York	147,708

Source: Welch, D. Population Estimates for Minor Civil Divisions by County, Maine, 1983. Augusta: Maine Department of Human Services, December, 1984.

Population Projections by Age Group
Maine - July 1, 1983

Age Group	Estimated Resident Population July 1, 1983
All Ages - Total	1,145,994
Under 1	16,643
1-14	231,842
15-24	197,528
25-34	189,366
35-44	143,882
45-64	218,534
65-74	85,646
75-84	46,849
85 and older	15,704

Source: Derived from Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1983-1992. Augusta: Maine Department of Human Services, June, 1984. Figures were adjusted to correspond to the provisional federal state estimates for 1983.

APPENDIX 3

Historical Vital Statistics Data

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1045 (Every Fifth Year) and 1946-1983 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate	Neonatal Death Rate	Fetal Death Rate	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6[a]	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5[a]	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5[a]	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3[a]	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8[a]	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9[a]	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6[a]	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8[a]	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1[a]	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5[a]	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7[a]	10,664	2,905
1948	900,500	22,270	24.7	10,0[illegible]	11.2	32.8	21.2	17.1[a]	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8[a]	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4[a]	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8[a]	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6[a]	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8[a]	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2[a]	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4[a]	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8[a]	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3[a]	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2[a]	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1[a]	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7[a]	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5[a]	7,908	2,021
1962	982,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1[a]	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3[a]	8,121	1,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4[a]	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5[a]	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0[a]	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1[a]	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0[a]	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8[a]	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8[a]	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2[a]	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2[a]	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3[a]	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9[b]	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8[b]	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3[b]	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6[b]	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9[b,c]	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2[b,c]	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1[b,c]	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7[b,c]	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9[b,c]	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5[b]	11,553	5,629

Notes: [a] Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

[b] Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

[c] Occurrence data.

Induced Abortions, Number and Rate: Maine State Totals, 1978-1983

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0[a]
1979	16,435	3,963	241.1[a]
1980	16,474	3,594	218.2[b]
1981	16,567	2,881	73.9[b]
1982	16,695	2,419	144.9[b]
1983	16,576	3,279	197.8[b]

Notes: Data prior to 1978 not given because of severe underreporting.

[a] Occurrence data.
[b] Residence data.

886 S3460-2-U

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

Bureau of Medical Services
Office of Health Planning and Development
151 Capitol Street, Station #11
Augusta, Maine 04333

(207) 289-2716
289-3001 (Data)

December 30, 1985

ERRATA - MAINE VITAL STATISTICS, 1983

In the publication you received recently, several tables have been found to contain errors. Copies of Tables 1-03, 2-03, and 3-04 are attached for your use.

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY			ILLNESS OR CONDITION AFFECTING PREGNANCY			COMPLICATIONS OF LABOR			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	333	2.0	TOBACCO USE	2,002	12.1	ABRUPTIO PLACENTA	155	0.9	SPONTANEOUS CONTROLLED	12,430	75.0	ANENCEPHALUS	5	0.0
ECLAMPSIA	13	0.1	HEART DISEASE SYMPTOMATIC	15	0.1	PLACENTA PREVIA	54	0.3	SPONTANEOUS UNCONTROLLED	157	0.9	SPINA BIFIDA	2	0.0
PREECLAMPSIA	522	3.1	HYPERTENSION	335	2.0	CORD PROLAPSE OR COMPRESSION	168	1.0	LOW FORCEPS	623	3.8	OTHER NERVOUS SYSTEM	11	0.1
RH SENSITIZATION	65	0.4	CHRONIC RENAL DISEASE	15	0.1	DYSTOCIA	1,071	6.5	OTHER FORCEPS PROCEDURE	212	1.3	CLEFT LIP/PALATE	22	0.1
ANEMIA(HGB < 10 GM/HCT < 30%)	171	1.0	PYELOCYSTITIS	19	0.1	BREECH	443	2.7	PRIMARY C-SECTION	1,799	10.9	EYE	6	0.0
AMNIONITIS	37	0.2	DES EXPOSURE	30	0.2	INDUCTION	135	0.8	REPEAT C-SECTION	1,108	6.7	EAR, FACE, NECK	11	0.1
URINARY TRACT INFECTION	342	2.1	ALCOHOL DEPENDENCE	20	0.1	INTRAPARTUM FEVER/ CHORIOAMNION.	73	0.4	BREECH DELIVERY	82	0.5	HEART	22	0.1
PREMATURE LABOR(BEFORE 37 WEEKS)	689	4.2	DRUG ADDICTION OR DEPENDENCE	18	0.1	FETAL DISTRESS	603	3.6	VERSION AND EXTRACTION	20	0.1	OTHER CIRCULATORY SYSTEM	12	0.1
PREMATURE DELIVERY(BEFORE 37 WEEKS)	567	3.4	PREVIOUS C-SECTION	479	2.9	LABOR>18 HRS.	424	2.6	OTHER	185	1.1	RESPIRATORY SYSTEM	25	0.2
PROM(24 HRS. BEFORE DELIVERY)	473	2.9	OBESITY	462	2.8	OTHER	955	5.8				DIGESTIVE SYSTEM	14	0.1
OTHER	795	4.8	GESTATIONAL DIABETES	91	0.5	NONE	13,156	79.4				GENITAL ORGANS	40	0.2
NONE	13,642	82.3	CHRONIC DIABETES	32	0.2	UNKNOWN	27	0.2				URINARY SYSTEM	13	0.1
UNKNOWN	25	0.2	OTHER	455	2.7							MUSCULOSKEL.	87	0.5
			NONE	13,020	78.5							INTEGUMENT	26	0.2
			UNKNOWN	27	0.2							CHROMOSOMAL	20	0.1
												OTHER	46	0.3
												NONE	16,236	97.9
												UNKNOWN	25	0.2

NOTES: PERCENTAGES ARE BASED ON THE 16,576 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	10	0.06	10	10.10	1000.0
500-999	61	0.37	32	32.32	524.6
1000-1499	77	0.46	5	5.05	64.9
1500-1999	178	1.07	10	10.10	56.2
2000-2499	592	3.57	6	6.06	10.1
2500-2999	2,229	13.45	9	9.09	4.0
3000-3499	5,888	35.52	9	9.09	1.5
3500-3999	5,264	31.76	7	7.07	1.3
4000-4499	1,818	10.97	2	2.02	1.1
4500-4999	403	2.43	1	1.01	2.5
GREATER THAN 4999	46	0.28	1	1.01	21.7
UNKNOWN	10	0.06	7	7.07	700.0
STATE TOTALS	16,576	100.00	99	100.00	6.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1983 NEONATAL DEATHS BY 1983 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1983 NEONATAL DEATH COHORT OCCURRED IN 1982.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	3	3.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	1	1	1.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	50	301	6.020
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	3	8	2.666
SYPHILIS (090-097)	1	1	1.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	32	71	2.218
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	55	72	1.309
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	645	737	1.142
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	669	749	1.119
MAL. NEO. BREAST (174-175)	208	254	1.221
MAL. NEO. GENITAL ORGANS (179-187)	293	369	1.259
MAL. NEO. URINARY ORGANS (188-189)	119	147	1.235
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	318	747	2.349
LEUKEMIA (204-208)	79	97	1.227
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	117	159	1.358
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	45	76	1.688
DIABETES MELLITUS (250)	169	847	5.011
NUTRITIONAL DEFICIENCIES (260-269)	17	250	14.705
ANEMIAS (280-285)	17	182	10.705
MENINGITIS (320-322)	9	23	2.555
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	38	64	1.684
HYPERTENSIVE HEART DISEASE (402)	75	167	2.226
HYPERTENSIVE HEART & RENAL DIS. (404)	16	26	1.625
ACUTE MYOCARDIAL INFARCTION (410)	1,708	1,852	1.084
OTHER ACUTE & SUBACUTE I.H.D. (411)	39	73	1.871
ANGINA PECTORIS (413)	9	55	6.111
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,421	2,754	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	53	149	2.811
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	820	3,977	4.850
HYPERTENSION W/WO RENAL DISEASE (401, 403)	37	542	14.648
INTRACEREBRAL HEMORRHAGE (431-432)	110	155	1.409
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	128	188	1.468

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

S3460-2-u

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

Office of Data, Research and Vital Statistics
State House, Station #11
Augusta, Maine 04333
Tel: (207) 289-3001
289-3181 (Vital Records)

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

August 13, 1986

ERRATA - MAINE VITAL STATISTICS 1983

The population data used with Table 3-01 in the Maine Vital Statistics 1983 was incorrect. Please replace pages 85-89 and page 150 with the enclosed corrected copies.

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,179	2,128	2,051	1	1	1	364.7	382.3	348.1
MALIGNANT NEOPLASMS (140-208)	2,503	1,347	1,156	2	2	2	218.4	242.0	196.2
CEREBROVASCULAR DISEASE (430-438)	790	302	488	3	4	3	68.9	54.3	82.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	445	313	132	4	3	6	38.8	56.2	22.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	442	295	147	5	5	5	38.6	53.0	25.0
PNEUMONIA & INFLUENZA (480-487)	365	163	202	6	6	4	31.9	29.3	34.3
ATHEROSCLEROSIS (440)	176	66	110	7	10	7	15.4	11.9	18.7
DIABETES MELLITUS (250)	169	69	100	8	9	8	14.7	12.4	17.0
SUICIDE (E950-E959)	162	122	40	9	7	12	14.1	21.9	6.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	97	43	10	8	11	12.2	17.4	7.3
TOTAL FOR AGE GROUP	10,916	5,674	5,242				952.7	1,019.3	889.7
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	76	51	25	1	1	1	451.0	593.0	303.0
CONGENITAL ANOMALIES (740-759)	35	15	20	2	2	2	207.7	174.4	242.4
PNEUMONIA & INFLUENZA (480-487)	2	1	1	3	3	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	4	6	3	###	###	###
MENINGITIS (320-322)	1	0	1	5	6	3	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	1	0	6	3	6	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	7	3	6	###	###	###
TOTAL FOR AGE GROUP	145	83	62				860.5	965.1	751.5

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	23	10	1	1	1	14.0	18.9	8.8
MALIGNANT NEOPLASMS (140-208)	7	2	5	2	2	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	3	2	5	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	4	4	3	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	5	4	3	###	###	###
MENINGITIS (320-322)	1	1	0	6	4	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	7	4	5	###	###	###
TOTAL FOR AGE GROUP	60	41	19				25.4	33.6	16.6
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	117	95	22	1	1	1	62.9	101.7	23.8
SUICIDE (E950-E959)	41	31	10	2	2	2	22.0	33.2	10.8
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	5	2	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	5	4	1	4	4	5	###	###	###
DIABETES MELLITUS (250)	2	0	2	5	7	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	6	7	5	###	###	###
MALIGNANT NEOPLASMS (140-208)	1	0	1	7	7	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	7	5	###	###	###
CONGENITAL ANOMALIES (740-759)	1	1	0	10	5	9	###	###	###
TOTAL FOR AGE GROUP	189	145	44				101.6	155.3	47.5

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	74	56	18	1	1	1	40.3	61.4	19.5
SUICIDE (E950-E959)	37	28	9	2	2	3	20.1	30.7	###
MALIGNANT NEOPLASMS (140-208)	31	18	13	3	3	2	16.9	19.7	14.1
HEART DISEASE (390-398,402,404-429)	11	10	1	4	4	4	6.0	11.0	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	3	1	5	5	4	###	###	###
DIABETES MELLITUS (250)	2	2	0	6	6	9	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	8	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	1	1	8	8	4	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	2	0	9	6	9	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	10	8	4	###	###	###
TOTAL FOR AGE GROUP	187	138	49				101.8	151.3	53.0
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	63	24	39	1	3	1	41.1	31.3	51.0
HEART DISEASE (390-398,402,404-429)	55	44	11	2	1	2	35.9	57.4	14.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	37	6	3	2	3	28.1	48.2	###
SUICIDE (E950-E959)	22	17	5	4	4	4	14.4	22.2	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	9	1	5	5	8	6.5	###	###
CEREBROVASCULAR DISEASE (430-438)	9	4	5	6	7	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	8	6	2	7	6	6	###	###	###
DIABETES MELLITUS (250)	5	4	1	8	7	8	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	9	9	8	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3	1	2	10	11	6	###	###	###
TOTAL FOR AGE GROUP	252	170	82				164.5	221.6	107.2

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	698	511	187	1	1	2	318.5	488.1	163.4
MALIGNANT NEOPLASMS (140-208)	670	378	292	2	2	1	305.7	361.0	255.1
CEREBROVASCULAR DISEASE (430-438)	80	38	42	3	5	3	36.5	36.3	36.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	4	4	4	29.7	40.1	20.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	64	47	17	5	3	5	29.2	44.9	14.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	50	35	15	6	6	6	22.8	33.4	13.1
SUICIDE (E950-E959)	35	26	9	7	7	9	16.0	24.8	###
DIABETES MELLITUS (250)	32	17	15	8	8	6	14.6	16.2	13.1
PNEUMONIA & INFLUENZA (480-487)	30	17	13	9	8	8	13.7	16.2	11.4
INFECTIOUS & PARASITIC DISEASES (001-139)	18	9	9	10	10	9	8.2	###	###
TOTAL FOR AGE GROUP	1,940	1,237	703				885.2	1,181.5	614.2
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	989	604	385	1	1	1	1,132.6	1,570.1	788.0
MALIGNANT NEOPLASMS (140-208)	811	458	353	2	2	2	928.7	1,190.5	722.5
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	158	109	49	3	3	4	180.9	283.3	100.3
CEREBROVASCULAR DISEASE (430-438)	120	60	60	4	4	3	137.4	156.0	122.8
PNEUMONIA & INFLUENZA (480-487)	50	32	18	5	5	7	57.3	83.2	36.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	45	25	20	6	7	6	51.5	65.0	40.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	39	26	13	7	6	8	44.7	67.6	26.6
DIABETES MELLITUS (250)	37	12	25	8	9	5	42.4	31.2	51.2
INFECTIOUS & PARASITIC DISEASES (001-139)	19	13	6	9	8	11	21.8	33.8	###
ATHEROSCLEROSIS (440)	19	10	9	10	11	9	21.8	26.0	###
TOTAL FOR AGE GROUP	2,564	1,522	1,042				2,936.2	3,956.3	2,132.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,256	598	658	1	1	1	2,638.7	3,436.8	2,178.8
MALIGNANT NEOPLASMS (140-208)	650	351	299	2	2	2	1,365.5	2,017.2	990.1
CEREBROVASCULAR DISEASE (430-438)	268	114	154	3	3	3	563.0	655.2	509.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	153	102	51	4	4	4	321.4	586.2	168.9
PNEUMONIA & INFLUENZA (480-487)	100	52	48	5	5	5	210.1	298.9	158.9
DIABETES MELLITUS (250)	56	20	36	6	8	6	117.6	114.9	119.2
ATHEROSCLEROSIS (440)	51	21	30	7	7	7	107.1	120.7	99.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	25	19	8	6	9	92.4	143.7	62.9
INFECTIOUS & PARASITIC DISEASES (001-139)	32	14	18	9	9	10	67.2	80.5	59.6
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	30	10	20	10	11	8	63.0	57.5	66.2
TOTAL FOR AGE GROUP	3,037	1,509	1,528				6,380.3	8,672.4	5,059.6
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,165	357	808	1	1	1	7,331.7	8,341.1	6,906.0
CEREBROVASCULAR DISEASE (430-438)	310	84	226	2	3	2	1,950.9	1,962.6	1,931.6
MALIGNANT NEOPLASMS (140-208)	270	116	154	3	2	3	1,699.2	2,710.3	1,316.2
PNEUMONIA & INFLUENZA (480-487)	180	60	120	4	4	4	1,132.8	1,401.9	1,025.6
ATHEROSCLEROSIS (440)	98	29	69	5	6	5	616.7	677.6	589.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	63	41	22	6	5	7	396.5	957.9	188.0
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	16	22	7	7	7	239.1	373.8	188.0
DIABETES MELLITUS (250)	35	14	21	8	8	9	220.3	327.1	179.5
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	11	24	9	9	6	220.3	257.0	205.1
INFECTIOUS & PARASITIC DISEASES (001-139)	18	5	13	10	10	11	113.3	###	111.1
TOTAL FOR AGE GROUP	2,542	829	1,713				15,997.5	19,369.2	14,641.0

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	3	21	7.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	549	1,150	2.094
ATHEROSCLEROSIS (440)	176	871	4.948
OTHER DIS. ARTERIES & CAPIL. (441-448)	152	299	1.967
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	15	5.000
PNEUMONIA (480-486)	320	964	3.012
INFLUENZA (487)	45	68	1.511
BRONCHITIS CHRONIC & UNSPEC. (490-491)	28	67	2.392
EMPHYSEMA (492)	86	176	2.046
ASTHMA (493)	22	54	2.454
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	306	844	2.758
ULCER OF STOMACH & DUODENUM (531-533)	34	88	2.588
APPENDICITIS (540-543)	3	5	1.666
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	37	117	3.162
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	203	1.450
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	15	49	3.266
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	0	6	0.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	13	28	2.153
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	71	528	7.436
INFECTIONS OF KIDNEY (590)	8	24	3.000
HYPERPLASIA OF PROSTATE ALL (600)	6	17	2.833
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	50	80	1.600
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	20	34	1.700
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	59	94	1.593
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	57	2,057	36.087
ALL OTHER DISEASES (RESIDUAL)	764	3,022	3.955
MOTOR VEHICLE ACCIDENTS (E810-E825)	233	235	1.008
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	212	496	2.339
SUICIDE (E950-E959)	162	164	1.012
HOMICIDE & LEGAL INTERVENTION (E960-E978)	26	26	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	8	9	1.125
TOTAL FOR ALL CAUSES	10,916	26,920	2.466

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:
NATURE OF INJURY MENTIONS: 1398; SECONDARY NEOPLASM MENTIONS 553
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

53460-2-UA

MAINE VITAL STATISTICS

1984



STATE OF MAINE
DEPARTMENT OF
HUMAN SERVICES

State of Maine

Department of Human Services

Division of Data and Research

Annual Statistical Report
For the Calendar Year
1984

Michael R. Petit
Commissioner

Published in 1985

Ellen M. Naor
State Registrar

As Required By Statute : 22 MRSA §2701

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1984. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics - 1984 has been compiled and produced under the general supervision and direction of Ellen [illegible]. Naor, State Registrar of Vital Statistics and Director, Division of Data and Research.

Division of Data and Research staff most significantly involved in the production of the 1984 annual report include:

Carl Gerry, Systems Project Leader - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Benjamin Ames, Statistician - Data quality control.

Dale Welch, Senior Researcher - Population statistics, table conception and design.

Donald Lemieux, Planning and Research Associate - Table conception and design.

Michael Fleming, Deputy Division Director - Report coordination and production.

Sue Whitley, Clerk Typist - Typing and word processing.

The joint efforts of all the staff of the Division's Vital Records Unit, are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Robert Packard, Field Agent - Coordination with cities and towns to produce the data in a timely fashion;

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

Page Number

Acknowledgements.. ii

Table of Contents.. iii

List of Tables.. v

List of Supplemental Tables Available on Request............... ix

Introduction.. 1

Definitions of Terms.. 3

Definitions of Rates.. 7

Technical Notes.. 9

- General Considerations.. 9
- Live Births.. 12
- Infant and Fetal Mortality.. 12
- General Mortality.. 12
- Induced Abortions.. 14
- Marriages and Divorces.. 15

Tables (See List of Tables for detailed titles).............. v

- Live Births.. 17
- Infant and Fetal Mortality.. 69
- General Mortality.. 85
- Induced Abortions.. 119
- Marriages and Divorces.. 131

Appendices.. 139

- Appendix 1. - Maine Vital Record Certificates and Reports..... 141
  - Certificate of Live Birth.. 143
  - Report of Fetal Death.. 144
  - Certificate of Death.. 145
  - Report of Abortion (Spontaneous and Induced).............. 146
  - License and Certificate of Marriage..................... 147
  - Record of Divorce or Annulment........................... 148

TABLE OF CONTENTS (Continued)

Page Number

Appendix 2 - 1984 Population Projections.................... 149

Projected Total Population: Maine Counties and State Total, July 1, 1984.............................. 151
Projected Population by Age Group and Sex: Maine State Totals, July 1, 1984............................. 152

Appendix 3 - Historical Vital Statistics Data................ 153

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1984 (yearly).............. 155
Induced Abortions, Number and Rate: Maine State Totals, 1978-1984....................................... 156

LIST OF TABLES

Table No. Table Title Page No.

LIVE BIRTHS

TABLE 1-01 All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1984 (Resident Data) 17

TABLE 1-02 All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1984 (Resident Data) 20

TABLE 1-03 Live Births by Selected Medical History Characteristics: Maine State Totals, 1984 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies] 21

TABLE 1-04 Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks] 22

TABLE 1-05 All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1984 (Resident Data) 23

TABLE 1-06 Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1984 (Resident Data) 40

TABLE 1-07 Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1984 (Resident Data) 49

TABLE 1-08 Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1984 (Resident Data) 58

TABLE 1-09 Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams] 64

Table No. Table Title Page No.

TABLE 1-10 Live Births by Selected Risk Characteristics--Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]..... 65

TABLE 1-11 Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data)...... 66

INFANT AND FETAL MORTALITY

TABLE 2-01 Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1984 (Resident Data).. 71

TABLE 2-02 Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1984 (Resident Data)........... 75

TABLE 2-03 Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1984 (Resident Data).. 79

TABLE 2-04 Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1984 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies].. 80

TABLE 2-05 Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1984 (Resident Data)................................ 81

TABLE 2-06 Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].. 82

TABLE 2-07 Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]................................ 83

GENERAL MORTALITY

TABLE 3-01 Deaths, Rank by Number of Deaths, and Death Rate--Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1984 (Resident Data)..... 87

Table No.	Table Title	Page No.
TABLE 3-02	Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1984 (Resident Data)	92
TABLE 3-03	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1984 (Resident Data)	93
TABLE 3-04	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1984 (Resident Data)	112
TABLE 3-05	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1984 (Resident Data)	114
TABLE 3-06	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	115
TABLE 3-07	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	116
TABLE 3-08	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	117
	INDUCED ABORTIONS	
TABLE 4-01	Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1984 (Resident Data)	121
TABLE 4-02	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1984 (Occurrence Data)	122
TABLE 4-03	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1984 (Resident Data)	123
TABLE 4-04	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1984 (Occurrence Data)	124
TABLE 4-05	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1984 (Resident Data)	125
TABLE 4-06	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1984 (Occurrence Data)	126

Table No.	Table Title	Page No.
TABLE 4-07	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1984 (Occurrence Data)	127
TABLE 4-08	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1984 (Resident Data)	128
TABLE 4-09	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1984 (Occurrence Data)	129
TABLE 4-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1984 (Occurrence Data)	130
	MARRIAGES AND DIVORCES	
TABLE 5-01	Marriages by Age of Bride and of Groom: Maine State Totals, 1984 (Resident Data)	133
TABLE 5-02	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1984 (Resident Data)	134
TABLE 5-03	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1984 (Resident Data)	135
TABLE 5-04	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1984 (Resident Data)	136
TABLE 5-05	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1984 (Occurrence Data)	137

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.	
S1	Births and Deaths by Month, Maine Towns, Counties and State Totals, 1984 (Resident Data)
S2	All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1984 (Resident Data)
S3	Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1984 (Occurrence Data)
S4	Teenage Pregnancies by Outcome and Marital Status: Maine, 1984 (Resident Data)
S5	Listing of Death Records by the Ninth Revision of the International Classification of Disease (ICD) Code: Maine Towns, 1984 (Resident Data)
S6	Induced Abortions by Age of Patient and Marital Status: Maine Counties and State Totals, 1984 (Resident Data)
S7	Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S8	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County totals, and State Totals, 1984 (Resident Data)
S9	Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]
S10	Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1984 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
S11	Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1984 (Resident Data)

---

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report for 1984 does not contain interpretive comments and charts. Information necessary to use the tables has been included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Division of Data and Research
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate = $\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$

Birth Rate = $\frac{\text{Resident Live Births}}{\text{Total Resident Population}} \times 1,000$

Cause-Specific Death Rate = $\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}} \times 100,000$

Death Rate = $\frac{\text{Resident Deaths}}{\text{Total Resident Population}} \times 1,000$

Divorce Rate = $\frac{\text{Divorces}}{\text{Total Resident Population}} \times 1,000$

Fetal Death Rate = $\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}} \times 1,000$

Infant Death Rate = $\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1,000$

Marriage Rate = $\frac{\text{Marriages Performed}}{\text{Total Resident Population}} \times 1,000$

Maternal Death Rate = $\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}} \times 10,000$

Neonatal Death Rate = $\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1,000$

Perinatal Death Rate = $\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}} \times 1,000$

Post-Neonatal Death Rate = $\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1,000$

Sex-Specific Death Rate = $\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}} \times 100,000$

---

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates used during 1984 are the source documents for data on vital events in Maine. A copy of each is included in Appendix 1. Note that current (1985) fetal death and marriage records vary somewhat from the 1984 forms.

The cut-off date for 1984 data in this report is April 15, 1985. Any data pertaining to 1984 events for which certificates were filed after April 15, 1985, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983. The new certificate uses a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.

- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.

- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from 1984-1993 Maine Population Projections, Division of Data and Research, Department of Human Services, June, 1985. A display of these population data is included in Appendix 2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine did not participate in such exchange for fetal deaths in 1984, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is not available.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table 2-03. Tables 2-01, 2-05, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table 3-03). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table 3-01 and 3-02 is based on 32 cause groups. The data on fetal and infant deaths, in Tables 2-01 and 2-02, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

Years of Life Lost: In Table 3-02, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

---

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:
Division of Data and Research, Office of Health Planning and Development, Maine Department of Human Services, Vital Records Manual, 1986. December, 1985.

**Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table 3-04.

In Table 3-04, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of all induced abortions in Maine in 1983 were obtained by out-of-state residents. Maine did not participate in the interstate program for exchange of induced abortion reports in 1983, so complementary data on Maine residents who received abortions in other states are not available.

The numbers of induced abortions reported during 1983 and 1984 were nearly 35% greater than the number reported in 1982. This increase reflects, for the most part, the effect of a vigorous effort in the spring of 1983 to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table 4-01 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

LIVE BIRTHS

TABLE 1-01

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	RACE OF CHILD					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	17	0.10	15	0	1	1	0	0
15	73	0.44	72	1	0	0	0	0
16	189	1.14	186	1	2	0	0	0
17	330	1.98	322	2	3	0	1	2
18	575	3.46	561	4	9	1	0	0
19	846	5.09	829	6	8	2	1	0
20-24	5,736	34.49	5,624	35	43	15	12	7
25-29	5,250	31.57	5,146	32	26	15	23	8
30-34	2,808	16.88	2,749	15	11	19	8	6
35-39	706	4.25	697	2	1	5	0	1
40-44	78	0.47	78	0	0	0	0	0
GREATER THAN 44	1	0.01	1	0	0	0	0	0
UNKNOWN	22	0.13	22	0	0	0	0	0
STATE TOTALS	16,631		16,302	98	104	58	45	24
PERCENT DISTRIBUTION		100.00	98.02	0.59	0.63	0.35	0.27	0.14
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	16	0.59	14	0	1	1	0	0
15	67	2.47	66	1	0	0	0	0
16	145	5.35	144	1	0	0	0	0
17	220	8.12	214	2	3	0	0	1
18	299	11.03	292	1	6	0	0	0
19	313	11.55	308	2	2	1	0	0
20-24	991	36.55	958	7	23	2	1	0
25-29	415	15.31	402	3	8	0	2	0
30-34	173	6.38	168	0	2	2	0	1
35-39	59	2.18	58	0	0	1	0	0
40-44	11	0.41	11	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.07	2	0	0	0	0	0
STATE TOTALS	2,711		2,637	17	45	7	3	2
PERCENT DISTRIBUTION		100.00	97.27	0.63	1.66	0.26	0.11	0.07

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-02

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	MOTHER'S AGE(YRS.)												
			LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS															
LESS THAN 500	7	0.04	0	1	0	0	0	1	1	3	0	1	0	0	0
500-999	65	0.39	0	2	1	2	1	8	22	16	7	6	0	0	0
1000-1499	79	0.48	1	1	0	2	10	5	16	24	15	5	0	0	0
1500-1999	169	1.02	1	1	3	5	6	16	59	40	34	4	0	0	0
2000-2499	554	3.33	3	4	13	15	36	25	192	148	80	31	7	0	0
2500-2999	2,107	12.67	1	14	31	46	83	130	768	584	338	92	15	1	4
3000-3499	5,825	35.02	8	27	65	119	217	318	2,082	1,852	903	205	23	0	6
3500-3999	5,574	33.52	2	20	57	109	165	253	1,883	1,813	997	245	22	0	8
4000-4499	1,841	11.07	0	3	18	28	49	70	581	640	353	89	8	0	2
4500-4999	355	2.13	1	0	1	4	8	17	114	116	69	21	2	0	2
GREATER THAN 4999	44	0.26	0	0	0	0	0	3	14	10	11	5	1	0	0
UNKNOWN	11	0.07	0	0	0	0	0	0	4	4	1	2	0	0	0
STATE TOTALS	16,631		17	73	189	330	575	846	5,736	5,250	2,808	706	78	1	22
PERCENT DIST.		100.00	0.10	0.44	1.14	1.98	3.46	5.09	34.49	31.57	16.88	4.25	0.47	0.01	0.13
OUT OF WEDLOCK BIRTHS															
LESS THAN 500	2	0.07	0	1	0	0	0	1	0	0	0	0	0	0	0
500-999	14	0.52	0	2	1	0	0	2	8	0	0	1	0	0	0
1000-1499	18	0.66	1	1	0	2	7	1	2	4	0	0	0	0	0
1500-1999	43	1.59	1	0	1	2	2	12	13	7	4	1	0	0	0
2000-2499	124	4.57	3	4	12	6	18	10	44	15	9	2	1	0	0
2500-2999	450	16.60	1	13	22	28	54	50	169	66	33	11	1	0	2
3000-3499	1,011	37.29	7	25	55	84	110	125	378	159	44	17	7	0	0
3500-3999	781	28.81	2	18	40	79	82	88	264	126	60	20	2	0	0
4000-4499	220	8.12	0	3	14	15	23	20	91	32	20	2	0	0	0
4500-4999	42	1.55	1	0	0	4	3	3	18	6	3	4	0	0	0
GREATER THAN 4999	5	0.18	0	0	0	0	0	1	4	0	0	0	0	0	0
UNKNOWN	1	0.04	0	0	0	0	0	0	0	0	0	1	0	0	0
STATE TOTALS	2,711		16	67	145	220	299	313	991	415	173	59	11	0	2
PERCENT DIST.		100.00	0.59	2.47	5.35	8.12	11.03	11.55	36.55	15.31	6.38	2.18	0.41	0.00	0.07
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.30	94.12	91.78	76.72	66.67	52.00	37.00	17.28	7.90	6.16	8.36	14.10	0.00	9.09

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY			ILLNESS OR CONDITION AFFECTING PREGNANCY			COMPLICATIONS OF LABOR			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	331	2.0	TOBACCO USE	2,030	12.2	ABRUPTIO PLACENTA	118	0.7	SPONTANEOUS CONTROLLED	12,199	73.4	ANENCEPHALUS	3	0.0
ECLAMPSIA	10	0.1	HEART DISEASE SYMPTOMATIC	11	0.1	PLACENTA PREVIA	41	0.2	SPONTANEOUS UNCONTROLLED	143	0.9	SPINA BIFIDA	2	0.0
PREECLAMPSIA	501	3.0	HYPERTENSION	304	1.8	CORD PROLAPSE OR COMPRESSION	174	1.0	LOW FORCEPS	529	3.2	OTHER NERVOUS SYSTEM	14	0.1
RH SENSITIZATION	64	0.4	CHRONIC RENAL DISEASE	15	0.1	DYSTOCIA	1,073	6.5	OTHER FORCEPS PROCEDURE	214	1.3	CLEFT LIP/PALATE	25	0.2
ANEMIA(HGB < 10 GM/HCT < 30%)	149	0.9	PYELOCYSTITIS	23	0.1	BREECH	555	3.3	PRIMARY C-SECTION	2,032	12.2	EYE	8	0.0
AMNIONITIS	33	0.2	DES EXPOSURE	30	0.2	INDUCTION	12	0.1	REPEAT C-SECTION	1,256	7.6	EAR, FACE, NECK	15	0.1
URINARY TRACT INFECTION	298	1.8	ALCOHOL DEPENDENCE	24	0.1	INTRAPARTUM FEVER/ CHORIOAMNION.	44	0.3	BREECH DELIVERY	76	0.5	HEART	20	0.1
PREMATURE LABOR(BEFORE 37 WEEKS)	643	3.9	DRUG ADDICTION OR DEPENDENCE	17	0.1	FETAL DISTRESS	568	3.4	VERSION AND EXTRACTION	12	0.1	OTHER CIRCULATORY SYSTEM	12	0.1
PREMATURE DELIVERY(BEFORE 37 WEEKS)	456	2.7	PREVIOUS C-SECTION	526	3.2	LABOR>18 HRS.	402	2.4	OTHER	175	1.1	RESPIRATORY SYSTEM	21	0.1
PROM(24 HRS. BEFORE DELIVERY)	371	2.2	OBESITY	404	2.4	OTHER	961	5.8				DIGESTIVE SYSTEM	16	0.1
OTHER	715	4.3	GESTATIONAL DIABETES	117	0.7	NONE	13,147	79.1				GENITAL ORGANS	47	0.3
NONE	13,862	83.4	CHRONIC DIABETES	40	0.2	UNKNOWN	56	0.3				URINARY SYSTEM	11	0.1
UNKNOWN	60	0.4	OTHER	464	2.8							MUSCULOSKEL.	84	0.5
			NONE	13,039	78.4							INTEGUMENT	28	0.2
			UNKNOWN	60	0.4							CHROMOSOMAL	16	0.1
												OTHER	11	0.1
												NONE	16,289	97.9
												UNKNOWN	55	0.3

NOTES: PERCENTAGES ARE BASED ON THE 16,631 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-04

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	RISK CHARACTERISTICS: 5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,537	14	0.9	26	1.7	84	5.5	76	4.9	1.11
AROOSTOOK	1,342	12	0.9	12	0.9	73	5.4	91	6.8	1.05
CUMBERLAND	3,256	29	0.9	61	1.9	183	5.6	179	5.5	1.10
FRANKLIN	410	3	0.7	5	1.2	24	5.9	26	6.3	1.14
HANCOCK	625	6	1.0	15	2.4	26	4.2	33	5.3	1.09
KENNEBEC	1,507	11	0.7	30	2.0	72	4.8	69	4.6	0.99
KNOX	525	4	0.8	4	0.8	30	5.7	32	6.1	1.13
LINCOLN	401	2	0.5	7	1.7	18	4.5	18	4.5	1.13
OXFORD	655	1	0.2	7	1.1	31	4.7	27	4.1	0.92
PENOBSCOT	1,936	12	0.6	17	0.9	96	5.0	84	4.3	1.14
PISCATAQUIS	254	4	1.6	8	3.1	16	6.3	16	6.3	1.21
SAGADAHOC	484	2	0.4	14	2.9	22	4.5	22	4.5	0.94
SOMERSET	709	3	0.4	15	2.1	41	5.8	34	4.8	0.91
WALDO	420	2	0.5	6	1.4	21	5.0	20	4.8	1.07
WASHINGTON	476	2	0.4	5	1.1	27	5.7	25	5.3	1.02
YORK	2,094	16	0.8	55	2.6	110	5.3	94	4.5	1.03
STATE TOTALS	16,631	123	0.7	287	1.7	874	5.3	846	5.1	1.06

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	********** SEX **********			****************** BIRTH ORDER ******************					
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	2	0.13	2	0	0	2	0	0	0	0	0
15	13	0.85	5	8	0	12	1	0	0	0	0
16	21	1.37	11	10	0	19	2	0	0	0	0
17	25	1.63	13	12	0	23	2	0	0	0	0
18	64	4.16	34	30	0	47	15	2	0	0	0
19	92	5.99	59	33	0	63	22	6	0	0	1
20-24	615	40.01	317	298	0	318	226	58	11	2	0
25-29	440	28.63	229	211	0	146	181	83	26	4	0
30-34	212	13.79	109	103	0	53	86	52	16	5	0
35-39	49	3.19	27	22	0	5	16	13	13	2	0
40-44	4	0.26	3	1	0	0	1	0	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,537		809	728	0	688	552	214	67	15	1
PERCENT DISTRIBUTION		100.00	52.64	47.36	0.00	44.76	35.91	13.92	4.36	0.98	0.07
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.71	2	0	0	2	0	0	0	0	0
15	13	4.63	5	8	0	12	1	0	0	0	0
16	16	5.69	9	7	0	15	1	0	0	0	0
17	19	6.76	9	10	0	18	1	0	0	0	0
18	31	11.03	18	13	0	28	2	1	0	0	0
19	38	13.52	25	13	0	28	7	3	0	0	0
20-24	102	36.30	54	48	0	49	34	14	4	1	0
25-29	37	13.17	21	16	0	11	14	9	3	0	0
30-34	17	6.05	7	10	0	4	4	5	4	0	0
35-39	6	2.14	5	1	0	1	3	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	281		155	126	0	168	67	33	12	1	0
PERCENT DISTRIBUTION		100.00	55.16	44.84	0.00	59.79	23.84	11.74	4.27	0.36	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		18.28	19.16	17.31	0.00	24.42	12.14	15.42	17.91	6.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			***************** BIRTH ORDER *****************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.07	1	0	0	1	0	0	0	0	0
16	19	1.42	8	11	0	18	1	0	0	0	0
17	37	2.76	23	14	0	29	6	1	0	0	1
18	49	3.65	24	25	0	35	12	2	0	0	0
19	66	4.92	34	32	0	50	11	4	1	0	0
20-24	559	41.65	271	288	0	286	202	62	7	2	0
25-29	394	29.36	207	187	0	116	177	75	12	10	4
30-34	170	12.67	90	80	0	36	51	49	27	6	1
35-39	38	2.83	23	15	0	7	8	7	11	5	0
40-44	8	0.60	5	3	0	1	1	1	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.07	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	1,342		687	655	0	579	470	201	59	27	6
PERCENT DISTRIBUTION		100.00	51.19	48.81	0.00	43.14	35.02	14.98	4.40	2.01	0.45
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.49	1	0	0	1	0	0	0	0	0
16	13	6.34	6	7	0	13	0	0	0	0	0
17	23	11.22	17	6	0	19	3	0	0	0	1
18	24	11.71	11	13	0	20	3	1	0	0	0
19	18	8.78	10	8	0	13	5	0	0	0	0
20-24	83	40.49	48	35	0	42	28	10	2	1	0
25-29	27	13.17	13	14	0	7	11	7	0	2	0
30-34	10	4.88	5	5	0	1	4	2	3	0	0
35-39	5	2.44	3	2	0	1	1	1	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.49	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	205		115	90	0	117	56	21	6	4	1
PERCENT DISTRIBUTION		100.00	56.10	43.90	0.00	57.07	27.32	10.24	2.93	1.95	0.49
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.28	16.74	13.74	0.00	20.21	11.91	10.45	10.17	14.81	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	1	0.03	1	0	0	1	0	0	0	0	0
15	18	0.55	13	5	0	18	0	0	0	0	0
16	32	0.98	17	15	0	31	1	0	0	0	0
17	44	1.35	28	16	0	38	4	2	0	0	0
18	85	2.61	47	38	0	74	11	0	0	0	0
19	127	3.90	58	69	0	98	27	1	0	0	1
20-24	906	27.83	443	463	0	492	297	95	20	0	2
25-29	1,133	34.80	609	524	0	547	386	150	35	13	2
30-34	691	21.22	356	335	0	241	249	125	61	14	1
35-39	188	5.77	117	71	0	55	59	37	16	21	0
40-44	17	0.52	9	8	0	1	3	6	3	3	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	14	0.43	9	5	0	11	2	1	0	0	0
COUNTY TOTALS	3,256		1,707	1,549	0	1,607	1,039	417	135	51	7
PERCENT DISTRIBUTION		100.00	52.43	47.57	0.00	49.36	31.91	12.81	4.15	1.57	0.21
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.22	1	0	0	1	0	0	0	0	0
15	17	3.76	12	5	0	17	0	0	0	0	0
16	26	5.75	15	11	0	25	1	0	0	0	0
17	31	6.86	21	10	0	28	2	1	0	0	0
18	50	11.06	26	24	0	44	6	0	0	0	0
19	54	11.95	29	25	0	44	8	1	0	0	1
20-24	153	33.85	75	78	0	87	43	16	5	0	2
25-29	78	17.26	37	41	0	32	26	15	2	1	2
30-34	31	6.86	16	15	0	13	3	6	7	2	0
35-39	9	1.99	4	5	0	3	2	0	1	3	0
40-44	2	0.44	1	1	0	1	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	452		237	215	0	295	91	39	15	7	5
PERCENT DISTRIBUTION		100.00	52.43	47.57	0.00	65.27	20.13	8.63	3.32	1.55	1.11
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.88	13.88	13.88	0.00	18.36	8.76	9.35	11.11	13.73	71.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.24	0	1	0	1	0	0	0	0	0
15	1	0.24	0	1	0	1	0	0	0	0	0
16	3	0.73	2	1	0	3	0	0	0	0	0
17	12	2.93	8	4	0	11	1	0	0	0	0
18	18	4.39	8	10	0	16	2	0	0	0	0
19	25	6.10	13	12	0	20	3	2	0	0	0
20-24	164	40.00	87	77	0	91	53	17	3	0	0
25-29	102	24.88	53	49	0	29	43	18	7	3	2
30-34	69	16.83	39	30	0	25	23	12	5	3	1
35-39	14	3.41	7	7	0	2	1	3	4	4	0
40-44	1	0.24	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	410		218	192	0	199	126	52	19	11	3
PERCENT DISTRIBUTION		100.00	53.17	46.83	0.00	48.54	30.73	12.68	4.63	2.68	0.73
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.75	0	1	0	1	0	0	0	0	0
15	1	1.75	0	1	0	1	0	0	0	0	0
16	2	3.51	1	1	0	2	0	0	0	0	0
17	6	10.53	4	2	0	5	1	0	0	0	0
18	11	19.30	4	7	0	9	2	0	0	0	0
19	6	10.53	3	3	0	5	1	0	0	0	0
20-24	20	35.09	12	8	0	11	5	4	0	0	0
25-29	3	5.26	3	0	0	0	0	1	2	0	0
30-34	5	8.77	3	2	0	2	2	1	0	0	0
35-39	2	3.51	2	0	0	1	1	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	57		32	25	0	37	12	6	2	0	0
PERCENT DISTRIBUTION		100.00	56.14	43.86	0.00	64.91	21.05	10.53	3.51	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.90	14.68	13.02	0.00	18.59	9.52	11.54	10.53	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	1	0.16	1	0	0	1	0	0	0	0	0
15	1	0.16	0	1	0	1	0	0	0	0	0
16	5	0.80	5	0	0	5	0	0	0	0	0
17	12	1.92	4	8	0	10	2	0	0	0	0
18	22	3.52	12	10	0	15	6	1	0	0	0
19	34	5.44	20	14	0	22	11	0	0	1	0
20-24	196	31.36	102	94	0	102	70	23	1	0	0
25-29	191	30.56	98	93	0	75	69	34	12	1	0
30-34	129	20.64	67	62	0	34	56	20	14	4	1
35-39	33	5.28	16	17	0	9	15	3	3	3	0
40-44	1	0.16	1	0	0	1	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	625		326	299	0	275	229	81	30	9	1
PERCENT DISTRIBUTION		100.00	52.16	47.84	0.00	44.00	36.64	12.96	4.80	1.44	0.16
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.01	0	1	0	1	0	0	0	0	0
16	5	5.05	5	0	0	5	0	0	0	0	0
17	9	9.09	4	5	0	9	0	0	0	0	0
18	6	6.06	4	2	0	5	1	0	0	0	0
19	10	10.10	9	1	0	9	1	0	0	0	0
20-24	37	37.37	17	20	0	24	7	6	0	0	0
25-29	21	21.21	8	13	0	8	4	7	2	0	0
30-34	8	8.08	4	4	0	3	2	1	2	0	0
35-39	2	2.02	2	0	0	0	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	99		53	46	0	64	16	14	5	0	0
PERCENT DISTRIBUTION		100.00	53.54	46.46	0.00	64.65	16.16	14.14	5.05	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.84	16.26	15.38	0.00	23.27	6.99	17.28	16.67	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	1	0.07	0	1	0	1	0	0	0	0	0
15	7	0.46	3	4	0	7	0	0	0	0	0
16	16	1.06	7	9	0	15	1	0	0	0	0
17	37	2.46	17	20	0	33	4	0	0	0	0
18	57	3.78	23	34	0	48	9	0	0	0	0
19	71	4.71	35	36	0	52	18	1	0	0	0
20-24	505	33.51	261	244	0	275	173	47	6	2	2
25-29	504	33.44	257	247	0	155	239	85	21	4	0
30-34	241	15.99	116	125	0	55	99	61	18	8	0
35-39	60	3.98	28	32	0	13	22	12	5	8	0
40-44	8	0.53	2	6	0	0	3	3	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,507		749	758	0	654	568	209	50	24	2
PERCENT DISTRIBUTION		100.00	49.70	50.30	0.00	43.40	37.69	13.87	3.32	1.59	0.13
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.34	0	1	0	1	0	0	0	0	0
15	6	2.07	3	3	0	6	0	0	0	0	0
16	13	4.48	6	7	0	12	1	0	0	0	0
17	27	9.31	12	15	0	25	2	0	0	0	0
18	32	11.03	13	19	0	29	3	0	0	0	0
19	41	14.14	20	21	0	33	8	0	0	0	0
20-24	110	37.93	58	52	0	71	21	16	1	1	0
25-29	37	12.76	18	19	0	15	9	11	1	1	0
30-34	18	6.21	12	6	0	3	6	5	2	2	0
35-39	5	1.72	3	2	0	0	1	2	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	290		145	145	0	195	51	34	5	5	0
PERCENT DISTRIBUTION		100.00	50.00	50.00	0.00	67.24	17.59	11.72	1.72	1.72	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		19.24	19.36	19.13	0.00	29.82	8.98	16.27	10.00	20.83	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KNOX											
LESS THAN 15	3	0.57	2	1	0	3	0	0	0	0	0
15	2	0.38	2	0	0	2	0	0	0	0	0
16	7	1.33	4	3	0	5	2	0	0	0	0
17	6	1.14	1	5	0	6	0	0	0	0	0
18	24	4.57	16	8	0	17	5	2	0	0	0
19	28	5.33	12	16	0	22	6	0	0	0	0
20-24	165	31.43	78	87	0	75	75	9	4	2	0
25-29	172	32.76	99	73	0	66	60	28	14	3	1
30-34	82	15.62	44	38	0	25	28	14	9	5	1
35-39	31	5.90	18	13	0	4	14	8	2	3	0
40-44	4	0.76	3	1	0	0	1	1	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.19	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	525		279	246	0	226	191	62	29	15	2
PERCENT DISTRIBUTION		100.00	53.14	46.86	0.00	43.05	36.38	11.81	5.52	2.86	0.38
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	4.05	2	1	0	3	0	0	0	0	0
15	2	2.70	2	0	0	2	0	0	0	0	0
16	4	5.41	2	2	0	3	1	0	0	0	0
17	3	4.05	1	2	0	3	0	0	0	0	0
18	9	12.16	4	5	0	6	2	1	0	0	0
19	8	10.81	2	6	0	6	2	0	0	0	0
20-24	25	33.78	11	14	0	10	11	3	0	1	0
25-29	10	13.51	8	2	0	2	7	1	0	0	0
30-34	5	6.76	4	1	0	1	2	1	0	1	0
35-39	3	4.05	2	1	0	1	1	0	0	1	0
40-44	1	1.35	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	1.35	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	74		38	36	0	38	26	6	0	4	0
PERCENT DISTRIBUTION		100.00	51.35	48.65	0.00	51.35	35.14	8.11	0.00	5.41	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		14.10	13.62	14.63	0.00	16.81	13.61	9.68	0.00	26.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	***************** BIRTH ORDER ***************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LINCOLN											
LESS THAN 15	1	0.25	0	1	0	1	0	0	0	0	0
15	1	0.25	1	0	0	1	0	0	0	0	0
16	2	0.50	0	2	0	2	0	0	0	0	0
17	4	1.00	2	2	0	3	1	0	0	0	0
18	14	3.49	11	3	0	10	4	0	0	0	0
19	21	5.24	11	10	0	12	9	0	0	0	0
20-24	133	33.17	69	64	0	60	53	17	3	0	0
25-29	123	30.67	66	57	0	43	48	18	10	4	0
30-34	74	18.45	40	34	0	23	30	13	7	1	0
35-39	22	5.49	10	12	0	4	7	6	3	2	0
40-44	6	1.50	3	3	0	1	0	1	2	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	401		213	188	0	160	152	55	25	9	0
PERCENT DISTRIBUTION		100.00	53.12	46.88	0.00	39.90	37.91	13.72	6.23	2.24	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.79	0	1	0	1	0	0	0	0	0
15	1	1.79	1	0	0	1	0	0	0	0	0
16	2	3.57	0	2	0	2	0	0	0	0	0
17	4	7.14	2	2	0	3	1	0	0	0	0
18	3	5.36	3	0	0	2	1	0	0	0	0
19	7	12.50	3	4	0	6	1	0	0	0	0
20-24	20	35.71	9	11	0	14	5	1	0	0	0
25-29	8	14.29	5	3	0	1	4	1	2	0	0
30-34	6	10.71	2	4	0	3	1	0	2	0	0
35-39	2	3.57	1	1	0	0	1	0	0	1	0
40-44	2	3.57	1	1	0	0	0	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	56		27	29	0	33	14	3	4	2	0
PERCENT DISTRIBUTION		100.00	48.21	51.79	0.00	58.93	25.00	5.36	7.14	3.57	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.97	12.68	15.43	0.00	20.63	9.21	5.45	16.00	22.22	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			***************** BIRTH ORDER *****************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
OXFORD											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.46	1	2	0	3	0	0	0	0	0
16	5	0.76	2	3	0	5	0	0	0	0	0
17	12	1.83	5	7	0	11	1	0	0	0	0
18	20	3.05	10	10	0	19	1	0	0	0	0
19	34	5.19	9	25	0	30	4	0	0	0	0
20-24	255	38.93	128	127	0	124	96	25	7	1	2
25-29	203	30.99	104	99	0	73	87	34	8	1	0
30-34	103	15.73	46	57	0	25	30	35	8	5	0
35-39	17	2.60	8	9	0	3	1	7	4	2	0
40-44	2	0.31	0	2	0	1	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.15	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	655		313	342	0	295	220	101	27	10	2
PERCENT DISTRIBUTION		100.00	47.79	52.21	0.00	45.04	33.59	15.42	4.12	1.53	0.31
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	2.63	1	2	0	3	0	0	0	0	0
16	4	3.51	1	3	0	4	0	0	0	0	0
17	9	7.89	5	4	0	9	0	0	0	0	0
18	9	7.89	5	4	0	9	0	0	0	0	0
19	12	10.53	4	8	0	9	3	0	0	0	0
20-24	49	42.98	24	25	0	24	16	6	2	0	1
25-29	18	15.79	10	8	0	8	7	1	2	0	0
30-34	8	7.02	2	6	0	3	2	3	0	0	0
35-39	2	1.75	1	1	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	114		53	61	0	69	28	11	5	0	1
PERCENT DISTRIBUTION		100.00	46.49	53.51	0.00	60.53	24.56	9.65	4.39	0.00	0.88
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		17.40	16.93	17.84	0.00	23.39	12.73	10.89	18.52	0.00	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PENOBSCOT -											
LESS THAN 15	2	0.10	0	2	0	2	0	0	0	0	0
15	7	0.36	3	4	0	7	0	0	0	0	0
16	22	1.14	10	12	0	21	1	0	0	0	0
17	39	2.01	20	19	0	38	1	0	0	0	0
18	74	3.82	39	35	0	65	9	0	0	0	0
19	113	5.84	59	54	0	86	21	6	0	0	0
20-24	696	35.95	372	324	0	391	249	46	4	5	1
25-29	586	30.27	318	268	0	205	237	105	29	8	2
30-34	328	16.94	171	157	0	89	123	85	27	4	0
35-39	63	3.25	35	28	0	14	24	11	8	6	0
40-44	6	0.31	3	3	0	1	1	1	2	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,936	-	1,030	906	0	919	666	254	70	24	3
PERCENT DISTRIBUTION		100.00	53.20	46.80	0.00	47.47	34.40	13.12	3.62	1.24	0.15
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.55	0	2	0	2	0	0	0	0	0
15	6	1.64	3	3	0	6	0	0	0	0	0
16	18	4.93	7	11	0	17	1	0	0	0	0
17	26	7.12	12	14	0	25	1	0	0	0	0
18	42	11.51	20	22	0	38	4	0	0	0	0
19	39	10.68	25	14	0	32	6	1	0	0	0
20-24	143	39.18	85	58	0	84	45	11	1	2	0
25-29	58	15.89	29	29	0	13	21	18	5	1	0
30-34	22	6.03	11	11	0	8	6	5	3	0	0
35-39	7	1.92	4	3	0	4	0	3	0	0	0
40-44	2	0.55	2	0	0	1	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	365		198	167	0	230	84	38	10	3	0
PERCENT DISTRIBUTION		100.00	54.25	45.75	0.00	63.01	23.01	10.41	2.74	0.82	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.85	19.22	18.43	0.00	25.03	12.61	14.96	14.29	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	4	1.57	3	1	0	4	0	0	0	0	0
17	9	3.54	4	5	0	9	0	0	0	0	0
18	8	3.15	3	5	0	5	3	0	0	0	0
19	19	7.48	12	7	0	12	6	1	0	0	0
20-24	94	37.01	60	34	0	44	36	13	0	0	1
25-29	83	32.68	41	42	0	23	39	17	4	0	0
30-34	27	10.63	11	16	0	5	8	8	2	4	0
35-39	10	3.94	5	5	0	2	3	2	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	254		139	115	0	104	95	41	8	5	1
PERCENT DISTRIBUTION		100.00	54.72	45.28	0.00	40.94	37.40	16.14	3.15	1.97	0.39
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	3	5.56	2	1	0	3	0	0	0	0	0
17	9	16.67	4	5	0	9	0	0	0	0	0
18	5	9.26	3	2	0	5	0	0	0	0	0
19	7	12.96	5	2	0	5	2	0	0	0	0
20-24	24	44.44	18	6	0	13	9	2	0	0	0
25-29	5	9.26	2	3	0	1	2	2	0	0	0
30-34	1	1.85	1	0	0	0	0	0	1	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	54		35	19	0	36	13	4	1	0	0
PERCENT DISTRIBUTION		100.00	64.81	35.19	0.00	66.67	24.07	7.41	1.85	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.26	25.18	16.52	0.00	34.62	13.68	9.76	12.50	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SAGADAHOC											
LESS THAN 15	1	0.21	1	0	0	1	0	0	0	0	0
15	2	0.41	2	0	0	2	0	0	0	0	0
16	6	1.24	3	3	0	6	0	0	0	0	0
17	7	1.45	4	3	0	6	1	0	0	0	0
18	10	2.07	4	6	0	10	0	0	0	0	0
19	17	3.51	6	11	0	8	7	2	0	0	0
20-24	182	37.60	95	87	0	94	64	20	4	0	0
25-29	167	34.50	78	89	0	64	68	28	7	0	0
30-34	80	16.53	35	45	0	24	37	13	5	1	0
35-39	11	2.27	5	6	0	3	3	3	1	1	0
40-44	1	0.21	1	0	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	484		234	250	0	218	180	66	18	2	0
PERCENT DISTRIBUTION		100.00	48.35	51.65	0.00	45.04	37.19	13.64	3.72	0.41	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	2.04	1	0	0	1	0	0	0	0	0
15	1	2.04	1	0	0	1	0	0	0	0	0
16	5	10.20	2	3	0	5	0	0	0	0	0
17	3	6.12	2	1	0	3	0	0	0	0	0
18	4	8.16	1	3	0	4	0	0	0	0	0
19	4	8.16	0	4	0	3	0	1	0	0	0
20-24	23	46.94	14	9	0	13	5	3	2	0	0
25-29	7	14.29	3	4	0	4	2	1	0	0	0
30-34	1	2.04	0	1	0	0	1	0	0	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	49		24	25	0	34	8	5	2	0	0
PERCENT DISTRIBUTION		100.00	48.98	51.02	0.00	69.39	16.33	10.20	4.08	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		10.12	10.26	10.00	0.00	15.60	4.44	7.58	11.11	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.56	2	2	0	4	0	0	0	0	0
16	16	2.26	10	6	0	15	1	0	0	0	0
17	24	3.39	11	13	0	20	4	0	0	0	0
18	25	3.53	18	7	0	20	4	0	0	0	1
19	51	7.19	21	30	0	37	11	2	1	0	0
20-24	271	38.22	134	137	0	125	101	37	6	2	0
25-29	194	27.36	85	109	0	47	80	47	16	3	1
30-34	87	12.27	43	44	0	22	34	20	8	3	0
35-39	34	4.80	13	21	0	6	9	7	4	8	0
40-44	3	0.42	1	2	0	0	0	0	2	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	709		338	371	0	296	244	113	37	17	2
PERCENT DISTRIBUTION		100.00	47.67	52.33	0.00	41.75	34.41	15.94	5.22	2.40	0.28
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	2.67	2	2	0	4	0	0	0	0	0
16	14	9.33	9	5	0	13	1	0	0	0	0
17	15	10.00	9	6	0	14	1	0	0	0	0
18	15	10.00	9	6	0	11	3	0	0	0	1
19	18	12.00	5	13	0	13	4	1	0	0	0
20-24	50	33.33	27	23	0	31	12	5	2	0	0
25-29	18	12.00	7	11	0	6	6	4	2	0	0
30-34	8	5.33	1	7	0	2	3	2	1	0	0
35-39	7	4.67	3	4	0	2	1	0	1	3	0
40-44	1	0.67	0	1	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	150		72	78	0	96	31	12	7	3	1
PERCENT DISTRIBUTION		100.00	48.00	52.00	0.00	64.00	20.67	8.00	4.67	2.00	0.67
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.16	21.30	21.02	0.00	32.43	12.70	10.62	18.92	17.65	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	1	0.24	1	0	0	1	0	0	0	0	0
15	3	0.71	1	2	0	3	0	0	0	0	0
16	3	0.71	3	0	0	3	0	0	0	0	0
17	6	1.43	3	3	0	4	2	0	0	0	0
18	14	3.33	8	6	0	12	2	0	0	0	0
19	22	5.24	13	9	0	18	4	0	0	0	0
20-24	129	30.71	62	67	0	56	52	16	5	0	0
25-29	135	32.14	67	68	0	41	48	34	8	4	0
30-34	75	17.86	43	32	0	24	25	17	3	5	1
35-39	28	6.67	15	13	0	8	8	8	3	1	0
40-44	3	0.71	1	2	0	0	0	1	0	2	0
GREATER THAN 44	1	0.24	0	1	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	420		217	203	0	170	141	76	19	13	1
PERCENT DISTRIBUTION		100.00	51.67	48.33	0.00	40.48	33.57	18.10	4.52	3.10	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.30	1	0	0	1	0	0	0	0	0
15	3	3.90	1	2	0	3	0	0	0	0	0
16	3	3.90	3	0	0	3	0	0	0	0	0
17	2	2.60	1	1	0	2	0	0	0	0	0
18	7	9.09	4	3	0	6	1	0	0	0	0
19	9	11.69	6	3	0	7	2	0	0	0	0
20-24	20	25.97	13	7	0	8	8	4	0	0	0
25-29	21	27.27	8	13	0	5	5	8	3	0	0
30-34	8	10.39	4	4	0	3	3	2	0	0	0
35-39	3	3.90	3	0	0	2	0	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	77		44	33	0	40	19	14	3	1	0
PERCENT DISTRIBUTION		100.00	57.14	42.86	0.00	51.95	24.68	18.18	3.90	1.30	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.33	20.28	16.26	0.00	23.53	13.48	18.42	15.79	7.69	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX: MALE	SEX: FEMALE	SEX: UNKNOWN	BIRTH ORDER: 1	BIRTH ORDER: 2	BIRTH ORDER: 3	BIRTH ORDER: 4	BIRTH ORDER: GREATER THAN 4	BIRTH ORDER: UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	2	0.42	2	0	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	9	1.89	2	7	0	8	0	0	0	0	1
17	18	3.78	6	12	0	16	2	0	0	0	0
18	26	5.46	12	14	0	22	4	0	0	0	0
19	32	6.72	17	15	0	24	8	0	0	0	0
20-24	178	37.39	99	79	0	72	72	29	3	1	1
25-29	131	27.52	60	71	0	42	52	22	7	6	2
30-34	59	12.39	28	31	0	11	23	18	3	2	2
35-39	16	3.36	10	6	0	3	5	2	4	2	0
40-44	3	0.63	3	0	0	0	0	0	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.42	1	1	0	1	0	0	1	0	0
COUNTY TOTALS	476		240	236	0	201	166	71	18	14	6
PERCENT DISTRIBUTION		100.00	50.42	49.58	0.00	42.23	34.87	14.92	3.78	2.94	1.26
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	1.80	2	0	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	5	4.50	0	5	0	5	0	0	0	0	0
17	14	12.61	6	8	0	13	1	0	0	0	0
18	16	14.41	7	9	0	13	3	0	0	0	0
19	14	12.61	6	8	0	13	1	0	0	0	0
20-24	32	28.83	19	13	0	14	7	9	1	0	1
25-29	19	17.12	12	7	0	2	7	3	3	4	0
30-34	6	5.41	3	3	0	2	2	2	0	0	0
35-39	2	1.80	0	2	0	0	1	0	1	0	0
40-44	1	0.90	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	111		56	55	0	64	22	14	5	5	1
PERCENT DISTRIBUTION		100.00	50.45	49.55	0.00	57.66	19.82	12.61	4.50	4.50	0.90
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		23.32	23.33	23.31	0.00	31.84	13.25	19.72	27.78	35.71	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	1	0.05	0	1	0	1	0	0	0	0	0
15	10	0.48	5	5	0	10	0	0	0	0	0
16	19	0.91	10	9	0	18	1	0	0	0	0
17	38	1.81	15	23	0	34	4	0	0	0	0
18	65	3.10	37	28	0	57	7	1	0	0	0
19	94	4.49	45	49	0	79	14	1	0	0	0
20-24	688	32.86	350	338	0	377	239	53	10	4	5
25-29	692	33.05	350	342	0	271	289	100	20	10	2
30-34	381	18.19	197	184	0	104	144	92	27	14	0
35-39	92	4.39	42	50	0	16	30	21	11	14	0
40-44	11	0.53	8	3	0	2	2	2	2	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	3	0.14	2	1	0	2	0	1	0	0	0
COUNTY TOTALS	2,094		1,061	1,033	0	971	730	271	70	45	7
PERCENT DISTRIBUTION		100.00	50.67	49.33	0.00	46.37	34.86	12.94	3.34	2.15	0.33
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.36	0	1	0	1	0	0	0	0	0
15	8	2.89	5	3	0	8	0	0	0	0	0
16	12	4.33	4	8	0	11	1	0	0	0	0
17	20	7.22	8	12	0	18	2	0	0	0	0
18	35	12.64	20	15	0	32	2	1	0	0	0
19	28	10.11	13	15	0	25	3	0	0	0	0
20-24	100	36.10	49	51	0	62	25	9	1	1	2
25-29	48	17.33	24	24	0	18	17	10	1	2	0
30-34	19	6.86	12	7	0	5	5	7	2	0	0
35-39	4	1.44	2	2	0	1	2	1	0	0	0
40-44	2	0.72	1	1	0	1	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	277		138	139	0	182	57	29	4	3	2
PERCENT DISTRIBUTION		100.00	49.82	50.18	0.00	65.70	20.58	10.47	1.44	1.08	0.72
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.23	13.01	13.46	0.00	18.74	7.81	10.70	5.71	6.67	28.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	17	0.10	10	7	0	17	0	0	0	0	0
15	73	0.44	39	34	0	72	1	0	0	0	0
16	189	1.14	97	92	0	178	10	0	0	0	1
17	330	1.98	164	166	0	291	35	3	0	0	1
18	575	3.46	306	269	0	472	94	8	0	0	1
19	846	5.09	424	422	0	633	182	26	2	1	2
20-24	5,736	34.49	2,928	2,808	0	2,982	2,058	567	94	21	14
25-29	5,250	31.57	2,721	2,529	0	1,943	2,103	878	236	74	16
30-34	2,808	16.88	1,435	1,373	0	796	1,046	634	240	84	8
35-39	706	4.25	379	327	0	154	225	150	94	83	0
40-44	78	0.47	44	34	0	8	12	16	14	27	1
GREATER THAN 44	1	0.01	0	1	0	0	0	0	0	1	0
UNKNOWN	22	0.13	13	9	0	16	3	2	1	0	0
STATE TOTALS	16,631		8,560	8,071	0	7,562	5,769	2,284	681	291	44
PERCENT DISTRIBUTION		100.00	51.47	48.53	0.00	45.47	34.69	13.73	4.09	1.75	0.26
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	16	0.59	9	7	0	16	0	0	0	0	0
15	67	2.47	37	30	0	66	1	0	0	0	0
16	145	5.35	72	73	0	138	7	0	0	0	0
17	220	8.12	117	103	0	203	15	1	0	0	1
18	299	11.03	152	147	0	261	33	4	0	0	1
19	313	11.55	165	148	0	251	54	7	0	0	1
20-24	991	36.55	533	458	0	557	281	119	21	7	6
25-29	415	15.31	208	207	0	133	142	99	28	11	2
30-34	173	6.38	87	86	0	53	46	42	27	5	0
35-39	59	2.18	35	24	0	16	15	9	8	11	0
40-44	11	0.41	6	5	0	3	0	2	2	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.07	1	1	0	1	1	0	0	0	0
STATE TOTALS	2,711		1,422	1,289	0	1,698	595	283	86	38	11
PERCENT DISTRIBUTION		100.00	52.45	47.55	0.00	62.63	21.95	10.44	3.17	1.40	0.41
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.30	16.61	15.97	0.00	22.45	10.31	12.39	12.63	13.06	25.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ******************** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	7	0.46	3	0	2	0	0	2
1000-1499	7	0.46	3	3	1	0	0	0
1500-1999	19	1.24	9	4	4	1	0	1
2000-2499	51	3.32	26	10	13	2	0	0
2500-2999	218	14.18	123	54	30	9	1	1
3000-3499	552	35.91	309	150	75	16	0	2
3500-3999	499	32.47	290	131	66	9	0	3
4000-4499	152	9.89	94	37	18	3	0	0
4500-4999	29	1.89	17	7	3	2	0	0
GREATER THAN 4999	3	0.20	2	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,537		876	397	212	42	1	9
PERCENT DISTRIBUTION		100.00	56.99	25.83	13.79	2.73	0.07	0.59
AROOSTOOK								
LESS THAN 1000	7	0.52	2	1	2	0	0	2
1000-1499	7	0.52	5	1	1	0	0	0
1500-1999	18	1.34	5	8	2	1	1	1
2000-2499	41	3.06	19	12	9	0	0	1
2500-2999	169	12.59	74	51	29	9	1	5
3000-3499	463	34.50	208	163	80	8	1	3
3500-3999	450	33.53	187	164	85	9	0	5
4000-4499	151	11.25	67	51	29	3	0	1
4500-4999	33	2.46	13	15	5	0	0	0
GREATER THAN 4999	2	0.15	0	1	1	0	0	0
UNKNOWN	1	0.07	0	1	0	0	0	0
COUNTY TOTALS	1,342		580	468	243	30	3	18
PERCENT DISTRIBUTION		100.00	43.22	34.87	18.11	2.24	0.22	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ******************** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
CUMBERLAND								
LESS THAN 1000	16	0.49	6	5	2	1	0	2
1000-1499	15	0.46	11	2	1	0	0	1
1500-1999	38	1.17	17	8	6	3	0	4
2000-2499	114	3.50	60	30	14	3	1	6
2500-2999	394	12.10	215	89	72	9	2	7
3000-3499	1,134	34.83	614	319	145	27	1	28
3500-3999	1,099	33.75	643	280	136	19	0	21
4000-4499	372	11.43	214	102	45	7	0	4
4500-4999	63	1.93	38	16	7	2	0	0
GREATER THAN 4999	7	0.21	3	3	0	0	0	1
UNKNOWN	4	0.12	3	0	1	0	0	0
COUNTY TOTALS	3,256		1,824	854	429	71	4	74
PERCENT DISTRIBUTION		100.00	56.02	26.23	13.18	2.18	0.12	2.27
FRANKLIN								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	6	1.46	2	1	2	0	0	1
1500-1999	6	1.46	3	0	2	0	0	1
2000-2499	11	2.68	8	3	0	0	0	0
2500-2999	55	13.41	32	9	11	2	0	1
3000-3499	156	38.05	85	40	24	7	0	0
3500-3999	129	31.46	69	35	19	3	0	3
4000-4499	37	9.02	22	7	6	1	0	1
4500-4999	8	1.95	5	3	0	0	0	0
GREATER THAN 4999	1	0.24	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	410		227	99	64	13	0	7
PERCENT DISTRIBUTION		100.00	55.37	24.15	15.61	3.17	0.00	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
HANCOCK								
LESS THAN 1000	1	0.16	0	0	0	0	0	1
1000-1499	4	0.64	2	0	2	0	0	0
1500-1999	9	1.44	5	2	2	0	0	0
2000-2499	12	1.92	4	3	3	1	0	1
2500-2999	64	10.24	28	20	13	2	0	1
3000-3499	224	35.84	85	71	59	6	1	2
3500-3999	219	35.04	101	75	38	4	0	1
4000-4499	72	11.52	19	33	20	0	0	0
4500-4999	17	2.72	6	8	3	0	0	0
GREATER THAN 4999	3	0.48	2	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	625		252	213	140	13	1	6
PERCENT DISTRIBUTION		100.00	40.32	34.08	22.40	2.08	0.16	0.96
KENNEBEC								
LESS THAN 1000	7	0.46	4	0	1	0	0	2
1000-1499	2	0.13	1	0	0	0	0	1
1500-1999	13	0.86	2	5	3	0	0	3
2000-2499	50	3.32	21	22	2	2	1	2
2500-2999	198	13.14	109	58	24	5	1	1
3000-3499	503	33.38	264	169	62	4	0	4
3500-3999	522	34.64	270	192	49	4	0	7
4000-4499	168	11.15	84	64	18	1	0	1
4500-4999	37	2.46	21	12	3	0	0	1
GREATER THAN 4999	5	0.33	2	1	1	1	0	0
UNKNOWN	2	0.13	1	0	0	0	0	1
COUNTY TOTALS	1,507		779	523	163	17	2	23
PERCENT DISTRIBUTION		100.00	51.69	34.70	10.82	1.13	0.13	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.19	0	0	0	0	0	1
1500-1999	9	1.71	2	3	1	1	1	1
2000-2499	20	3.81	7	4	7	0	0	2
2500-2999	67	12.76	29	15	17	1	0	5
3000-3499	175	33.33	61	53	48	7	0	6
3500-3999	162	30.86	68	66	21	4	1	2
4000-4499	72	13.71	30	26	14	0	0	2
4500-4999	16	3.05	9	3	4	0	0	0
GREATER THAN 4999	3	0.57	1	1	0	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	525		207	171	112	14	2	19
PERCENT DISTRIBUTION		100.00	39.43	32.57	21.33	2.67	0.38	3.62
LINCOLN								
LESS THAN 1000	1	0.25	0	0	0	0	0	1
1000-1499	1	0.25	0	0	0	0	0	1
1500-1999	5	1.25	3	2	0	0	0	0
2000-2499	11	2.74	6	0	4	0	0	1
2500-2999	54	13.47	22	14	14	2	2	0
3000-3499	142	35.41	61	43	30	2	2	4
3500-3999	127	31.67	70	27	17	4	2	7
4000-4499	50	12.47	27	15	5	1	1	1
4500-4999	9	2.24	5	1	2	0	0	1
GREATER THAN 4999	1	0.25	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	401		194	102	73	9	7	16
PERCENT DISTRIBUTION		100.00	48.38	25.44	18.20	2.24	1.75	3.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
OXFORD								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.61	2	1	0	0	0	1
1500-1999	4	0.61	1	3	0	0	0	0
2000-2499	23	3.51	5	9	7	0	0	2
2500-2999	71	10.84	26	27	15	3	0	0
3000-3499	239	36.49	97	85	49	7	0	1
3500-3999	232	35.42	88	94	42	4	0	4
4000-4499	68	10.38	19	37	12	0	0	0
4500-4999	13	1.98	5	8	0	0	0	0
GREATER THAN 4999	1	0.15	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	655		244	264	125	14	0	8
PERCENT DISTRIBUTION		100.00	37.25	40.31	19.08	2.14	0.00	1.22
PENOBSCOT								
LESS THAN 1000	6	0.31	1	1	1	0	0	3
1000-1499	10	0.52	7	1	2	0	0	0
1500-1999	18	0.93	10	4	3	0	0	1
2000-2499	62	3.20	39	14	7	2	0	0
2500-2999	244	12.60	151	51	35	3	2	2
3000-3499	676	34.92	411	155	89	15	3	3
3500-3999	652	33.68	416	147	67	14	2	6
4000-4499	222	11.47	143	43	31	3	0	2
4500-4999	40	2.07	25	7	7	0	0	1
GREATER THAN 4999	6	0.31	3	2	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,936		1,206	425	243	37	7	18
PERCENT DISTRIBUTION		100.00	62.29	21.95	12.55	1.91	0.36	0.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PISCATAQUIS								
LESS THAN 1000	3	1.18	0	1	0	0	0	2
1000-1499	3	1.18	1	1	0	0	0	1
1500-1999	2	0.79	1	1	0	0	0	0
2000-2499	8	3.15	4	1	3	0	0	0
2500-2999	37	14.57	17	10	6	1	0	3
3000-3499	81	31.89	46	14	18	1	0	2
3500-3999	83	32.68	40	23	16	1	0	3
4000-4499	27	10.63	17	4	6	0	0	0
4500-4999	8	3.15	8	0	0	0	0	0
GREATER THAN 4999	2	0.79	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	254		134	57	49	3	0	11
PERCENT DISTRIBUTION		100.00	52.76	22.44	19.29	1.18	0.00	4.33
SAGADAHOC								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	3	0.62	3	0	0	0	0	0
2000-2499	19	3.93	10	3	6	0	0	0
2500-2999	73	15.08	33	25	13	2	0	0
3000-3499	172	35.54	105	33	25	8	0	1
3500-3999	153	31.61	95	39	19	0	0	0
4000-4499	54	11.16	38	5	9	2	0	0
4500-4999	10	2.07	4	1	4	1	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	484		288	106	76	13	0	1
PERCENT DISTRIBUTION		100.00	59.50	21.90	15.70	2.69	0.00	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************				
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.56	2	1	0	1	0	0
1000-1499	4	0.56	0	3	0	0	0	1
1500-1999	4	0.56	2	2	0	0	0	0
2000-2499	29	4.09	13	9	6	0	1	0
2500-2999	89	12.55	36	37	12	0	0	4
3000-3499	244	34.41	91	100	47	3	1	2
3500-3999	229	32.30	98	94	31	5	0	1
4000-4499	83	11.71	30	33	15	3	0	2
4500-4999	18	2.54	8	5	4	0	0	1
GREATER THAN 4999	4	0.56	2	2	0	0	0	0
UNKNOWN	1	0.14	0	0	0	0	0	1
COUNTY TOTALS	709		282	286	115	12	2	12
PERCENT DISTRIBUTION		100.00	39.77	40.34	16.22	1.69	0.28	1.69
WALDO								
LESS THAN 1000	4	0.95	1	1	1	0	0	1
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.48	1	0	0	0	0	1
2000-2499	15	3.57	9	4	2	0	0	0
2500-2999	46	10.95	16	18	12	0	0	0
3000-3499	136	32.38	64	44	24	3	0	1
3500-3999	153	36.43	69	50	26	4	1	3
4000-4499	54	12.86	25	21	7	1	0	0
4500-4999	10	2.38	3	7	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	420		188	145	72	8	1	6
PERCENT DISTRIBUTION		100.00	44.76	34.52	17.14	1.90	0.24	1.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	2	0.42	0	0	0	0	0	2
1000-1499	3	0.63	0	1	2	0	0	0
1500-1999	4	0.84	3	0	0	0	0	1
2000-2499	18	3.78	6	8	4	0	0	0
2500-2999	58	12.18	30	18	5	2	0	3
3000-3499	174	36.55	82	53	27	8	1	3
3500-3999	155	32.56	72	49	30	1	2	1
4000-4499	51	10.71	28	13	8	1	0	1
4500-4999	8	1.68	3	3	2	0	0	0
GREATER THAN 4999	3	0.63	1	1	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	476		225	146	79	12	3	11
PERCENT DISTRIBUTION		100.00	47.27	30.67	16.60	2.52	0.63	2.31
YORK								
LESS THAN 1000	13	0.62	8	1	1	0	1	2
1000-1499	12	0.57	7	1	1	0	0	3
1500-1999	15	0.72	11	4	0	0	0	0
2000-2499	70	3.34	41	15	7	5	0	2
2500-2999	270	12.89	150	71	38	9	0	2
3000-3499	754	36.01	479	170	76	14	2	13
3500-3999	710	33.91	470	159	66	11	0	4
4000-4499	208	9.93	134	40	27	2	1	4
4500-4999	36	1.72	24	8	3	1	0	0
GREATER THAN 4999	3	0.14	2	1	0	0	0	0
UNKNOWN	3	0.14	1	1	0	0	0	1
COUNTY TOTALS	2,094		1,327	471	219	42	4	31
PERCENT DISTRIBUTION		100.00	63.37	22.49	10.46	2.01	0.19	1.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	72	0.43	28	11	10	2	1	20
1000-1499	79	0.48	41	15	12	0	0	11
1500-1999	169	1.02	78	46	23	6	2	14
2000-2499	554	3.33	278	147	94	15	3	17
2500-2999	2,107	12.67	1,091	567	346	59	9	35
3000-3499	5,825	35.02	3,062	1,662	878	136	12	75
3500-3999	5,574	33.52	3,046	1,625	728	96	8	71
4000-4499	1,841	11.07	991	531	270	28	2	19
4500-4999	355	2.13	194	104	47	6	0	4
GREATER THAN 4999	44	0.26	19	17	5	2	0	1
UNKNOWN	11	0.07	5	2	1	0	0	3
STATE TOTALS	16,631		8,833	4,727	2,414	350	37	270
PERCENT DISTRIBUTION		100.00	53.11	28.42	14.52	2.10	0.22	1.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
2	8	0	0.00	3	37.50	5	62.50	0	0.00	0	0.00
3	8	0	0.00	6	75.00	2	25.00	0	0.00	0	0.00
4	12	3	25.00	7	58.33	2	16.67	0	0.00	0	0.00
5	20	4	20.00	10	50.00	6	30.00	0	0.00	0	0.00
6	46	18	39.13	23	50.00	5	10.87	0	0.00	0	0.00
7	47	23	48.94	19	40.43	5	10.64	0	0.00	0	0.00
8	84	48	57.14	32	38.10	4	4.76	0	0.00	0	0.00
9	108	79	73.15	28	25.93	1	0.93	0	0.00	0	0.00
GREATER THAN 9	1,171	1,084	92.57	83	7.09	4	0.34	0	0.00	0	0.00
UNKNOWN	27	13	48.15	1	3.70	5	18.52	0	0.00	8	29.63
COUNTY TOTALS	1,537	1,273	82.82	212	13.79	42	2.73	1	0.07	9	0.59
AROOSTOOK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00
2	8	1	12.50	2	25.00	4	50.00	0	0.00	1	12.50
3	8	2	25.00	1	12.50	5	62.50	0	0.00	0	0.00
4	14	6	42.86	5	35.71	3	21.43	0	0.00	0	0.00
5	26	11	42.31	11	42.31	4	15.38	0	0.00	0	0.00
6	38	19	50.00	18	47.37	1	2.63	0	0.00	0	0.00
7	51	29	56.86	17	33.33	5	9.80	0	0.00	0	0.00
8	104	66	63.46	33	31.73	4	3.85	1	0.96	0	0.00
9	108	81	75.00	26	24.07	0	0.00	0	0.00	1	0.93
GREATER THAN 9	955	827	86.60	126	13.19	1	0.10	0	0.00	1	0.10
UNKNOWN	26	4	15.38	2	7.69	3	11.54	2	7.69	15	57.69
COUNTY TOTALS	1,342	1,048	78.09	243	18.11	30	2.24	3	0.22	18	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
1	11	2	18.18	4	36.36	4	36.36	1	9.09	0	0.00
2	15	1	6.67	4	26.67	8	53.33	0	0.00	2	13.33
3	16	4	25.00	4	25.00	8	50.00	0	0.00	0	0.00
4	28	14	50.00	9	32.14	5	17.86	0	0.00	0	0.00
5	42	17	40.48	18	42.86	7	16.67	0	0.00	0	0.00
6	44	18	40.91	19	43.18	7	15.91	0	0.00	0	0.00
7	85	48	56.47	27	31.76	8	9.41	0	0.00	2	2.35
8	154	88	57.14	57	37.01	9	5.84	0	0.00	0	0.00
9	232	156	67.24	71	30.60	4	1.72	0	0.00	1	0.43
GREATER THAN 9	2,475	2,261	91.35	200	8.08	6	0.24	0	0.00	8	0.32
UNKNOWN	152	68	44.74	16	10.53	5	3.29	3	1.97	60	39.47
COUNTY TOTALS	3,256	2,678	82.25	429	13.18	71	2.18	4	0.12	74	2.27
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
4	11	2	18.18	5	45.45	4	36.36	0	0.00	0	0.00
5	8	4	50.00	4	50.00	0	0.00	0	0.00	0	0.00
6	19	9	47.37	9	47.37	1	5.26	0	0.00	0	0.00
7	18	13	72.22	4	22.22	1	5.56	0	0.00	0	0.00
8	51	33	64.71	17	33.33	1	1.96	0	0.00	0	0.00
9	49	43	87.76	5	10.20	1	2.04	0	0.00	0	0.00
GREATER THAN 9	242	221	91.32	18	7.44	1	0.41	0	0.00	2	0.83
UNKNOWN	7	1	14.29	0	0.00	1	14.29	0	0.00	5	71.43
COUNTY TOTALS	410	326	79.51	64	15.61	13	3.17	0	0.00	7	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
2	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	9	1	11.11	5	55.56	3	33.33	0	0.00	0	0.00
5	13	4	30.77	7	53.85	2	15.38	0	0.00	0	0.00
6	24	12	50.00	11	45.83	1	4.17	0	0.00	0	0.00
7	43	21	48.84	19	44.19	3	6.98	0	0.00	0	0.00
8	63	31	49.21	32	50.79	0	0.00	0	0.00	0	0.00
9	91	68	74.73	22	24.18	1	1.10	0	0.00	0	0.00
GREATER THAN 9	363	320	88.15	42	11.57	1	0.28	0	0.00	0	0.00
UNKNOWN	12	5	41.67	1	8.33	0	0.00	1	8.33	5	41.67
COUNTY TOTALS	625	465	74.40	140	22.40	13	2.08	1	0.16	6	0.96
KENNEBEC											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
4	8	1	12.50	5	62.50	2	25.00	0	0.00	0	0.00
5	10	4	40.00	5	50.00	1	10.00	0	0.00	0	0.00
6	20	11	55.00	6	30.00	3	15.00	0	0.00	0	0.00
7	27	15	55.56	11	40.74	1	3.70	0	0.00	0	0.00
8	57	36	63.16	20	35.09	1	1.75	0	0.00	0	0.00
9	66	47	71.21	19	28.79	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,265	1,169	92.41	92	7.27	4	0.32	0	0.00	0	0.00
UNKNOWN	48	16	33.33	3	6.25	4	8.33	2	4.17	23	47.92
COUNTY TOTALS	1,507	1,302	86.40	163	10.82	17	1.13	2	0.13	23	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	10	2	20.00	7	70.00	0	0.00	0	0.00	1	10.00
6	15	4	26.67	9	60.00	2	13.33	0	0.00	0	0.00
7	14	8	57.14	2	14.29	4	28.57	0	0.00	0	0.00
8	17	4	23.53	10	58.82	1	5.88	0	0.00	2	11.76
9	30	11	36.67	17	56.67	0	0.00	1	3.33	1	3.33
GREATER THAN 9	414	345	83.33	63	15.22	3	0.72	1	0.24	2	0.48
UNKNOWN	18	4	22.22	1	5.56	0	0.00	0	0.00	13	72.22
COUNTY TOTALS	525	378	72.00	112	21.33	14	2.67	2	0.38	19	3.62
LINCOLN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
6	11	4	36.36	6	54.55	1	9.09	0	0.00	0	0.00
7	16	6	37.50	10	62.50	0	0.00	0	0.00	0	0.00
8	19	8	42.11	10	52.63	1	5.26	0	0.00	0	0.00
9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	298	253	84.90	42	14.09	2	0.67	0	0.00	1	0.34
UNKNOWN	37	11	29.73	0	0.00	4	10.81	7	18.92	15	40.54
COUNTY TOTALS	401	296	73.82	73	18.20	9	2.24	7	1.75	16	3.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
OXFORD											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
3	6	2	33.33	3	50.00	1	16.67	0	0.00	0	0.00
4	13	6	46.15	4	30.77	3	23.08	0	0.00	0	0.00
5	17	7	41.18	6	35.29	4	23.53	0	0.00	0	0.00
6	18	7	38.89	10	55.56	1	5.56	0	0.00	0	0.00
7	36	18	50.00	15	41.67	3	8.33	0	0.00	0	0.00
8	72	44	61.11	26	36.11	1	1.39	0	0.00	1	1.39
9	72	56	77.78	16	22.22	0	0.00	0	0.00	0	0.00
GREATER THAN 9	409	368	89.98	41	10.02	0	0.00	0	0.00	0	0.00
UNKNOWN	9	0	0.00	1	11.11	1	11.11	0	0.00	7	77.78
COUNTY TOTALS	655	508	77.56	125	19.08	14	2.14	0	0.00	8	1.22
PENOBSCOT											
0	4	0	0.00	0	0.00	0	0.00	2	50.00	2	50.00
1	9	4	44.44	2	22.22	3	33.33	0	0.00	0	0.00
2	7	3	42.86	1	14.29	3	42.86	0	0.00	0	0.00
3	12	1	8.33	6	50.00	5	41.67	0	0.00	0	0.00
4	21	6	28.57	14	66.67	1	4.76	0	0.00	0	0.00
5	36	12	33.33	21	58.33	2	5.56	1	2.78	0	0.00
6	72	42	58.33	25	34.72	4	5.56	0	0.00	1	1.39
7	81	55	67.90	23	28.40	2	2.47	0	0.00	1	1.23
8	131	88	67.18	38	29.01	3	2.29	1	0.76	1	0.76
9	178	152	85.39	22	12.36	4	2.25	0	0.00	0	0.00
GREATER THAN 9	1,357	1,260	92.85	88	6.48	7	0.52	0	0.00	2	0.15
UNKNOWN	28	8	28.57	3	10.71	3	10.71	3	10.71	11	39.29
COUNTY TOTALS	1,936	1,631	84.25	243	12.55	37	1.91	7	0.36	18	0.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 19[illegible]4 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	6	0	0.00	5	83.33	1	16.67	0	0.00	0	0.00
5	9	2	22.22	7	77.78	0	0.00	0	0.00	0	0.00
6	11	5	45.45	5	45.45	1	9.09	0	0.00	0	0.00
7	12	9	75.00	3	25.00	0	0.00	0	0.00	0	0.00
8	19	9	47.37	9	47.37	0	0.00	0	0.00	1	5.26
9	22	16	72.73	6	27.27	0	0.00	0	0.00	0	0.00
GREATER THAN 9	158	145	91.77	12	7.59	0	0.00	0	0.00	1	0.63
UNKNOWN	13	4	30.77	0	0.00	1	7.69	0	0.00	8	61.54
COUNTY TOTALS	254	191	75.20	49	19.29	3	1.18	0	0.00	11	4.33
SAGADAHOC											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00
5	6	1	16.67	1	16.67	3	50.00	0	0.00	1	16.67
6	11	2	18.18	7	63.64	2	18.18	0	0.00	0	0.00
7	13	7	53.85	6	46.15	0	0.00	0	0.00	0	0.00
8	19	12	63.16	6	31.58	1	5.26	0	0.00	0	0.00
9	32	19	59.38	12	37.50	1	3.13	0	0.00	0	0.00
GREATER THAN 9	348	316	90.80	29	8.33	3	0.86	0	0.00	0	0.00
UNKNOWN	45	31	68.89	12	26.67	2	4.44	0	0.00	0	0.00
COUNTY TOTALS	484	394	81.40	76	15.70	13	2.69	0	0.00	1	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	********** TRIMESTER PRENATAL CARE BEGAN **********									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	8	2	25.00	4	50.00	2	25.00	0	0.00	0	0.00
5	14	4	28.57	6	42.86	4	28.57	0	0.00	0	0.00
6	21	9	42.86	12	57.14	0	0.00	0	0.00	0	0.00
7	26	14	53.85	12	46.15	0	0.00	0	0.00	0	0.00
8	46	28	60.87	17	36.96	1	2.17	0	0.00	0	0.00
9	39	29	74.36	10	25.64	0	0.00	0	0.00	0	0.00
GREATER THAN 9	522	468	89.66	51	9.77	2	0.38	1	0.19	0	0.00
UNKNOWN	24	11	45.83	0	0.00	1	4.17	0	0.00	12	50.00
COUNTY TOTALS	709	568	80.11	115	16.22	12	1.69	2	0.28	12	1.69
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
2	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	7	1	14.29	5	71.43	1	14.29	0	0.00	0	0.00
5	20	13	65.00	7	35.00	0	0.00	0	0.00	0	0.00
6	37	26	70.27	9	24.32	2	5.41	0	0.00	0	0.00
7	38	29	76.32	8	21.05	1	2.63	0	0.00	0	0.00
8	52	46	88.46	4	7.69	1	1.92	0	0.00	1	1.92
9	29	24	82.76	5	17.24	0	0.00	0	0.00	0	0.00
GREATER THAN 9	219	189	86.30	29	13.24	1	0.46	0	0.00	0	0.00
UNKNOWN	10	3	30.00	1	10.00	0	0.00	1	10.00	5	50.00
COUNTY TOTALS	420	333	79.29	72	17.14	8	1.90	1	0.24	6	1.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
5	14	6	42.86	5	35.71	3	21.43	0	0.00	0	0.00
6	27	9	33.33	16	59.26	2	7.41	0	0.00	0	0.00
7	22	17	77.27	5	22.73	0	0.00	0	0.00	0	0.00
8	49	38	77.55	11	22.45	0	0.00	0	0.00	0	0.00
9	58	48	82.76	8	13.79	1	1.72	0	0.00	1	1.72
GREATER THAN 9	275	246	89.45	28	10.18	1	0.36	0	0.00	0	0.00
UNKNOWN	15	3	20.00	1	6.67	0	0.00	2	13.33	9	60.00
COUNTY TOTALS	476	371	77.94	79	16.60	12	2.52	3	0.63	11	2.31
YORK											
0	5	0	0.00	0	0.00	0	0.00	2	40.00	3	60.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
3	19	7	36.84	3	15.79	9	47.37	0	0.00	0	0.00
4	25	11	44.00	10	40.00	4	16.00	0	0.00	0	0.00
5	22	4	18.18	13	59.09	5	22.73	0	0.00	0	0.00
6	34	16	47.06	14	41.18	4	11.76	0	0.00	0	0.00
7	59	34	57.63	22	37.29	3	5.08	0	0.00	0	0.00
8	91	66	72.53	20	21.98	5	5.49	0	0.00	0	0.00
9	137	105	76.64	31	22.63	1	0.73	0	0.00	0	0.00
GREATER THAN 9	1,653	1,544	93.41	101	6.11	6	0.36	0	0.00	2	0.12
UNKNOWN	43	9	20.93	3	6.98	3	6.98	2	4.65	26	60.47
COUNTY TOTALS	2,094	1,798	85.86	219	10.46	42	2.01	4	0.19	31	1.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	17	1	5.88	0	0.00	0	0.00	7	41.18	9	52.94
1	43	13	30.23	13	30.23	15	34.88	1	2.33	1	2.33
2	69	16	23.19	22	31.88	28	40.58	0	0.00	3	4.35
3	91	20	21.98	33	36.26	38	41.76	0	0.00	0	0.00
4	174	58	33.33	83	47.70	33	18.97	0	0.00	0	0.00
5	268	96	35.82	128	47.76	41	15.30	1	0.37	2	0.75
6	448	211	47.10	199	44.42	37	8.26	0	0.00	1	0.22
7	588	346	58.84	203	34.52	36	6.12	0	0.00	3	0.51
8	1,028	645	62.74	342	33.27	33	3.21	2	0.19	6	0.58
9	1,267	947	74.74	301	23.76	14	1.10	1	0.08	4	0.32
GREATER THAN 9	12,124	11,016	90.86	1,045	8.62	42	0.35	2	0.02	19	0.16
UNKNOWN	514	191	37.16	45	8.75	33	6.42	23	4.47	222	43.19
STATE TOTALS	16,631	13,560	81.53	2,414	14.52	350	2.10	37	0.22	270	1.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	56	3.64	16	20	17	2	0	1
GRADES 9-11	284	18.48	112	72	78	21	0	1
GRADE 12	756	49.19	446	213	84	11	1	1
GREATER THAN GRADE 12	439	28.56	302	92	33	7	0	5
UNKNOWN	2	0.13	0	0	0	1	0	1
COUNTY TOTALS	1,537		876	397	212	42	1	9
PERCENT DISTRIBUTION		100.00	56.99	25.83	13.79	2.73	0.07	0.59
AROOSTOOK								
LESS THAN GRADE 9	27	2.01	8	4	12	2	0	1
GRADES 9-11	185	13.79	68	62	44	9	0	2
GRADE 12	716	53.35	319	248	125	16	2	6
GREATER THAN GRADE 12	402	29.96	184	153	59	3	1	2
UNKNOWN	12	0.89	1	1	3	0	0	7
COUNTY TOTALS	1,342		580	468	243	30	3	18
PERCENT DISTRIBUTION		100.00	43.22	34.87	18.11	2.24	0.22	1.34
CUMBERLAND								
LESS THAN GRADE 9	60	1.84	24	14	14	6	0	2
GRADES 9-11	343	10.53	142	78	90	16	3	14
GRADE 12	1,291	39.65	690	355	191	27	0	28
GREATER THAN GRADE 12	1,496	45.95	938	393	129	17	1	18
UNKNOWN	66	2.03	30	14	5	5	0	12
COUNTY TOTALS	3,256		1,824	854	429	71	4	74
PERCENT DISTRIBUTION		100.00	56.02	26.23	13.18	2.18	0.12	2.27

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************* MONTH PRENATAL CARE BEGAN *******************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	10	2.44	1	4	4	1	0	0
GRADES 9-11	52	12.68	19	16	13	3	0	1
GRADE 12	211	51.46	120	54	28	7	0	2
GREATER THAN GRADE 12	134	32.68	87	25	19	2	0	1
UNKNOWN	3	0.73	0	0	0	0	0	3
COUNTY TOTALS	410		227	99	64	13	0	7
PERCENT DISTRIBUTION		100.00	55.37	24.15	15.61	3.17	0.00	1.71
HANCOCK								
LESS THAN GRADE 9	10	1.60	3	3	4	0	0	0
GRADES 9-11	73	11.68	19	23	23	7	0	1
GRADE 12	288	46.08	106	102	76	3	0	1
GREATER THAN GRADE 12	252	40.32	124	84	37	3	1	3
UNKNOWN	2	0.32	0	1	0	0	0	1
COUNTY TOTALS	625		252	213	140	13	1	6
PERCENT DISTRIBUTION		100.00	40.32	34.08	22.40	2.08	0.16	0.96
KENNEBEC								
LESS THAN GRADE 9	29	1.92	16	9	2	2	0	0
GRADES 9-11	183	12.14	65	66	46	3	0	3
GRADE 12	728	48.31	396	233	84	5	1	9
GREATER THAN GRADE 12	549	36.43	293	213	31	6	1	5
UNKNOWN	18	1.19	9	2	0	1	0	6
COUNTY TOTALS	1,507		779	523	163	17	2	23
PERCENT DISTRIBUTION		100.00	51.69	34.70	10.82	1.13	0.13	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	12	2.29	4	2	6	0	0	0
GRADES 9-11	78	14.86	20	16	25	11	0	6
GRADE 12	252	48.00	89	93	59	2	1	8
GREATER THAN GRADE 12	176	33.52	92	58	21	1	1	3
UNKNOWN	7	1.33	2	2	1	0	0	2
COUNTY TOTALS	525		207	171	112	14	2	19
PERCENT DISTRIBUTION		100.00	39.43	32.57	21.33	2.67	0.38	3.62
LINCOLN								
LESS THAN GRADE 9	13	3.24	4	3	5	0	0	1
GRADES 9-11	45	11.22	15	11	13	2	1	3
GRADE 12	201	50.12	95	52	38	4	5	7
GREATER THAN GRADE 12	141	35.16	80	36	16	3	1	5
UNKNOWN	1	0.25	0	0	1	0	0	0
COUNTY TOTALS	401		194	102	73	9	7	16
PERCENT DISTRIBUTION		100.00	48.38	25.44	18.20	2.24	1.75	3.99
OXFORD								
LESS THAN GRADE 9	10	1.53	1	4	3	1	0	1
GRADES 9-11	101	15.42	30	32	35	3	0	1
GRADE 12	358	54.66	131	149	68	6	0	4
GREATER THAN GRADE 12	182	27.79	81	78	19	4	0	0
UNKNOWN	4	0.61	1	1	0	0	0	2
COUNTY TOTALS	655		244	264	125	14	0	8
PERCENT DISTRIBUTION		100.00	37.25	40.31	19.08	2.14	0.00	1.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	32	1.65	11	6	11	2	1	1
GRADES 9-11	265	13.69	105	71	69	16	1	3
GRADE 12	906	46.80	542	223	115	15	5	6
GREATER THAN GRADE 12	720	37.19	545	124	46	4	0	1
UNKNOWN	13	0.67	3	1	2	0	0	7
COUNTY TOTALS	1,936		1,206	425	243	37	7	18
PERCENT DISTRIBUTION		100.00	62.29	21.95	12.55	1.91	0.36	0.93
PISCATAQUIS								
LESS THAN GRADE 9	4	1.57	2	0	2	0	0	0
GRADES 9-11	52	20.47	21	12	15	0	0	4
GRADE 12	127	50.00	65	30	25	3	0	4
GREATER THAN GRADE 12	68	26.77	46	15	5	0	0	2
UNKNOWN	3	1.18	0	0	2	0	0	1
COUNTY TOTALS	254		134	57	49	3	0	11
PERCENT DISTRIBUTION		100.00	52.76	22.44	19.29	1.18	0.00	4.33
SAGADAHOC								
LESS THAN GRADE 9	5	1.03	2	1	2	0	0	0
GRADES 9-11	74	15.29	35	19	15	5	0	0
GRADE 12	237	48.97	139	52	40	6	0	0
GREATER THAN GRADE 12	166	34.30	111	33	19	2	0	1
UNKNOWN	2	0.41	1	1	0	0	0	0
COUNTY TOTALS	484		288	106	76	13	0	1
PERCENT DISTRIBUTION		100.00	59.50	21.90	15.70	2.69	0.00	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	14	1.97	2	4	5	2	0	1
GRADES 9-11	115	16.22	29	49	32	3	0	2
GRADE 12	380	53.60	158	152	59	6	2	3
GREATER THAN GRADE 12	197	27.79	92	81	19	1	0	4
UNKNOWN	3	0.42	1	0	0	0	0	2
COUNTY TOTALS	709		282	286	115	12	2	12
PERCENT DISTRIBUTION		100.00	39.77	40.34	16.22	1.69	0.28	1.69
WALDO								
LESS THAN GRADE 9	8	1.90	4	1	3	0	0	0
GRADES 9-11	69	16.43	24	25	19	1	0	0
GRADE 12	203	48.33	85	73	37	5	1	2
GREATER THAN GRADE 12	135	32.14	74	44	13	2	0	2
UNKNOWN	5	1.19	1	2	0	0	0	2
COUNTY TOTALS	420		188	145	72	8	1	6
PERCENT DISTRIBUTION		100.00	44.76	34.52	17.14	1.90	0.24	1.43
WASHINGTON								
LESS THAN GRADE 9	18	3.78	9	4	1	3	1	0
GRADES 9-11	87	18.28	40	27	15	3	1	1
GRADE 12	224	47.06	103	71	44	5	0	1
GREATER THAN GRADE 12	139	29.20	72	43	19	1	1	3
UNKNOWN	8	1.68	1	1	0	0	0	6
COUNTY TOTALS	476		225	146	79	12	3	11
PERCENT DISTRIBUTION		100.00	47.27	30.67	16.60	2.52	0.63	2.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	62	2.96	34	15	10	3	0	0
GRADES 9-11	264	12.61	133	50	65	12	0	4
GRADE 12	968	46.23	630	208	106	10	1	13
GREATER THAN GRADE 12	775	37.01	526	194	36	13	2	4
UNKNOWN	25	1.19	4	4	2	4	1	10
COUNTY TOTALS	2,094		1,327	471	219	42	4	31
PERCENT DISTRIBUTION		100.00	63.37	22.49	10.46	2.01	0.19	1.48
MAINE SUMMARY								
LESS THAN GRADE 9	370	2.22	141	94	101	24	2	8
GRADES 9-11	2,270	13.65	877	629	597	115	6	46
GRADE 12	7,846	47.18	4,114	2,308	1,179	131	19	95
GREATER THAN GRADE 12	5,971	35.90	3,647	1,666	521	69	9	59
UNKNOWN	174	1.05	54	30	16	11	1	62
STATE TOTALS	16,631		8,833	4,727	2,414	350	37	270
PERCENT DISTRIBUTION		100.00	53.11	28.42	14.52	2.10	0.22	1.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-09

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS	
									UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	163	16	12	1	0	6	21	7	10	0
BLUE HILL MEMORIAL HOSP.	311	42	37	2	1	30	31	5	3	1
CALAIS REGIONAL HOSPITAL	148	44	30	17	0	45	25	4	5	2
CARY MEDICAL CENTER	274	57	43	2	0	40	47	2	13	0
CENTRAL MAINE MEDICAL CENTER	1,105	208	141	16	1	207	185	19	77	1
CHARLES A.DEAN MEMORIAL HOSP.	35	9	6	0	0	5	3	1	1	0
DOWN EAST COMMUNITY HOSPITAL	185	43	36	12	2	13	16	0	5	0
EASTERN MAINE MED CTR	1,754	322	205	57	6	225	281	21	111	6
FRANKLIN MEMORIAL HOSPITAL	531	88	76	2	0	77	68	7	18	3
HENRIETTA D.GOODALL HOSP.	443	63	54	6	0	81	58	14	16	1
HOULTON REGIONAL HOSPITAL	219	46	35	14	0	22	28	2	7	0
J.A.TAYLOR OSTEOPATHIC HOSP.	32	5	4	2	0	3	4	0	1	0
KEN VALLEY MED CTR-AUGUSTA	675	158	95	11	1	159	89	17	30	4
KEN VALLEY MED CTR-GARDINER	1	1	1	0	0	0	0	0	0	0
MAINE COAST MEMORIAL HOSP.	196	35	27	3	0	106	49	4	14	0
MAINE MEDICAL CENTER	2,538	284	197	48	6	415	351	37	224	10
MAYO REGIONAL HOSPITAL	304	67	56	1	1	57	26	7	8	2
MERCY HOSPITAL	503	117	82	7	0	47	63	6	19	0
MID-MAINE MEDICAL CTR-SETON	1,039	170	137	3	0	194	88	17	45	2
MILES MEMORIAL HOSPITAL	148	21	17	4	7	26	8	1	2	0
MILLINOCKET REGIONAL HOSP.	184	34	37	1	1	23	40	0	11	0
MOUNT DESERT ISLAND HOSPITAL	71	17	11	1	0	11	8	2	0	2
NORTH CUMBERLAND MEM.HOSP.	144	26	18	1	1	17	28	1	6	1
NORTHERN MAINE MEDICAL CTR	94	16	6	0	0	27	20	0	3	0
OSTEOPATHIC HOSPITAL OF MAINE	445	98	69	6	0	86	38	13	21	2
PARKVIEW MEMORIAL HOSPITAL	892	73	82	24	0	84	105	25	21	4
PENOBSCOT BAY MEDICAL CETER	567	83	72	3	2	195	64	5	24	3
PENOBSCOTT VALLEY HOSPITAL	142	27	30	1	1	15	22	1	3	1
REDINGTON-FAIRVIEW HOSP.	238	60	46	3	2	43	30	10	7	0
RUMFORD COMMUNITY HOSPITAL	110	26	13	1	0	9	13	1	6	0
SEBASTICOOK VALLEY HOSPITAL	2	1	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	496	77	59	2	0	53	100	7	20	1
ST.ANDREWS HOSPITAL	43	6	4	1	0	7	4	1	1	0
STEPHENS MEMORIAL HOSPITAL	300	55	41	4	0	27	35	6	8	0
THE AROOS MED CTR-PRESQUE ISLE	408	70	49	6	3	84	54	3	31	2
US AIR FORCE HOSPITAL	318	7	30	25	0	94	40	3	6	1
WALDO COUNTY GENERAL HOSPITAL	181	39	25	1	0	25	24	1	11	0
WATERVILLE OSTEOPATHIC HOSP.	124	39	29	2	0	28	19	2	4	2
WEBBER HOSPITAL	520	94	68	16	0	75	102	32	23	0
WESTBROOK COMMUNITY HOSPITAL	26	3	4	0	0	1	4	2	1	0
AT HOME	132	17	3	0	2	14	1	0	5	1
BORN ON WAY TO HOSPITAL	6	1	0	0	0	1	0	0	1	0
DOCTOR'S OFFICE	1	0	0	0	0	0	0	0	0	0
OUT PATIENT FACILITY	86	6	3	2	0	6	0	1	2	0
STREET ADDRESS	4	1	0	0	0	0	0	0	0	0
STATE TOTALS	16,134	2,672	1,990	308	37	2,683	2,192	287	824	52

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	******************** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE ********************								
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS	
									UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	163	9.82	7.36	0.61	0.00	3.68	12.88	4.29	6.13	0.00
BLUE HILL MEMORIAL HOSP.	311	13.50	11.90	0.64	0.32	9.65	9.97	1.61	0.96	0.32
CALAIS REGIONAL HOSPITAL	148	29.73	20.27	11.49	0.00	30.41	16.89	2.70	3.38	1.35
CARY MEDICAL CENTER	274	20.80	15.69	0.73	0.00	14.60	17.15	0.73	4.74	0.00
CENTRAL MAINE MEDICAL CENTER	1,105	18.82	12.76	1.45	0.09	18.73	16.74	1.72	6.97	0.09
CHARLES A.DEAN MEMORIAL HOSP.	35	25.71	17.14	0.00	0.00	14.29	8.57	2.86	2.86	0.00
DOWN EAST COMMUNITY HOSPITAL	185	23.24	19.46	6.49	1.08	7.03	8.65	0.00	2.70	0.00
EASTERN MAINE MED CTR	1,754	18.36	11.69	3.25	0.34	12.83	16.02	1.20	6.33	0.34
FRANKLIN MEMORIAL HOSPITAL	531	16.57	14.31	0.38	0.00	14.50	12.81	1.32	3.39	0.56
HENRIETTA D.GOODALL HOSP.	443	14.22	12.19	1.35	0.00	18.28	13.09	3.16	3.61	0.23
HOULTON REGIONAL HOSPITAL	219	21.00	15.98	6.39	0.00	10.05	12.79	0.91	3.20	0.00
J.A.TAYLOR OSTEOPATHIC HOSP.	32	15.63	12.50	6.25	0.00	9.38	12.50	0.00	3.13	0.00
KEN VALLEY MED CTR-AUGUSTA	675	23.41	14.07	1.63	0.15	23.56	13.19	2.52	4.44	0.59
KEN VALLEY MED CTR-GARDINER	1	100.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAINE COAST MEMORIAL HOSP.	196	17.86	13.78	1.53	0.00	54.08	25.00	2.04	7.14	0.00
MAINE MEDICAL CENTER	2,538	11.19	7.76	1.89	0.24	16.35	13.83	1.46	8.83	0.39
MAYO REGIONAL HOSPITAL	304	22.04	18.42	0.33	0.33	18.75	8.55	2.30	2.63	0.66
MERCY HOSPITAL	503	23.26	16.30	1.39	0.00	9.34	12.52	1.19	3.78	0.00
MID-MAINE MEDICAL CTR-SETON	1,039	16.36	13.19	0.29	0.00	18.67	8.47	1.64	4.33	0.19
MILES MEMORIAL HOSPITAL	146	14.38	11.64	2.74	4.79	17.81	5.48	0.68	1.37	0.00
MILLINOCKET REGIONAL HOSP.	184	18.48	20.11	0.54	0.54	12.50	21.74	0.00	5.98	0.00
MOUNT DESERT ISLAND HOSPITAL	71	23.94	15.49	1.41	0.00	15.49	11.27	2.82	0.00	2.82
NORTH CUMBERLAND MEM.HOSP.	144	18.06	12.50	0.69	0.69	11.81	19.44	0.69	4.17	0.69
NORTHERN MAINE MEDICAL CTR	94	17.02	6.38	0.00	0.00	28.72	21.28	0.00	3.19	0.00
OSTEOPATHIC HOSPITAL OF MAINE	445	22.02	15.51	1.35	0.00	19.33	8.54	2.92	4.72	0.45
PARKVIEW MEMORIAL HOSPITAL	892	8.18	9.19	2.69	0.00	9.42	11.77	2.80	2.35	0.45
PENOBSCOT BAY MEDICAL CETER	567	14.64	12.70	0.53	0.35	34.39	11.29	0.88	4.23	0.53
PENOBSCOTT VALLEY HOSPITAL	142	19.01	21.13	0.70	0.70	10.56	15.49	0.70	2.11	0.70
REDINGTON-FAIRVIEW HOSP.	236	25.42	19.49	1.27	0.85	18.22	12.71	4.24	2.97	0.00
RUMFORD COMMUNITY HOSPITAL	110	23.64	11.82	0.91	0.00	8.18	11.82	0.91	5.45	0.00
SEBASTICOOK VALLEY HOSPITAL	2	50.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	496	15.52	11.90	0.40	0.00	10.69	20.16	1.41	4.03	0.20
ST.ANDREWS HOSPITAL	43	13.95	9.30	2.33	0.00	16.28	9.30	2.33	2.33	0.00
STEPHENS MEMORIAL HOSPITAL	300	18.33	13.67	1.33	0.00	9.00	11.67	2.00	2.67	0.00
THE AROOS MED CTR-PRESQUE ISLE	408	17.16	12.01	1.47	0.74	20.59	13.24	0.74	7.60	0.49
US AIR FORCE HOSPITAL	318	2.20	9.43	7.86	0.00	29.56	12.58	0.94	1.89	0.31
WALDO COUNTY GENERAL HOSPITAL	181	21.55	13.81	0.55	0.00	13.81	13.26	0.55	6.08	0.00
WATERVILLE OSTEOPATHIC HOSP.	124	31.45	23.39	1.61	0.00	22.58	15.32	1.61	3.23	1.61
WEBBER HOSPITAL	520	18.08	13.08	3.08	0.00	14.42	19.62	6.15	4.42	0.00
WESTBROOK COMMUNITY HOSPITAL	26	11.54	15.38	0.00	0.00	3.85	15.38	7.69	3.85	0.00
AT HOME	132	12.88	2.27	0.00	1.52	10.61	0.76	0.00	3.79	0.76
BORN ON WAY TO HOSPITAL	6	16.67	0.00	0.00	0.00	16.67	0.00	0.00	16.67	0.00
DOCTOR'S OFFICE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	86	6.98	3.49	2.33	0.00	6.98	0.00	1.16	2.33	0.00
STREET ADDRESS	4	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STATE PERCENTAGES	16,134	16.56	12.33	1.91	0.23	16.63	13.59	1.78	5.11	0.32

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1984 (OCCURRENCE DATA)

	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS ***** < 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	163	100.0	1	0.6	0	0.0	1	0.6	162	99.4	0	0.0
BLUE HILL MEMORIAL HOSP.	311	100.0	0	0.0	1	0.3	1	0.3	310	99.7	0	0.0
CALAIS REGIONAL HOSPITAL	148	100.0	1	0.7	0	0.0	1	0.7	147	99.3	0	0.0
CARY MEDICAL CENTER	274	100.0	2	0.7	1	0.4	3	1.1	271	98.9	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,105	100.0	1	0.1	7	0.6	8	0.7	1,097	99.3	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	35	100.0	0	0.0	0	0.0	0	0.0	35	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	185	100.0	0	0.0	0	0.0	0	0.0	185	100.0	0	0.0
EASTERN MAINE MED CTR	1,754	100.0	5	0.3	13	0.7	18	1.0	1,736	99.0	0	0.0
FRANKLIN MEMORIAL HOSPITAL	531	100.0	1	0.2	1	0.2	2	0.4	529	99.6	0	0.0
HENRIETTA D. GOODALL HOSP	443	100.0	1	0.2	1	0.2	2	0.5	441	99.5	0	0.0
HOULTON REGIONAL HOSPITAL	219	100.0	1	0.5	0	0.0	1	0.5	218	99.5	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	32	100.0	0	0.0	0	0.0	0	0.0	32	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	675	100.0	2	0.3	1	0.1	3	0.4	672	99.6	0	0.0
KEN VALLEY MED CTR-GARDINER	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
MAINE COAST MEM. HOSPITAL	196	100.0	0	0.0	1	0.5	1	0.5	195	99.5	0	0.0
MAINE MEDICAL CENTER	2,538	100.0	37	1.5	35	1.4	72	2.8	2,462	97.0	4	0.2
MAYO REGIONAL HOSPITAL	304	100.0	0	0.0	1	0.3	1	0.3	303	99.7	0	0.0
MERCY HOSPITAL	503	100.0	1	0.2	0	0.0	1	0.2	502	99.8	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,039	100.0	2	0.2	0	0.0	2	0.2	1,036	99.7	1	0.1
MILES MEMORIAL HOSPITAL	146	100.0	0	0.0	0	0.0	0	0.0	146	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	184	100.0	1	0.5	0	0.0	1	0.5	183	99.5	0	0.0
MOUNT DESERT ISLAND HOSPITAL	71	100.0	0	0.0	0	0.0	0	0.0	71	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	144	100.0	0	0.0	0	0.0	0	0.0	144	100.0	0	0.0
NORTHERN MAINE MEDICAL CTR	94	100.0	0	0.0	0	0.0	0	0.0	94	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	445	100.0	0	0.0	0	0.0	0	0.0	444	99.8	1	0.2
PARKVIEW MEMORIAL HOSPITAL	892	100.0	0	0.0	0	0.0	0	0.0	892	100.0	0	0.0
PENOBSCOT BAY MEDICAL CENTER	567	100.0	3	0.5	0	0.0	3	0.5	564	99.5	0	0.0
PENOBSCOT VALLEY HOSPITAL	142	100.0	0	0.0	0	0.0	0	0.0	142	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	236	100.0	0	0.0	0	0.0	0	0.0	236	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	110	100.0	0	0.0	0	0.0	0	0.0	110	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
ST. ANDREWS HOSPITAL	43	100.0	0	0.0	0	0.0	0	0.0	43	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	496	100.0	1	0.2	2	0.4	3	0.6	493	99.4	0	0.0
STEPHENS MEMORIAL HOSPITAL	300	100.0	0	0.0	1	0.3	1	0.3	299	99.7	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	408	100.0	1	0.2	5	1.2	6	1.5	401	98.3	1	0.2
US AIR FORCE HOSPITAL	318	100.0	0	0.0	0	0.0	0	0.0	318	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	181	100.0	1	0.6	0	0.0	1	0.6	180	99.4	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	124	100.0	0	0.0	0	0.0	0	0.0	124	100.0	0	0.0
WEBBER HOSPITAL	520	100.0	0	0.0	1	0.2	1	0.2	519	99.8	0	0.0
WESTBROOK COMMUNITY HOSPITAL	26	100.0	0	0.0	0	0.0	0	0.0	26	100.0	0	0.0
AT HOME	132	100.0	0	0.0	0	0.0	0	0.0	131	99.2	1	0.8

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1984 (OCCURRENCE DATA)

			***************************** BIRTHWEIGHT IN GRAMS *****************************									
	TOTAL BIRTHS		< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BORN OR DIED ON WAY TO HOSP	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
DOCTOR'S OFFICE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	86	100.0	0	0.0	0	0.0	0	0.0	86	100.0	0	0.0
STREET ADDRESS	4	100.0	0	0.0	0	0.0	0	0.0	4	100.0	0	0.0
STATE TOTALS	16,134	100.0	62	0.4	71	0.4	133	0.8	15,993	99.1	8	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

INFANT AND FETAL MORTALITY

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS (323-389)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	4	3	75.00	1	25.00
FEMALE	2	2	100.00	0	0.00
TOTALS	6	5	83.33	1	16.67
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	1	100.00	0	0.00
FEMALE	2	1	50.00	1	50.00
TOTALS	3	2	66.67	1	33.33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	2	1	50.00	1	50.00
FEMALE	4	3	75.00	1	25.00
TOTALS	6	4	66.67	2	33.33
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	2	0	0.00	2	100.00
FEMALE	4	3	75.00	1	25.00
TOTALS	6	3	50.00	3	50.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	4	4	100.00	0	0.00
FEMALE	4	4	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
BIRTH TRAUMA (767)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	1	1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
TOTALS	1	1	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	9	8	88.89	1	11.11
FEMALE	5	5	100.00	0	0.00
TOTALS	14	13	92.86	1	7.14
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	7	6	85.71	1	14.29
FEMALE	7	6	85.71	1	14.29
TOTALS	14	12	85.71	2	14.29
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)					
FEMALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	21	1	4.76	20	95.24
FEMALE	12	1	8.33	11	91.67
TOTALS	33	2	6.06	31	93.94

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
MALE	2	0	0.00	2	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	3	0	0.00	3	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	4	2	50.00	2	50.00
FEMALE	1	0	0.00	1	100.00
TOTALS	5	2	40.00	3	60.00
STATE					
MALE	72	37	51.39	35	48.61
FEMALE	62	42	67.74	20	32.26
TOTALS	134	79	58.96	55	41.04

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************* GESTATION WEEKS *******************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740.0)								
MALE	1	0.88	1	0	0	0	0	0
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	2	1.77	1	0	1	0	0	0
SPINA BIFIDA WITHOUT MENTION OF HYDROCEPHALUS (741.9)								
UNKNOWN	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (742.0)								
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	1	0.88	0	0	1	0	0	0
SPECIFIED ANOMALIES OF FACE AND NECK (744.8)								
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	1	0.88	0	0	1	0	0	0
ENDOCARDIAL CUSHION DEFECTS (745.6)								
MALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
CONGENITAL ANOMALIES OF URINARY SYSTEM (753.0)								
FEMALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
UNSPECIFIED CONGENITAL ANOMALY (759.9)								
FEMALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
FETUS AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY (766.0)								
MALE	1	0.88	0	0	1	0	0	0
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	2	1.77	0	0	2	0	0	0
MATERNAL INJURY (760.5)								
FEMALE	2	1.77	0	0	0	2	0	0
TOTALS	2	1.77	0	0	0	2	0	0
FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761.0)								
MALE	2	1.77	1	1	0	0	0	0
FEMALE	1	0.88	1	0	0	0	0	0
TOTALS	3	2.65	2	1	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
PREMATURE RUPTURE OF MEMBRANES (761.1)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
MULTIPLE PREGNANCY (761.5)								
MALE	2	1.77	0	0	2	0	0	0
TOTALS	2	1.77	0	0	2	0	0	0
MATERNAL DEATH (761.6)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762.0)								
MALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
OTHER FORMS OF PLACENTAL SEPARATION AND HEMORRHAGE (762.1)								
MALE	5	4.42	1	1	0	2	1	0
FEMALE	9	7.96	2	2	2	0	2	1
UNKNOWN	1	0.88	1	0	0	0	0	0
TOTALS	15	13.27	4	3	2	2	3	1
UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA (762.2)								
MALE	6	5.31	0	1	0	3	0	2
FEMALE	3	2.65	0	0	1	0	1	1
TOTALS	9	7.96	0	1	1	3	1	3
PROLAPSED CORD (762.4)								
MALE	1	0.88	0	0	0	0	0	1
FEMALE	1	0.88	0	0	0	0	0	1
TOTALS	2	1.77	0	0	0	0	0	2
OTHER COMPRESSION OF UMBILICAL CORD (762.5)								
MALE	8	7.08	1	0	3	2	1	1
FEMALE	9	7.96	0	1	0	3	4	1
TOTALS	17	15.04	1	1	3	5	5	2
UNSPECIFIED CONDITIONS OF UMBILICAL CORD (762.6)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
OTHER COMPLICATIONS OF LABOR AND DELIVERY AFFECTING FETUS OR NEWBORN (763.8)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
EXTREME IMMATURITY (765.0)								
MALE	1	0.88	1	0	0	0	0	0
FEMALE	4	3.54	2	2	0	0	0	0
TOTALS	5	4.42	3	2	0	0	0	0
PREMATURITY OR SMALL SIZE NOT CLASSIFIABLE (765.1)								
MALE	2	1.77	2	0	0	0	0	0
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	3	2.65	2	1	0	0	0	0
FETAL DEATH FROM ASPHYXIA OR ANOXIA BEFORE ONSET OF LABOR (768.0)								
MALE	6	5.31	0	1	2	1	0	2
FEMALE	4	3.54	0	1	0	0	1	2
TOTALS	10	8.85	0	2	2	1	1	4
FETAL DISTRESS UNSPECIFIED (768.4)								
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
PERINATAL JAUNDICE DUE TO HEPATOCELLULAR DAMAGE (774.4)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
TERMINATION OF PREGNANCY (779.6)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
OTHER SPECIFIED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779.8)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
UNSPECIFIED CONDITION ORIGINATING IN THE PERINATAL PERIOD (779.9)								
MALE	7	6.19	3	1	0	1	2	0
FEMALE	10	8.85	2	0	2	2	2	2
UNKNOWN	3	2.65	2	1	0	0	0	0
TOTALS	20	17.70	7	2	2	3	4	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	GESTATION WEEKS 20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY (799.7)								
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
UNDIAGNOSED DISEASE, NOT SPECIFIED AS TO SITE OR SYSTEM INVOLVED (799.9)								
MALE	4	3.54	1	0	1	1	1	0
FEMALE	1	0.88	0	0	0	0	1	0
TOTALS	5	4.42	1	0	1	1	2	0
STATE								
MALE	55	48.67	14	7	9	14	5	6
FEMALE	53	46.90	8	9	9	8	11	8
UNKNOWN	5	4.42	4	1	0	0	0	0
TOTALS	113	100.00	26	17	18	22	16	14

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	7	0.04	7	8.86	1000.0
500-999	65	0.39	23	29.11	353.8
1000-1499	79	0.48	6	7.59	75.9
1500-1999	169	1.02	5	6.33	29.6
2000-2499	554	3.33	4	5.06	7.2
2500-2999	2,107	12.67	6	7.59	2.8
3000-3499	5,825	35.02	5	6.33	0.9
3500-3999	5,574	33.52	6	7.59	1.1
4000-4499	1,841	11.07	2	2.53	1.1
4500-4999	355	2.13	0	0.00	0.0
GREATER THAN 4999	44	0.26	1	1.27	22.7
UNKNOWN	11	0.07	14	17.72	1272.7
STATE TOTALS	16,631	100.00	79	100.00	4.8

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1984 NEONATAL DEATHS BY 1984 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1984 NEONATAL DEATH COHORT OCCURRED IN 1983.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-04

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

			************************ COMPLICATIONS ************************			
WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	26	23.01	7	6	2	4
24-27	17	15.04	7	8	0	3
28-31	18	15.93	4	3	4	0
32-35	22	19.47	5	6	3	4
36-39	16	14.16	7	7	3	0
OVER 39	14	12.39	2	3	3	1
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	113		32	33	15	12
PERCENT DISTRIBUTION		100.00	28.32	29.20	13.27	10.62

AGE OF PATIENT(YRS.)						
LESS THAN 15	0	0.00	0	0	0	0
15	2	1.77	1	2	1	0
16	0	0.00	0	0	0	0
17	1	0.88	0	0	0	0
18	8	7.08	6	3	1	0
19	9	7.96	4	6	2	1
20-24	23	20.35	5	7	2	2
25-29	33	29.20	5	7	5	2
30-34	17	15.04	7	6	1	4
35-39	5	4.42	2	1	1	1
40-44	3	2.65	1	0	1	1
OVER 44	12	10.62	1	1	1	1
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	20	17.70	11	11	4	1
STATE TOTALS	113		32	33	15	12
PERCENT DISTRIBUTION		100.00	28.32	29.20	13.27	10.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-05

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		******************* INFANT DEATHS *******************						PERINATAL	
			TOTAL		NEONATAL		POSTNEONATAL			
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	976	9.7	15	9.7	9	5.9	6	3.9	15	9.7
AROOSTOOK	753	8.4	12	8.9	9	6.7	3	2.2	21	15.5
CUMBERLAND	2,103	9.4	27	8.2	19	5.8	8	2.4	45	13.7
FRANKLIN	253	8.8	4	9.7	3	7.3	1	2.4	6	14.5
HANCOCK	480	11.0	4	6.4	3	4.8	1	1.6	5	8.0
KENNEBEC	1,001	8.9	10	6.6	5	3.3	5	3.3	22	14.4
KNOX	376	10.9	3	5.7	1	1.9	2	3.8	3	5.7
LINCOLN	318	11.4	1	2.4	0	0.0	1	2.4	0	0.0
OXFORD	537	10.8	3	4.5	2	3.1	1	1.5	12	18.0
PENOBSCOT	1,136	8.2	10	5.1	3	1.5	7	3.6	14	7.2
PISCATAQUIS	188	10.3	6	23.6	5	19.7	1	3.9	5	19.7
SAGADAHOC	263	8.7	4	8.2	1	2.1	3	6.2	3	6.2
SOMERSET	471	10.1	7	9.8	1	1.4	6	8.4	4	5.6
WALDO	256	8.7	4	9.5	3	7.1	1	2.3	8	18.8
WASHINGTON	378	11.0	2	4.2	1	2.1	1	2.1	5	10.4
YORK	1,337	8.9	22	10.5	14	6.7	8	3.8	24	11.4
STATE TOTALS	10,826	9.3	134	8.0	79	4.8	55	3.3	192	11.5

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1984 POPULATION PROJECTIONS),
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-06

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN **** 1	2	3	NONE	UNKNOWN	AGE OF PATIENT(YRS.) LESS THAN 20	OVER 35
ANDROSCOGGIN	6	5.31	0	3	6	4	2	0	0	0	1	0
AROOSTOOK	12	10.62	4	9	12	9	2	1	0	0	3	0
CUMBERLAND	26	23.01	2	18	26	8	1	1	16	0	3	12
FRANKLIN	3	2.65	0	2	3	2	1	0	0	0	2	0
HANCOCK	2	1.77	0	2	2	1	0	1	0	0	0	0
KENNEBEC	17	15.04	3	7	17	10	3	2	2	0	3	1
KNOX	2	1.77	1	1	2	1	1	0	0	0	1	0
LINCOLN	0	0.00	0	0	0	0	0	0	0	0	0	0
OXFORD	10	8.85	4	6	10	5	0	2	3	0	0	2
PENOBSCOT	11	9.73	5	5	10	8	1	0	2	0	2	1
PISCATAQUIS	0	0.00	0	0	0	0	0	0	0	0	0	0
SAGADAHOC	2	1.77	2	2	2	1	1	0	0	0	2	0
SOMERSET	3	2.65	0	2	3	2	0	1	0	0	0	2
WALDO	5	4.42	1	2	5	3	2	0	0	0	0	0
WASHINGTON	4	3.54	0	0	4	4	0	0	0	0	1	0
YORK	10	8.85	2	4	10	6	1	1	2	0	2	0
STATE TOTALS	113		24	63	112	64	15	9	25	0	20	18
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS		100.00	21.24	55.75	99.12	56.64	13.27	7.96	22.12	0.00	17.70	15.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-07

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	RISK CHARACTERISTICS								
				FETAL WEIGHT						
		CONGENITAL ANOMALIES		< 500 GRAMS		< 2500 GRAMS		LESS THAN 28 GESTATION WEEKS		MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	6	0	0.0	1	16.7	1	16.7	3	50.0	0.50
AROOSTOOK	12	0	0.0	0	0.0	5	41.7	3	25.0	1.40
CUMBERLAND	26	4	15.4	6	23.1	11	42.3	11	42.3	3.00
FRANKLIN	3	0	0.0	1	33.3	1	33.3	1	33.3	2.00
HANCOCK	2	1	50.0	0	0.0	1	50.0	1	50.0	0.00
KENNEBEC	17	2	11.8	1	5.9	11	64.7	6	35.3	0.45
KNOX	2	0	0.0	0	0.0	1	50.0	1	50.0	0.00
LINCOLN	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
OXFORD	10	0	0.0	0	0.0	3	30.0	3	30.0	1.50
PENOBSCOT	11	1	9.1	0	0.0	6	54.5	4	36.4	1.75
PISCATAQUIS	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
SAGADAHOC	2	0	0.0	0	0.0	0	0.0	1	50.0	1.00
SOMERSET	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WALDO	5	1	20.0	2	40.0	2	40.0	2	40.0	0.67
WASHINGTON	4	1	25.0	0	0.0	3	75.0	3	75.0	0.00
YORK	10	1	10.0	2	20.0	3	30.0	4	40.0	0.29
STATE TOTALS	113	12	10.6	13	11.5	49	43.4	43	38.1	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

GENERAL MORTALITY

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,236	2,101	2,135	1	1	1	272.6	374.9	359.6
MALIGNANT NEOPLASMS (140-208)	2,424	1,273	1,151	2	2	2	156.0	227.1	193.9
CEREBROVASCULAR DISEASE (430-438)	787	269	518	3	4	3	50.6	48.0	87.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	441	296	145	4	3	5	28.4	52.8	24.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	435	267	168	5	5	4	28.0	47.6	28.3
PNEUMONIA & INFLUENZA (480-487)	284	143	141	6	6	6	18.3	25.5	23.7
DIABETES MELLITUS (250)	201	84	117	7	9	7	12.9	15.0	19.7
ATHEROSCLEROSIS (440)	193	82	111	8	10	8	12.4	14.6	18.7
SUICIDE (E950-E959)	169	132	37	9	7	12	10.9	23.6	6.2
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	142	92	50	10	8	11	9.1	16.4	8.4
TOTAL FOR AGE GROUP	10,826	5,478	5,348				696.6	977.4	900.8
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	56	29	27	1	1	1	341.0	344.3	337.5
CONGENITAL ANOMALIES (740-759)	28	11	17	2	2	2	170.5	130.6	212.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	2	1	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	2	1	1	4	4	3	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	2	1	1	5	4	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	6	4	7	###	###	###
ANEMIAS (280-285)	1	1	0	7	4	7	###	###	###
MENINGITIS (320-322)	1	1	0	8	4	7	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	10	3	###	###	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1	1	0	10	4	7	###	###	###
TOTAL FOR AGE GROUP	134	72	62				815.9	854.8	774.9

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	30	19	11	1	1	1	12.7	15.6	9.6
CONGENITAL ANOMALIES (740-759)	7	4	3	2	3	3	###	###	###
MALIGNANT NEOPLASMS (140-208)	6	5	1	3	2	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	0	4	4	6	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	5	4	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	6	6	4	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	0	1	7	6	4	###	###	###
ULCER OF STOMACH & DUODENUM (531-533)	1	0	1	8	6	4	###	###	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1	0	1	9	6	4	###	###	###
SUICIDE (E950-E959)	1	1	0	10	5	10	###	###	###
TOTAL FOR AGE GROUP	59	33	26				25.0	27.2	22.8
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	96	75	21	1	1	1	52.7	82.0	23.2
SUICIDE (E950-E959)	37	30	7	2	2	2	20.3	32.8	###
MALIGNANT NEOPLASMS (140-208)	9	6	3	3	3	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	5	2	3	4	4	3	###	###	###
CEREBROVASCULAR DISEASE (430-438)	3	2	1	5	4	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	6	6	6	###	###	###
HEART DISEASE (390-398,402,404-429)	2	0	2	7	10	5	###	###	###
ATHEROSCLEROSIS (440)	1	1	0	8	6	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	1	0	9	6	9	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	0	1	10	10	6	###	###	###
TOTAL FOR AGE GROUP	172	131	41				94.5	143.2	45.3

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	75	59	16	1	1	1	40.2	63.6	17.1
SUICIDE (E950-E959)	38	27	11	2	2	2	20.4	29.1	11.7
MALIGNANT NEOPLASMS (140-208)	21	11	10	3	3	3	11.3	11.9	10.7
HEART DISEASE (390-398,402,404-429)	13	8	5	4	4	4	7.0	###	###
CEREBROVASCULAR DISEASE (430-438)	6	4	2	5	5	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	1	5	6	7	4	###	###	###
DIABETES MELLITUS (250)	3	3	0	7	6	9	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	8	7	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	11	7	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	1	0	10	7	9	###	###	###
TOTAL FOR AGE GROUP	186	126	60				99.7	135.8	64.0
AGE: 35 TO 44 YEARS									
HEART DISEASE (390-398,402,404-429)	63	50	13	1	1	2	39.2	62.2	16.2
MALIGNANT NEOPLASMS (140-208)	51	24	27	2	3	1	31.7	29.9	33.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	28	10	3	2	3	23.6	34.8	12.4
SUICIDE (E950-E959)	19	16	3	4	4	5	11.8	19.9	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	8	2	5	5	6	6.2	###	###
CEREBROVASCULAR DISEASE (430-438)	7	3	4	6	6	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	4	3	1	7	6	8	###	###	###
BENIGN NEOPLASMS (210-239)	3	2	1	8	8	8	###	###	###
DIABETES MELLITUS (250)	2	2	0	9	8	15	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	2	1	1	10	10	8	###	###	###
TOTAL FOR AGE GROUP	224	149	75				139.3	185.3	93.3

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	644	343	301	1	2	1	293.0	326.7	262.2
HEART DISEASE (390-398,402,404-429)	625	443	182	2	1	2	284.3	421.9	158.5
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	70	43	27	3	4	4	31.8	41.0	23.5
CEREBROVASCULAR DISEASE (430-438)	67	28	39	4	7	3	30.5	26.7	34.0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	67	47	20	5	3	6	30.5	44.8	17.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	54	42	12	6	5	7	24.6	40.0	10.5
SUICIDE (E950-E959)	41	34	7	7	6	8	16.7	32.4	###
DIABETES MELLITUS (250)	40	19	21	8	8	5	18.2	18.1	18.3
INFECTIOUS & PARASITIC DISEASES (001-139)	18	11	7	9	9	8	8.2	10.5	###
PNEUMONIA & INFLUENZA (480-487)	11	9	2	10	10	13	5.0	###	###
TOTAL FOR AGE GROUP	1,834	1,134	700				834.4	1,080.0	609.8
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	985	635	350	1	1	1	1,116.8	1,629.5	710.9
MALIGNANT NEOPLASMS (140-208)	762	414	348	2	2	2	863.9	1,062.4	706.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	132	72	60	3	3	3	149.7	184.8	121.9
CEREBROVASCULAR DISEASE (430-438)	105	49	56	4	4	4	119.0	125.7	113.8
DIABETES MELLITUS (250)	47	23	24	5	7	5	53.3	59.0	48.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	45	29	16	6	5	6	51.0	74.4	32.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	29	12	7	5	9	46.5	74.4	24.4
PNEUMONIA & INFLUENZA (480-487)	33	17	16	8	8	6	37.4	43.6	32.5
INFECTIOUS & PARASITIC DISEASES (001-139)	22	8	14	9	11	8	24.9	###	28.4
ATHEROSCLEROSIS (440)	18	13	5	10	9	13	20.4	33.4	###
TOTAL FOR AGE GROUP	2,462	1,445	1,017				2,791.4	3,708.0	2,065.8

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,348	601	747	1	1	1	2,797.8	3,424.5	2,438.8
MALIGNANT NEOPLASMS (140-208)	655	348	307	2	2	2	1,359.5	1,982.9	1,002.3
CEREBROVASCULAR DISEASE (430-438)	281	117	164	3	3	3	583.2	666.7	535.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	163	108	55	4	4	4	338.3	615.4	179.6
PNEUMONIA & INFLUENZA (480-487)	106	56	50	5	5	5	220.0	319.1	163.2
DIABETES MELLITUS (250)	78	30	48	6	6	6	161.9	170.9	156.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	61	25	36	7	8	7	126.6	142.5	117.5
ATHEROSCLEROSIS (440)	54	30	24	8	6	8	112.1	170.9	78.4
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	37	18	19	9	9	10	76.8	102.6	62.0
INFECTIOUS & PARASITIC DISEASES (001-139)	33	11	22	10	10	9	68.5	62.7	71.8
TOTAL FOR AGE GROUP	3,222	1,561	1,661				6,687.4	8,894.6	5,422.8
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,198	363	835	1	1	1	7,251.8	8,287.7	6,878.1
CEREBROVASCULAR DISEASE (430-438)	318	66	252	2	3	2	1,924.9	1,506.8	2,075.8
MALIGNANT NEOPLASMS (140-208)	276	122	154	3	2	3	1,670.7	2,785.4	1,268.5
PNEUMONIA & INFLUENZA (480-487)	126	57	69	4	4	5	762.7	1,301.4	568.4
ATHEROSCLEROSIS (440)	114	33	81	5	6	4	690.1	753.4	667.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	6	5	8	393.5	958.9	189.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	17	26	7	7	6	260.3	388.1	214.2
DIABETES MELLITUS (250)	31	7	24	8	10	7	187.7	###	197.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	31	13	18	9	8	9	187.7	296.8	148.3
INFECTIOUS & PARASITIC DISEASES (001-139)	25	11	14	10	9	11	151.3	251.1	115.3
TOTAL FOR AGE GROUP	2,533	827	1,706				15,332.9	18,881.3	14,052.7

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-02 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	YEARS OF LIFE LOST			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	46,521	24,212	22,309	30.5	30.6	30.5	1	1	1	11	12	10
MALIGNANT NEOPLASMS (140-208)	35,284	16,661	18,623	23.2	21.0	25.4	2	2	2	15	13	16
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	14,874	10,514	4,360	9.8	13.3	6.0	3	3	4	34	36	30
CEREBROVASCULAR DISEASE (430-438)	7,669	2,627	5,042	5.0	3.3	6.9	4	6	3	10	10	10
SUICIDE (E950-E959)	5,774	4,352	1,422	3.8	5.5	1.9	5	4	8	34	33	38
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,081	2,678	2,403	3.3	3.4	3.3	6	5	5	12	10	14
PERINATAL CONDITIONS (760-779)	4,136	2,030	2,106	2.7	2.6	2.9	7	7	6	74	70	78
CONGENITAL ANOMALIES (740-759)	2,872	1,197	1,675	1.9	1.5	2.3	8	9	7	61	57	64
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,559	1,581	978	1.7	2.0	1.3	9	8	11	18	17	20
PNEUMONIA & INFLUENZA (480-487)	2,548	1,173	1,375	1.7	1.5	1.9	10	10	10	9	8	10
DIABETES MELLITUS (250)	2,465	1,074	1,391	1.6	1.4	1.9	11	11	9	12	13	12
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,729	984	745	1.1	1.2	1.0	12	12	15	11	11	10
INFECTIOUS & PARASITIC DISEASES (001-139)	1,550	751	799	1.0	0.9	1.1	13	13	14	15	16	14
ATHEROSCLEROSIS (440)	1,475	666	809	1.0	0.8	1.1	14	14	13	8	8	7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1,125	476	649	0.7	0.6	0.9	15	15	16	11	11	12
HOMICIDE & LEGAL INTERVENTION (E960-E978)	988	172	816	0.6	0.2	1.1	16	19	12	49	43	51
BENIGN NEOPLASMS (210-239)	639	259	380	0.4	0.3	0.5	17	16	17	14	12	15
HYPERTENSION (401,403)	514	199	315	0.3	0.3	0.4	18	18	18	9	9	9
ULCER OF STOMACH & DUODENUM (531-533)	416	219	197	0.3	0.3	0.3	19	17	20	12	10	16
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	390	146	244	0.3	0.2	0.3	20	20	19	16	18	15
ANEMIAS (280-285)	235	135	100	0.2	0.2	0.1	21	21	23	11	17	8
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	196	73	123	0.1	0.1	0.2	22	23	21	11	8	14
KIDNEY INFECTIONS (590)	139	64	75	0.1	0.1	0.1	23	24	24	11	11	11
NUTRITIONAL DEFICIENCIES (260-269)	128	21	107	0.1	0.0	0.1	24	25	22	7	7	7
MENINGITIS (320-322)	108	108	0	0.1	0.1	0.0	25	22	26	54	54	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	25	6	19	0.0	0.0	0.0	26	28	25	8	6	10
APPENDICITIS (540-543)	16	16	0	0.0	0.0	0.0	27	26	26	16	16	0
HYPERPLASIA OF PROSTATE (600)	15	15	0	0.0	0.0	0.0	28	27	26	5	5	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	59	59	0	0.0	0.1	0.0				59	59	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	3,092	1,738	1,354	2.0	2.2	1.9				40	46	35
ALL OTHER CAUSES (RESIDUAL)	9,750	4,985	4,765	6.4	6.3	6.5				14	14	14
ALL CAUSES	152,372	79,191	73,181	100.	100.	100.				14	14	14

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************************************** AGE AT DEATH(YRS.) **************************************															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
MENIGOCOCCAL INFECTION (036)																	
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA (038)																	
MALE	28	0	0	0	0	0	0	1	0	3	1	2	0	2	7	3	9
FEMALE	36	0	0	0	0	0	0	0	0	1	1	1	3	8	7	5	10
TOTALS	64	0	0	0	0	0	0	1	0	4	2	3	3	10	14	8	19
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2
VIRAL HEPATITIS (070)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																	
MALE	4	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	0
TOTALS	11	1	1	0	0	0	0	0	0	0	0	1	2	0	2	4	0
NEUROSYPHILIS (094)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MYCOSES (110-118)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
FEMALE	4	0	0	0	0	0	1	0	0	1	0	0	0	2	0	0	0
TOTALS	7	0	0	0	0	0	1	0	0	1	1	1	0	3	0	0	0
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	1
TOTALS	6	0	0	0	0	0	1	0	0	1	0	1	0	1	0	1	1
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	10	0	0	0	0	0	0	0	0	0	0	0	5	2	0	2	1
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	5	3	0	3	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	9	0	0	0	0	0	0	0	1	1	0	2	2	1	1	1	0
FEMALE	8	0	0	0	0	0	0	0	0	2	0	1	1	2	0	1	1
TOTALS	17	0	0	0	0	0	0	0	1	3	0	3	3	3	1	2	1
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	10	0	0	0	0	0	0	0	0	2	1	2	1	1	0	3	0
FEMALE	6	0	0	0	0	0	0	0	0	0	1	2	1	0	2	0	0
TOTALS	16	0	0	0	0	0	0	0	0	2	2	4	2	1	2	3	0
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	45	0	0	0	0	0	0	1	2	5	3	6	10	7	7	3	1
FEMALE	11	0	0	0	0	0	0	0	0	0	0	2	0	2	1	3	3
TOTALS	56	0	0	0	0	0	0	1	2	5	3	8	10	9	8	6	4
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	37	0	0	0	0	0	0	0	1	1	2	2	13	5	4	3	6
FEMALE	32	0	0	0	0	0	0	0	0	1	1	4	2	6	6	4	8
TOTALS	69	0	0	0	0	0	0	0	1	2	3	6	15	11	10	7	14
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	2
FEMALE	9	0	0	0	0	0	0	0	0	0	1	1	0	1	1	3	2
TOTALS	18	0	0	0	0	0	0	0	0	0	1	1	1	2	4	5	4
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	2	0	1	3	0	2
TOTALS	15	0	0	0	0	0	0	0	0	0	0	3	1	3	3	1	4
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	136	0	0	0	0	0	0	1	3	6	9	11	24	17	30	15	20
FEMALE	114	0	0	0	0	0	0	0	1	4	9	8	13	24	19	14	22
TOTALS	250	0	0	0	0	0	0	1	4	10	18	19	37	41	49	29	42
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																	
MALE	31	0	0	0	0	0	0	0	0	1	5	4	5	5	3	5	3
FEMALE	29	0	0	0	0	0	0	0	0	0	5	4	3	4	5	2	6
TOTALS	60	0	0	0	0	0	0	0	0	1	10	8	8	9	8	7	9
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1
TOTALS	10	0	0	0	0	0	0	0	0	0	2	2	2	1	1	0	2
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	6	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																	
MALE	10	0	0	0	0	0	0	0	0	0	1	0	2	1	2	4	0
FEMALE	13	0	0	0	0	0	0	0	0	0	1	0	3	1	0	3	5
TOTALS	23	0	0	0	0	0	0	0	0	0	2	0	5	2	2	7	5
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																	
MALE	4	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0
FEMALE	19	0	0	0	0	0	0	0	0	1	1	2	3	2	4	2	4
TOTALS	23	0	0	0	0	0	0	0	0	2	3	3	3	2	4	2	4
MALIGNANT NEOPLASMS OF: PANCREAS (157)																	
MALE	45	0	0	0	0	0	0	0	1	1	4	7	7	12	5	6	2
FEMALE	57	0	0	0	0	0	0	0	1	4	3	6	5	7	10	10	11
TOTALS	102	0	0	0	0	0	0	0	2	5	7	13	12	19	15	16	13
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																	
MALE	10	0	0	0	0	0	0	0	0	1	1	1	1	1	2	1	2
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	2	3	2	2	2
TOTALS	21	0	0	0	0	0	0	0	0	1	1	1	3	4	4	3	4
MALIGNANT NEOPLASMS OF: LARYNX (161)																	
MALE	7	0	0	0	0	0	0	0	0	0	3	1	1	0	2	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0
TOTALS	11	0	0	0	0	0	0	0	0	0	3	1	3	1	2	1	0
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	445	0	0	0	0	0	0	1	5	45	48	62	86	73	72	34	19
FEMALE	187	0	0	0	0	0	0	2	4	21	31	20	34	31	27	8	9
TOTALS	632	0	0	0	0	0	0	3	9	66	79	82	120	104	99	42	28
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0
FEMALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	1	1	0	1	2	0	0
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	0	0	0	0	0	0	1	0	2	1	0	0	1	0	2	2
TOTALS	10	0	0	1	0	0	0	1	0	2	1	0	0	1	0	2	2
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	13	0	0	0	0	0	0	1	1	1	0	1	3	2	3	1	0
FEMALE	9	0	0	0	0	0	0	1	1	0	0	0	2	2	0	2	1
TOTALS	22	0	0	0	0	0	0	2	2	1	0	1	5	4	3	3	1
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

		AGE AT DEATH(YRS.)															
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	3	0	1	1	1
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	192	0	0	0	0	0	0	1	8	20	15	24	27	33	25	17	22
TOTALS	192	0	0	0	0	0	0	1	8	20	15	24	27	33	25	17	22
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	28	0	0	0	0	0	0	2	3	7	2	6	1	0	3	1	3
TOTALS	28	0	0	0	0	0	0	2	3	7	2	6	1	0	3	1	3
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	42	0	0	0	0	0	0	0	0	1	3	3	8	11	4	7	5
TOTALS	42	0	0	0	0	0	0	0	0	1	3	3	8	11	4	7	5
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	58	0	0	0	0	0	0	1	1	8	3	7	18	8	4	7	1
TOTALS	58	0	0	0	0	0	0	1	1	8	3	7	18	8	4	7	1
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	118	0	0	0	0	0	0	0	0	0	5	9	6	16	27	24	31
TOTALS	118	0	0	0	0	0	0	0	0	0	5	9	6	16	27	24	31
MALIGNANT NEOPLASMS OF: TESTIS (186)																	
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: BLADDER (188)																	
MALE	44	0	0	0	0	0	0	0	0	4	3	4	6	4	7	6	10
FEMALE	22	0	0	0	0	0	0	0	0	1	1	1	3	2	6	5	3
TOTALS	66	0	0	0	0	0	0	0	0	5	4	5	9	6	13	11	13
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																	
MALE	31	0	0	0	0	0	0	0	0	2	2	7	2	5	6	2	5
FEMALE	17	0	0	0	0	0	0	0	1	3	0	1	1	1	3	3	4
TOTALS	48	0	0	0	0	0	0	0	1	5	2	8	3	6	9	5	9
MALIGNANT NEOPLASMS OF: EYE (190)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
MALIGNANT NEOPLASMS OF: BRAIN (191)																	
MALE	25	0	1	0	0	1	0	2	1	3	0	5	5	2	4	1	0
FEMALE	19	0	0	0	0	0	0	0	2	3	0	3	3	2	3	2	1
TOTALS	44	0	1	0	0	1	0	2	3	6	0	8	8	4	7	3	1
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	6	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1
TOTALS	7	0	0	0	0	0	0	0	0	1	0	1	1	0	2	1	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	100	0	0	0	0	0	0	1	4	8	8	12	22	12	13	11	9
FEMALE	104	0	1	0	0	0	0	1	4	6	6	4	14	15	17	20	16
TOTALS	204	0	1	0	0	0	0	2	8	14	14	16	36	27	30	31	25
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	12	0	0	0	0	0	0	0	1	0	2	1	0	4	1	2	1
FEMALE	15	0	0	0	0	0	0	0	0	2	0	1	2	1	3	2	4
TOTALS	27	0	0	0	0	0	0	0	1	2	2	2	2	5	4	4	5
HODGKIN'S DISEASE (201)																	
MALE	5	0	0	0	0	1	1	1	0	0	0	0	1	0	1	0	0
FEMALE	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0
TOTALS	8	0	0	0	0	1	2	1	0	0	0	0	1	0	1	2	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	24	0	0	0	0	1	0	0	3	1	3	3	1	8	2	0	2
FEMALE	28	0	0	0	0	0	0	0	0	1	4	4	1	7	3	5	3
TOTALS	52	0	0	0	0	1	0	0	3	2	7	7	2	15	5	5	5
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	15	0	0	0	0	0	0	0	0	0	0	2	4	5	1	2	1
FEMALE	20	0	0	0	0	0	0	0	1	0	1	1	2	6	3	3	3
TOTALS	35	0	0	0	0	0	0	0	1	0	1	3	6	11	4	5	4
LYMPHOID LEUKEMIA (204)																	
MALE	7	0	0	0	0	1	0	0	0	1	1	0	0	1	2	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
TOTALS	12	0	0	0	0	1	0	0	0	1	1	0	1	2	3	1	2
MYELOID LEUKEMIA (205)																	
MALE	24	0	0	0	2	0	0	1	1	2	3	0	2	5	3	4	1
FEMALE	22	0	0	0	0	0	1	1	0	2	0	3	2	6	2	2	3
TOTALS	46	0	0	0	2	0	1	2	1	4	3	3	4	11	5	6	4
MONOCYTIC LEUKEMIA (206)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	7	0	0	0	1	1	0	0	0	0	0	1	1	0	0	2	1
FEMALE	15	0	0	0	0	0	1	0	0	0	1	3	3	2	2	3	0
TOTALS	22	0	0	0	1	1	1	0	0	0	1	4	4	2	2	5	1
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

The age columns UNDER 1 through OVER 84 are printed under the banner "AGE AT DEATH(YRS.)".

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
CARCINOMA OF ALL OTHER AND UNSPECIFIED SITES (230-232,234)																	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	9	0	0	0	0	0	0	0	1	0	0	0	1	1	3	0	3
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	1
TOTALS	15	0	0	0	0	0	0	0	1	0	0	1	1	2	5	1	4
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	9	0	0	0	0	0	0	0	1	1	1	0	3	0	2	1	0
FEMALE	16	0	0	0	0	0	0	0	0	1	1	3	4	1	2	3	1
TOTALS	25	0	0	0	0	0	0	0	1	2	2	3	7	1	4	4	1
DISORDERS OF THYROID GLAND (240-246)																	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5
DIABETES MELLITUS (250)																	
MALE	84	0	0	0	0	0	0	3	2	4	8	7	8	15	19	11	7
FEMALE	117	0	0	0	0	0	0	0	0	1	6	14	7	17	25	23	24
TOTALS	201	0	0	0	0	0	0	3	2	5	14	21	15	32	44	34	31
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CYSTIC FIBROSIS (277.0)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	4	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
FEMALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	21	0	0	0	0	0	1	0	1	2	2	0	2	3	4	3	3
FEMALE	16	0	0	0	0	0	0	0	0	1	1	1	1	2	2	3	5
TOTALS	37	0	0	0	0	0	1	0	1	3	3	1	3	5	6	6	8
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	9
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5	10
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
DEFICIENCY ANEMIAS (280-281)																	
MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		******	******	******	******	******	******	AGE AT DEATH(YRS.)	******	******	******	******	******	******	******	******	******
(CONT.)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
APLASTIC ANEMIA (284)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5
TOTALS	9	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	12	0	0	0	1	0	1	0	0	1	1	0	1	0	1	5	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
TOTALS	17	0	0	0	1	0	1	0	0	1	1	0	1	0	1	7	4
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	10
TOTALS	21	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	13
ALCOHOLIC PSYCHOSES (291)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ALL OTHER PHYCHOSES (292-299)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	2
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	13	0	0	0	0	0	1	3	1	3	3	2	0	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	0
TOTALS	17	0	0	0	0	0	1	3	1	3	3	4	1	0	0	1	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	7	0	0	0	0	1	0	0	0	0	0	0	0	1	2	2	1
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	8
TOTALS	21	0	0	0	0	1	0	0	0	0	0	0	1	1	4	5	9
MENTAL RETARDATION (317-319)																	
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MENINGITIS (320-322)																	
MALE	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	18	0	0	0	0	0	0	0	0	0	0	2	0	2	6	5	3
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	2	2	4	3	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************************************** AGE AT DEATH(YRS.) ************************************** UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	33	0	0	0	0	0	0	0	0	0	0	2	2	4	10	8	7
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	42	0	0	0	0	0	0	0	0	4	1	4	5	7	10	6	5
FEMALE	42	1	0	0	0	0	0	1	0	3	1	3	0	8	6	10	9
TOTALS	84	1	0	0	0	0	0	1	0	7	2	7	5	15	16	16	14
MULTIPLE SCLEROSIS (340)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	1	1	0	2	0	0
FEMALE	7	0	0	0	0	0	0	1	0	0	0	1	2	1	2	0	0
TOTALS	12	0	0	0	0	0	0	1	1	0	0	2	3	1	4	0	0
INFANTILE CEREBRAL PALSY (343)																	
FEMALE	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
EPILEPSY (345)																	
MALE	8	0	0	0	0	0	1	2	1	2	0	0	2	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	2	0	0	0	0	0	1	1	0
TOTALS	12	0	0	0	0	0	1	2	3	2	0	0	2	0	1	1	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	22	0	0	0	0	1	2	0	1	1	3	2	2	4	4	1	1
FEMALE	13	0	0	0	0	0	0	0	0	3	1	0	2	1	1	1	4
TOTALS	35	0	0	0	0	1	2	0	1	4	4	2	4	5	5	2	5
DISORDERS OF THE EYE AND ADNEXA (360-379)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1
ACUTE RHEUMATIC FEVER (390-392)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
FEMALE	8	0	0	0	0	0	0	0	1	1	0	0	1	2	1	1	1
TOTALS	10	0	0	0	0	0	0	0	1	2	0	0	1	2	2	1	1
DISEASE OF AORTIC VALVE (395)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
DISEASES OF MITRAL AND AORTIC VALVES (396)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1
TOTALS	7	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1	2
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	16	0	0	0	0	0	0	0	1	0	2	2	1	0	6	1	3
TOTALS	17	0	0	0	0	0	0	0	1	0	2	2	2	0	6	1	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX (CONT.)	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
ESSENTIAL HYPERTENSION (401)																	
MALE	11	0	0	0	0	0	0	0	0	0	1	2	0	3	4	1	0
FEMALE	14	0	0	0	0	0	0	0	0	0	0	1	0	3	2	3	5
TOTALS	25	0	0	0	0	0	0	0	0	0	1	3	0	6	6	4	5
HYPERTENSIVE HEART DISEASE (402)																	
MALE	26	0	0	0	0	0	0	1	0	0	1	2	7	2	3	3	7
FEMALE	44	0	0	0	0	0	0	0	1	1	3	2	2	4	4	11	16
TOTALS	70	0	0	0	0	0	0	1	1	1	4	4	9	6	7	14	23
HYPERTENSIVE RENAL DISEASE (403)																	
MALE	10	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	5
FEMALE	20	0	0	0	0	0	0	0	0	0	0	0	2	4	1	2	11
TOTALS	30	0	0	0	0	0	0	0	0	0	1	0	2	5	3	3	16
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	4
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	5
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	926	0	0	0	0	0	0	2	27	77	71	101	130	174	125	108	111
FEMALE	756	0	0	0	0	0	0	1	4	16	22	45	57	114	162	142	193
TOTALS	1,682	0	0	0	0	0	0	3	31	93	93	146	187	288	287	250	304
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	12	0	0	0	0	0	0	0	1	0	1	0	2	2	3	1	2
FEMALE	17	0	0	0	0	0	0	0	0	2	4	1	0	1	2	2	5
TOTALS	29	0	0	0	0	0	0	0	1	2	5	1	2	3	5	3	7
ANGINA PECTORIS (413)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	712	0	0	0	0	0	0	3	13	31	35	60	93	101	96	126	154
FEMALE	799	0	0	0	0	0	0	3	4	5	17	21	40	66	110	142	391
TOTALS	1,511	0	0	0	0	0	0	6	17	36	52	81	133	167	206	268	545
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	24	0	0	0	0	0	0	0	0	0	2	4	4	4	3	6	1
FEMALE	21	1	0	0	0	0	0	0	1	0	2	0	1	3	4	3	6
TOTALS	45	1	0	0	0	0	0	0	1	0	4	4	5	7	7	9	7
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	1	2	0	0	0
TOTALS	7	0	0	0	0	0	0	1	1	1	0	1	1	2	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

(CONT.)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		AGE AT DEATH(YRS.)															
MITRAL VALVE DISORDERS (424.0)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
FEMALE	5	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	2
TOTALS	7	0	0	0	0	0	0	0	1	0	0	0	1	0	0	3	2
AORTIC VALVE DISORDERS (424.1)																	
MALE	21	0	0	0	0	0	0	0	0	0	0	1	4	8	1	6	1
FEMALE	25	0	0	0	0	0	0	0	0	0	0	1	1	1	5	4	13
TOTALS	46	0	0	0	0	0	0	0	0	0	0	2	5	9	6	10	14
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	3
HEART FAILURE (428)																	
MALE	67	0	0	0	0	0	0	0	0	0	1	0	10	6	19	10	21
FEMALE	111	0	0	0	0	0	0	0	0	1	2	3	4	7	13	27	54
TOTALS	178	0	0	0	0	0	0	0	0	1	3	3	14	13	32	37	75
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1	2
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	7
TOTALS	18	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	9
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																	
MALE	278	1	0	0	0	0	0	2	8	16	16	20	34	44	44	34	59
FEMALE	295	0	0	0	0	0	2	0	0	7	6	13	17	21	50	44	135
TOTALS	573	1	0	0	0	0	2	2	8	23	22	33	51	65	94	78	194
SUBARACHNOID HEMORRHAGE (430)																	
MALE	14	0	0	0	0	0	0	2	2	2	2	2	0	1	1	0	2
FEMALE	17	0	0	0	0	0	0	1	0	4	0	0	2	5	3	0	2
TOTALS	31	0	0	0	0	0	0	3	2	6	2	2	2	6	4	0	4
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
MALE	39	0	0	0	0	0	0	1	0	3	1	5	5	7	4	5	8
FEMALE	72	0	0	0	0	0	0	1	2	2	5	12	2	7	10	9	22
TOTALS	111	0	0	0	0	0	0	2	2	5	6	17	7	14	14	14	30
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	0	0	0	3	1	1
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
MALE	37	0	0	0	0	0	1	1	1	1	0	2	1	4	7	11	8
FEMALE	79	0	0	0	0	1	0	0	1	0	0	1	1	6	11	14	44
TOTALS	116	0	0	0	0	1	1	1	2	1	0	3	2	10	18	25	52
CEREBRAL EMBOLISM (434.1)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	3
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																	
MALE	144	0	0	0	0	0	0	0	0	5	1	1	9	19	39	28	42
FEMALE	259	0	0	0	0	0	0	0	1	1	6	6	9	18	45	43	130
TOTALS	403	0	0	0	0	0	0	0	1	6	7	7	18	37	84	71	172
OTHER CEREBROVASCULAR DISEASE (435,437-438)																	
MALE	31	0	0	0	0	0	1	0	0	0	2	0	2	1	5	15	5
FEMALE	81	0	0	0	0	0	0	0	0	1	0	1	0	5	7	16	51
TOTALS	112	0	0	0	0	0	1	0	0	1	2	1	2	6	12	31	56
ATHEROSCLEROSIS (440)																	
MALE	82	0	0	0	0	0	1	0	0	1	0	4	6	7	12	18	33
FEMALE	111	0	0	0	0	0	0	0	1	0	0	0	3	2	8	16	81
TOTALS	193	0	0	0	0	0	1	0	1	1	0	4	9	9	20	34	114
AORTIC ANEURYSM (441)																	
MALE	69	0	0	0	0	0	1	0	1	0	1	6	13	17	14	9	7
FEMALE	50	0	0	0	0	0	0	0	0	0	0	2	6	1	11	8	22
TOTALS	119	0	0	0	0	0	1	0	1	0	1	8	19	18	25	17	29
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																	
MALE	20	0	0	0	0	0	0	0	0	2	1	2	4	1	2	7	1
FEMALE	21	0	0	0	0	0	0	0	0	1	1	4	1	2	4	2	6
TOTALS	41	0	0	0	0	0	0	0	0	3	2	6	5	3	6	9	7
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
FEMALE	8	0	0	0	0	0	0	0	0	0	0	2	2	2	0	1	1
TOTALS	11	0	0	0	0	0	0	0	0	0	1	3	2	2	1	1	1
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																	
MALE	10	1	0	0	0	0	0	0	0	0	1	0	0	0	2	3	3
FEMALE	6	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3
TOTALS	16	1	0	0	0	0	0	0	1	0	1	0	1	0	3	3	6
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																	
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
VIRAL PNEUMONIA (480)																	
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
TOTALS	5	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	1
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																	
MALE	8	0	0	0	0	0	0	0	1	0	0	1	0	3	0	2	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	5	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1
TOTALS	14	0	0	0	0	0	0	1	1	0	0	1	1	4	1	3	2
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (48[illegible])																	
MALE	21	0	0	0	0	0	0	0	0	0	0	1	0	2	3	5	10
FEMALE	13	1	1	0	0	0	0	0	0	0	0	0	1	0	2	3	5
TOTALS	34	1	1	0	0	0	0	0	0	0	0	1	1	2	5	8	15
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																	
MALE	107	0	0	0	0	0	0	0	2	2	1	2	2	9	21	23	45
FEMALE	116	0	0	0	0	0	0	0	1	0	0	2	6	7	11	29	60
TOTALS	223	0	0	0	0	0	0	0	3	2	1	4	8	16	32	52	105
INFLUENZA (487)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	8	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3	3
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC BRONCHITIS (491)																	
MALE	14	0	0	0	0	0	0	0	0	0	1	1	2	3	2	2	3
FEMALE	11	0	0	0	0	0	0	0	0	0	1	2	2	2	1	1	2
TOTALS	25	0	0	0	0	0	0	0	0	0	2	3	4	5	3	3	5
EMPHYSEMA (492)																	
MALE	50	0	0	0	0	0	0	0	0	1	5	7	8	6	8	9	6
FEMALE	25	0	0	0	0	0	0	0	0	1	0	2	5	7	8	1	1
TOTALS	75	0	0	0	0	0	0	0	0	2	5	9	13	13	16	10	7
ASTHMA (493)																	
MALE	7	0	0	0	0	0	0	0	0	1	2	1	0	1	1	0	1
FEMALE	14	0	0	0	0	0	0	0	1	0	1	0	3	4	2	2	1
TOTALS	21	0	0	0	0	0	0	0	1	1	3	1	3	5	3	2	2
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
FEMALE	3	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1
TOTALS	5	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	1
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																	
MALE	194	0	0	0	0	0	0	1	1	3	6	15	25	27	46	38	32
FEMALE	114	0	1	0	0	0	0	0	0	2	7	10	15	22	28	12	17
TOTALS	308	0	1	0	0	0	0	1	1	5	13	25	40	49	74	50	49
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	14	1	0	0	0	0	0	0	0	0	1	0	4	2	1	3	2
FEMALE	4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1
TOTALS	18	1	0	0	0	0	0	1	0	0	1	0	4	3	2	3	3
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
MALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PLEURISY (511)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	34	0	0	0	0	1	1	0	0	0	2	1	6	8	8	3	4
FEMALE	24	1	0	0	0	0	0	0	0	0	3	3	1	3	4	5	4
TOTALS	58	1	0	0	0	1	1	0	0	0	5	4	7	11	12	8	8
GASTRIC ULCER (531)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0
FEMALE	5	0	0	0	1	0	0	0	0	0	1	0	2	0	0	0	1
TOTALS	10	0	0	0	1	0	0	0	0	0	1	1	2	0	1	3	1
DUODENAL ULCER (532)																	
MALE	8	0	0	0	0	0	0	0	1	1	0	1	2	0	0	1	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	11	0	0	0	0	0	0	0	1	1	0	1	3	0	0	1	4
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	2
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	5
GASTRITIS AND DUODENITIS (535)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	2	2	0	0	1	0
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	8	1	0	0	0	0	0	0	0	0	2	1	0	0	1	0	3
FEMALE	16	1	0	0	0	0	0	0	1	0	1	1	0	0	1	3	8
TOTALS	24	2	0	0	0	0	0	0	1	0	3	2	0	0	2	3	11
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	14	0	0	0	0	0	0	0	1	1	4	0	2	2	0	2	2
FEMALE	19	0	0	0	0	0	0	0	0	0	1	2	2	3	2	3	6
TOTALS	33	0	0	0	0	0	0	0	1	1	5	2	4	5	2	5	8
DIVERTICULA OF INTESTINE (562)																	
MALE	15	0	0	0	0	0	0	0	0	1	2	0	1	1	4	3	3
FEMALE	13	0	0	0	0	0	0	0	0	0	0	1	0	3	1	2	6
TOTALS	28	0	0	0	0	0	0	0	0	1	2	1	1	4	5	5	9
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	36	0	0	0	0	0	0	0	4	7	7	8	3	4	1	2	0
FEMALE	18	0	0	0	0	0	0	1	1	3	2	6	5	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	54	0	0	0	0	0	0	1	5	10	9	14	8	4	1	2	0
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	1	1	2	0	2	1	0
TOTALS	9	0	0	0	0	0	0	0	0	1	1	2	2	0	2	1	0
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	54	0	0	0	0	0	0	0	4	5	6	12	9	13	2	2	1
FEMALE	25	0	0	0	0	0	0	0	1	2	3	2	3	6	6	2	0
TOTALS	79	0	0	0	0	0	0	0	5	7	9	14	12	19	8	4	1
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2
FEMALE	9	0	0	0	0	0	0	0	1	0	1	0	0	1	1	4	1
TOTALS	18	0	0	0	0	0	0	0	1	0	1	0	1	3	3	6	3
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	63	0	0	0	0	0	0	1	2	1	7	5	3	9	15	11	9
FEMALE	62	0	0	0	0	0	0	0	2	4	3	3	4	3	13	6	24
TOTALS	125	0	0	0	0	0	0	1	4	5	10	8	7	12	28	17	33
NEPHROTIC SYNDROME (581)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	2
RENAL FAILURE (584-586,588-589)																	
MALE	40	1	0	0	0	0	0	1	0	0	1	2	2	2	7	11	13
FEMALE	51	0	0	0	1	0	0	0	1	0	3	4	3	4	6	13	16
TOTALS	91	1	0	0	1	0	0	1	1	0	4	6	5	6	13	24	29
INFECTIONS OF KIDNEY (590)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	3
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	3	3	0	2	4
URINARY CALCULUS (592,594)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																	
MALE	18	0	0	0	0	0	0	0	0	0	0	0	3	0	5	4	6
FEMALE	26	0	0	0	0	0	0	1	1	0	0	0	0	4	2	6	12
TOTALS	44	0	0	0	0	0	0	1	1	0	0	0	3	4	7	10	18
HYPERPLASIA OF PROSTATE (600)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************ AGE AT DEATH(YRS.) ************															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	1	0	0	0	3	0	1
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	2	1	1	2	0	0
TOTALS	9	0	0	0	0	0	0	0	0	0	1	3	1	1	3	0	0
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																	
MALE	3	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0	0
TOTALS	9	1	0	0	0	0	0	0	0	1	3	0	2	1	1	0	0
DORSOPATHIES (720-724)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
RHEUMATISM, EXCLUDING THE BACK (725-729)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
SPINA BIFIDA (741)																	
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																	
MALE	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	4	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	6	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)																	
MALE	10	4	2	0	0	0	1	0	0	2	0	1	0	0	0	0	0
FEMALE	7	2	1	0	0	0	0	0	2	0	0	0	0	0	0	1	1
TOTALS	17	6	3	0	0	0	1	0	2	2	0	1	0	0	0	1	1
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																	
MALE	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																	
MALE	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	12	9	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	18	14	1	0	0	0	0	0	0	0	0	0	1	1	0	0	1
BIRTH TRAUMA (767)																	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	19	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-799)																	
MALE	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	36	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	34	21	0	0	0	0	0	3	0	1	0	1	2	1	1	1	3
FEMALE	37	12	0	0	0	0	0	2	1	1	1	2	2	2	1	7	6
TOTALS	71	33	0	0	0	0	0	5	1	2	1	3	4	3	2	8	9
RAILWAY ACCIDENTS (E800-E807)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	39	0	0	1	2	3	5	9	5	3	3	2	2	1	0	3	0
FEMALE	27	0	0	1	0	3	0	7	2	2	2	1	1	2	2	2	2
TOTALS	66	0	0	2	2	6	5	16	7	5	5	3	3	3	2	5	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	16	0	0	0	1	2	1	2	2	2	0	2	1	0	0	2	1
FEMALE	12	0	2	1	2	0	1	1	1	0	0	0	0	1	3	0	0
TOTALS	28	0	2	1	3	2	2	3	3	2	0	2	1	1	3	2	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	18	0	0	1	1	5	4	3	2	1	0	1	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	1
TOTALS	23	0	0	1	1	5	4	4	2	2	0	2	0	1	0	0	1
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	71	0	0	0	1	15	20	21	9	1	0	1	0	1	0	1	1
FEMALE	23	0	0	0	0	7	5	4	5	0	0	1	0	0	1	0	0
TOTALS	94	0	0	0	1	22	25	25	14	1	0	2	0	1	1	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	9	0	0	0	0	2	0	1	1	1	0	1	1	0	0	0	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		************ AGE AT DEATH(YRS.) ************															
(CONT.)																	
FEMALE	5	0	0	1	0	1	1	1	0	0	0	0	0	0	1	0	0
TOTALS	14	0	0	1	0	3	1	2	1	1	0	1	1	0	1	0	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	5	0	1	0	0	0	1	0	1	0	0	0	1	1	0	0	0
TOTALS	5	0	1	0	0	0	1	0	1	0	0	0	1	1	0	0	0
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	14	0	0	0	0	2	2	3	4	0	1	0	1	1	0	0	0
TOTALS	14	0	0	0	0	2	2	3	4	0	1	0	1	1	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	4	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	5	0	0	0	0	0	0	2	0	0	0	1	0	0	2	0	0
FEMALE	6	0	0	0	0	0	1	0	1	2	0	0	0	0	0	1	1
TOTALS	11	0	0	0	0	0	1	2	1	2	0	1	0	0	2	1	1
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E86[illegible])																	
MALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	11	0	0	0	0	0	0	1	0	0	0	1	3	1	3	0	2
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	3
TOTALS	18	0	0	0	0	0	0	1	0	0	0	1	4	1	6	0	5
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	11	0	1	0	0	0	1	2	0	0	1	1	2	1	0	0	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1
TOTALS	17	0	1	0	0	0	1	2	0	0	1	1	2	1	3	2	3
FALL ON SAME LEVEL (E885-E886)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIIED FALLS (E887-E888)																	
MALE	11	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	5
FEMALE	17	0	0	0	0	0	0	0	0	0	0	1	0	0	3	4	9
TOTALS	28	0	0	0	0	0	0	0	0	0	0	1	1	0	4	8	14
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	24	1	2	4	0	2	1	4	0	4	1	0	2	0	1	1	1
FEMALE	9	1	1	0	1	0	0	2	1	0	0	0	0	2	0	1	0
TOTALS	33	2	3	4	1	2	1	6	1	4	1	0	2	2	1	2	1
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	18	0	0	1	1	2	2	4	0	2	1	0	1	2	1	1	0
FEMALE	3	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0
TOTALS	21	0	0	1	1	3	2	4	0	2	1	0	2	3	1	1	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	9	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	3
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	18	0	0	0	0	0	0	0	0	1	0	1	2	2	2	4	6
ACCIDENT CAUSED BY HANDGUN (E922.0)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																	
MALE	21	1	1	0	1	2	1	2	2	3	0	2	3	1	0	2	0
FEMALE	13	0	1	1	0	0	0	0	0	0	0	0	0	0	4	2	5
TOTALS	34	1	2	1	1	2	1	2	2	3	0	2	3	1	4	4	5
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	8	0	0	0	0	0	0	3	1	2	1	0	0	1	0	0	0
FEMALE	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0
TOTALS	12	0	0	0	0	0	0	5	2	2	2	0	0	1	0	0	0
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	11	0	0	0	0	2	3	0	0	3	1	1	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0
TOTALS	15	0	0	0	0	2	3	1	1	4	2	1	0	0	0	0	1
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	18	0	0	0	1	5	1	4	4	1	2	0	0	0	0	0	0
FEMALE	6	0	0	0	0	0	1	0	0	1	0	1	1	1	1	0	0
TOTALS	24	0	0	0	1	5	2	4	4	2	2	1	1	1	1	0	0
SUICIDE BY HANDGUN (E955.0)																	
MALE	12	0	0	0	0	0	3	2	0	3	0	1	1	1	1	0	0
FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
TOTALS	14	0	0	0	0	0	3	3	0	4	0	1	1	1	1	0	0
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	74	0	0	0	0	5	9	15	10	6	5	7	3	4	3	5	2
FEMALE	11	0	0	0	0	3	3	4	1	0	0	0	0	0	0	0	0
TOTALS	85	0	0	0	0	8	12	19	11	6	5	7	3	4	3	5	2
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																	
MALE	8	0	0	0	0	1	1	3	1	0	0	1	0	1	0	0	0
FEMALE	10	0	0	0	0	0	0	3	0	1	0	0	2	1	1	1	1
TOTALS	18	0	0	0	0	1	1	6	1	1	0	1	2	2	1	1	1
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																	
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
FEMALE	6	0	0	0	1	0	2	2	0	1	0	0	0	0	0	0	0
TOTALS	8	0	0	0	1	0	3	3	0	1	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

		************ AGE AT DEATH(YRS.) ************															
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
FEMALE	10	0	2	0	1	0	1	3	0	0	2	1	0	0	0	0	0
TOTALS	12	0	2	0	1	0	2	3	0	1	2	1	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
STATE																	
MALE	5,478	72	11	9	13	59	72	126	149	317	340	477	684	761	822	739	827
FEMALE	5,348	62	11	6	9	18	23	60	75	171	214	315	416	601	817	844	1,706
TOTALS	10,826	134	22	15	22	77	95	186	224	488	554	792	1,100	1,362	1,639	1,583	2,533
PERCENT DISTRIBUTION																	
MALE	100.00	1.31	0.20	0.16	0.24	1.08	1.31	2.30	2.72	5.79	6.21	8.71	12.49	13.89	15.01	13.49	15.10
FEMALE	100.00	1.16	0.21	0.11	0.17	0.34	0.43	1.12	1.40	3.20	4.00	5.89	7.78	11.24	15.28	15.78	31.90
TOTALS	100.00	1.24	0.20	0.14	0.20	0.71	0.88	1.72	2.07	4.51	5.12	7.32	10.16	12.58	15.14	14.62	23.40

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	3	3.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	5	2.500
OTHER TUBERCULOSIS (013-018)	0	4	0.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	64	387	6.046
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	2	2	1.000
SYPHILIS (090-097)	1	4	4.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	33	73	2.212
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	46	56	1.217
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	660	765	1.159
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	649	715	1.101
MAL. NEO. BREAST (174-175)	194	235	1.211
MAL. NEO. GENITAL ORGANS (179-187)	253	343	1.355
MAL. NEO. URINARY ORGANS (188-189)	114	141	1.236
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	302	633	2.096
LEUKEMIA (204-208)	84	110	1.309
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	122	165	1.352
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	47	77	1.638
DIABETES MELLITUS (250)	201	852	4.238
NUTRITIONAL DEFICIENCIES (260-269)	19	179	9.421
ANEMIAS (280-285)	21	171	8.142
MENINGITIS (320-322)	2	13	6.500
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	36	60	1.666
HYPERTENSIVE HEART DISEASE (402)	70	175	2.500
HYPERTENSIVE HEART & RENAL DIS. (404)	12	26	2.166
ACUTE MYOCARDIAL INFARCTION (410)	1,682	1,819	1.081
OTHER ACUTE & SUBACUTE I.H.D. (411)	29	71	2.448
ANGINA PECTORIS (413)	7	75	10.714
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,511	2,870	1.899
OTHER DISEASES OF ENDOCARDIUM (424)	64	157	2.453
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	825	4,066	4.928
HYPERTENSION W/WO RENAL DISEASE (401, 403)	55	607	11.036
INTRACEREBRAL HEMORRHAGE (431-432)	111	152	1.369
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	116	182	1.568

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	8	20	2.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	552	1,098	1.989
ATHEROSCLEROSIS (440)	193	808	4.186
OTHER DIS. ARTERIES & CAPIL. (441-448)	160	289	1.806
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	12	4.000
PNEUMONIA (480-486)	276	887	3.213
INFLUENZA (487)	8	15	1.875
BRONCHITIS CHRONIC & UNSPEC. (490-491)	26	61	2.346
EMPHYSEMA (492)	75	162	2.160
ASTHMA (493)	21	50	2.380
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	313	845	2.699
ULCER OF STOMACH & DUODENUM (531-533)	34	85	2.500
APPENDICITIS (540-543)	1	4	4.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	24	111	4.625
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	142	221	1.556
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	18	49	2.722
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	6	6.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	6	14	2.333
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	91	518	5.692
INFECTIONS OF KIDNEY (590)	13	32	2.461
HYPERPLASIA OF PROSTATE ALL (600)	3	17	5.666
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	1	0.000
CONGENITAL ANOMALIES (740-759)	47	72	1.531
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	20	25	1.250
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	36	70	1.944
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	77	2,089	27.129
ALL OTHER DISEASES (RESIDUAL)	710	3,023	4.257
MOTOR VEHICLE ACCIDENTS (E810-E825)	232	239	1.030
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	209	484	2.315
SUICIDE (E950-E959)	169	170	1.005
HOMICIDE & LEGAL INTERVENTION (E960-E978)	20	21	1.050
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	2	2.000
TOTAL FOR ALL CAUSES	10,826	26,695	2.465

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:
NATURE OF INJURY MENTIONS: 1311; SECONDARY NEOPLASM MENTIONS 550
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-05

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	****************************** PERCENT OF TOTAL DEATHS BY SITE OF DEATH ********************************								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	976	51.54	1.33	0.10	2.36	26.43	0.00	0.00	15.47	2.77
AROOSTOOK	753	61.49	1.99	0.00	0.53	19.39	0.00	0.00	12.48	4.12
CUMBERLAND	2,103	57.58	1.33	0.05	0.19	20.92	0.00	0.00	16.88	3.04
FRANKLIN	253	50.20	0.79	0.00	0.00	19.76	0.00	0.00	22.13	7.11
HANCOCK	480	54.17	1.25	0.00	0.00	21.67	0.00	0.21	17.71	5.00
KENNEBEC	1,001	53.15	1.40	0.10	0.20	26.47	0.00	0.20	13.59	4.90
KNOX	376	50.53	1.60	0.00	0.00	27.39	0.27	0.27	18.09	1.86
LINCOLN	318	47.17	1.89	0.00	0.00	23.58	0.00	0.00	21.07	6.29
OXFORD	537	49.72	1.49	0.19	1.12	26.63	0.00	0.00	17.32	3.54
PENOBSCOT	1,136	55.99	1.06	0.00	0.00	19.19	0.00	0.18	17.61	5.99
PISCATAQUIS	188	56.38	0.53	0.00	0.00	26.06	0.00	0.00	11.17	5.85
SAGADAHOC	263	47.53	1.52	0.00	0.00	26.24	0.00	0.00	21.67	3.04
SOMERSET	471	52.23	1.49	0.00	0.00	25.90	0.00	0.21	16.77	3.40
WALDO	256	50.00	2.73	0.00	0.00	16.41	0.00	0.00	25.00	5.86
WASHINGTON	378	50.79	1.59	0.00	0.00	23.28	0.00	0.26	17.72	6.35
YORK	1,337	53.10	9.50	0.00	0.07	17.95	0.00	0.00	16.08	3.29
STATE TOTALS	10,826	54.00	2.42	0.04	0.37	22.28	0.01	0.07	16.70	4.11

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-06

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	******************** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN HOSPITALS ********************								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	516	3.88	5.62	18.80	14.73	1.36	1.16	1.94	1.94	1.16
AROOSTOOK	478	5.23	6.69	20.92	15.90	2.72	1.46	2.09	0.84	0.84
CUMBERLAND	1,239	7.51	7.43	16.63	11.22	0.81	1.29	2.74	2.10	2.26
FRANKLIN	129	7.75	5.43	23.26	9.30	0.00	0.78	2.33	4.65	1.55
HANCOCK	266	4.89	6.77	15.79	9.77	0.38	1.13	3.76	1.13	2.26
KENNEBEC	546	4.95	8.06	18.86	12.64	2.01	0.92	1.83	2.01	0.92
KNOX	196	4.08	6.12	28.57	10.20	1.02	2.55	1.53	1.53	1.53
LINCOLN	156	8.33	8.97	19.23	8.33	2.56	1.28	3.85	0.64	3.21
OXFORD	275	5.09	6.18	19.27	10.55	2.55	1.09	2.55	3.64	3.27
PENOBSCOT	648	5.86	7.87	17.28	12.50	0.93	1.70	2.01	1.39	0.93
PISCATAQUIS	107	4.67	7.48	15.89	5.61	0.00	0.00	3.74	0.00	0.93
SAGADAHOC	129	6.20	7.75	17.05	10.08	1.55	0.78	2.33	1.55	4.65
SOMERSET	253	9.09	6.32	19.76	9.49	2.77	0.00	2.37	0.40	3.95
WALDO	135	7.41	9.63	12.59	10.37	0.00	0.74	2.96	0.74	4.44
WASHINGTON	198	9.09	7.07	16.16	9.09	2.02	0.51	4.55	1.01	1.52
YORK	837	6.45	7.65	16.85	9.56	1.08	0.60	1.67	2.03	1.55
STATE TOTALS	6,108	6.20	7.22	18.14	11.39	1.36	1.10	2.39	1.74	1.85

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-07 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	********** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES **********								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807
ANDROSCOGGIN	258	3.49	2.33	4.26	22.87	0.39	0.78	4.65	0.00	0.78
AROOSTOOK	146	2.74	4.11	12.33	23.97	9.59	0.68	2.05	0.00	0.00
CUMBERLAND	440	4.55	3.18	7.27	25.45	0.45	3.86	3.18	0.00	0.23
FRANKLIN	50	10.00	2.00	2.00	10.00	0.00	0.00	10.00	0.00	2.00
HANCOCK	104	6.73	1.92	6.73	13.46	0.00	0.00	2.88	0.00	1.92
KENNEBEC	265	6.04	4.15	9.81	18.87	0.00	3.40	5.28	0.00	1.13
KNOX	103	2.91	5.83	3.88	19.42	0.97	1.94	7.77	0.00	0.00
LINCOLN	75	1.33	4.00	9.33	16.00	0.00	2.67	4.00	0.00	0.00
OXFORD	143	6.29	2.80	7.69	20.28	0.70	0.00	2.80	0.00	1.40
PENOBSCOT	218	6.42	2.29	5.96	15.60	0.46	1.38	7.80	0.00	2.75
PISCATAQUIS	49	6.12	0.00	4.08	4.08	0.00	0.00	8.16	0.00	2.04
SAGADAHOC	69	10.14	5.80	5.80	14.49	1.45	0.00	7.25	0.00	0.00
SOMERSET	122	4.92	5.74	6.56	19.67	0.00	0.00	2.46	0.00	0.00
WALDO	42	0.00	0.00	2.38	11.90	0.00	2.38	11.90	0.00	4.76
WASHINGTON	88	4.55	2.27	6.82	15.91	0.00	1.14	2.27	0.00	0.00
YORK	240	5.42	3.75	9.58	13.33	0.42	0.83	5.00	0.00	0.42
STATE TOTALS	2,412	5.02	3.32	7.21	18.95	0.91	1.66	4.73	0.00	0.87

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-08

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	********************* PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING AT HOME *********************								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	151	7.28	5.30	12.58	27.15	0.00	1.32	0.66	0.00	0.66
AROOSTOOK	94	5.32	3.19	22.34	25.53	0.00	0.00	0.00	3.19	0.00
CUMBERLAND	355	9.30	6.48	16.62	21.97	0.56	0.85	1.13	0.56	1.41
FRANKLIN	56	3.57	5.36	19.64	21.43	0.00	0.00	1.79	1.79	3.57
HANCOCK	85	5.88	5.88	40.00	4.71	0.00	0.00	1.18	1.18	1.18
KENNEBEC	136	9.56	4.41	19.12	22.79	0.74	0.00	2.21	0.00	3.68
KNOX	68	8.82	7.35	22.06	11.76	0.00	0.00	0.00	1.47	2.94
LINCOLN	67	7.46	4.48	19.40	13.43	0.00	1.49	1.49	2.99	0.00
OXFORD	93	5.38	8.60	23.66	17.20	0.00	0.00	0.00	1.08	2.15
PENOBSCOT	200	7.50	4.50	15.50	14.00	0.00	0.50	0.50	0.50	1.00
PISCATAQUIS	21	14.29	4.76	4.76	23.81	0.00	0.00	0.00	0.00	0.00
SAGADAHOC	57	7.02	8.77	15.79	26.32	0.00	0.00	1.75	0.00	0.00
SOMERSET	79	1.27	3.80	29.11	11.39	0.00	0.00	1.27	0.00	0.00
WALDO	64	3.13	7.81	15.63	20.31	3.13	0.00	0.00	0.00	1.56
WASHINGTON	67	7.46	1.49	23.88	22.39	0.00	1.49	0.00	0.00	4.48
YORK	215	10.23	6.51	15.35	18.60	0.00	0.47	0.00	0.47	0.93
STATE TOTALS	1,808	7.58	5.64	18.97	19.25	0.28	0.50	0.77	0.72	1.44

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

INDUCED ABORTIONS

TABLE 4-01 TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS. MISCARRIAGES. AND INDUCED ABORTIONS BY GESTATION
MAINE STATE TOTALS. 1984 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL TERMINATIONS	FETAL DEATHS		MISCARRIAGES		INDUCED ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	44	0	0.00	16	3.07	28	0.74
5-8	2,278	0	0.00	209	40.12	2,069	54.92
9-12	1,620	0	0.00	220	42.23	1,400	37.16
13-19	296	0	0.00	51	9.79	245	6.50
20-23	26	26	23.01	0	0.00	0	0.00
24-27	19	19	16.81	0	0.00	0	0.00
28-31	19	19	16.81	0	0.00	0	0.00
32-35	22	22	19.47	0	0.00	0	0.00
36-38	12	12	10.62	0	0.00	0	0.00
> 39	15	15	13.27	0	0.00	0	0.00
UNKNOWN	50	0	0.00	25	4.80	25	0.66
STATE TOTALS	4,401	113	100.00	521	100.00	3,767	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 9 ABORTION RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-02

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

TERMINATION PROCEDURES	TOTAL ABORTIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION: LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	4,332	98.19	2,354	530	610	281	205	93	66	59	54	45	8	5	0	22
SHARP CURETTAGE	43	0.97	29	3	5	1	3	0	1	0	0	1	0	0	0	0
SALINE INSTILLATION	3	0.07	0	0	0	0	0	0	0	1	0	2	0	0	0	0
PROSTAGLANDIN INSTILLATION	8	0.18	1	0	0	0	0	0	1	0	1	2	1	2	0	0
HYSTEROTOMY	1	0.02	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	25	0.57	7	0	1	1	0	0	0	1	1	0	3	2	0	9
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70
ADDITIONAL PROCEDURES USED																
NONE	2,600	58.93	1,660	297	325	125	88	18	14	16	11	18	5	6	0	17
SUCTION CURETTAGE	24	0.54	17	2	3	0	1	0	0	0	1	0	0	0	0	0
SHARP CURETTAGE	1,779	40.32	711	231	288	158	118	75	53	44	43	30	8	3	0	14
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	2	0.05	0	0	0	0	0	0	0	1	0	1	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	7	0.16	3	0	0	0	1	0	1	0	1	1	0	0	0	0
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-03

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

			WEEKS OF GESTATION												
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER	UNKNOWN
LESS THAN 15	32	0.85	18	5	3	0	3	0	1	0	1	1	0	0	0	0
15	88	2.34	42	6	14	10	3	4	3	2	0	2	1	1	0	0
16	169	4.49	76	17	25	10	12	9	7	3	5	3	1	0	0	1
17	234	6.21	99	34	36	20	21	6	3	7	2	4	1	1	0	0
18	329	8.73	161	46	58	28	10	8	4	8	2	1	0	1	0	2
19	297	7.88	148	34	47	16	20	9	5	8	3	3	0	1	0	3
20-24	1,300	34.51	717	185	184	77	64	21	17	8	10	7	2	3	0	5
25-29	719	19.09	466	69	83	38	27	7	7	2	5	6	2	2	0	5
30-34	365	9.69	250	36	38	15	11	3	4	2	3	1	1	0	0	1
35-39	170	4.51	83	24	31	9	8	5	0	3	0	0	1	0	0	6
40-44	46	1.22	27	5	7	1	2	1	0	0	0	0	1	0	0	2
GREATER THAN 44	3	0.08	3	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	15	0.40	7	3	2	1	2	0	0	0	0	0	0	0	0	0
STATE TOTALS	3,767		2,097	464	528	225	183	73	51	43	31	28	10	9	0	25
PERCENT DISTRIBUTION		100.00	55.67	12.32	14.02	5.97	4.86	1.94	1.35	1.14	0.82	0.74	0.27	0.24	0.00	0.66

RACE OF PATIENT																
WHITE	3,693	98.04	2,048	455	521	223	179	71	51	43	31	28	10	8	0	25
BLACK	8	0.21	6	0	1	0	1	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	14	0.37	13	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	52	1.38	30	9	5	2	3	2	0	0	0	0	0	1	0	0
STATE TOTALS	3,767		2,097	464	528	225	183	73	51	43	31	28	10	9	0	25
PERCENT DISTRIBUTION		100.00	55.67	12.32	14.02	5.97	4.86	1.94	1.35	1.14	0.82	0.74	0.27	0.24	0.00	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 9 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-04

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION													
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	36	0.82	19	5	3	2	3	0	1	0	2	1	0	0	0	0
15	108	2.45	50	8	15	11	3	5	5	3	3	3	1	1	0	0
16	203	4.60	87	19	30	15	14	10	9	5	6	6	1	0	0	1
17	304	6.89	118	40	53	23	26	10	7	8	8	7	1	1	0	2
18	380	8.61	179	53	64	33	11	10	4	11	9	3	0	1	0	2
19	355	8.05	173	42	53	21	24	11	6	11	5	5	0	1	0	3
20-24	1,537	34.84	820	208	223	107	73	28	23	12	14	14	5	3	0	7
25-29	816	18.50	526	84	95	41	29	9	8	2	5	8	2	2	0	5
30-34	402	9.11	275	39	40	15	12	4	5	3	3	3	1	0	0	2
35-39	198	4.49	101	27	31	12	8	5	0	5	1	0	1	0	0	7
40-44	50	1.13	31	5	7	1	2	1	0	0	0	0	1	0	0	2
GREATER THAN 44	4	0.09	4	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	19	0.43	8	3	2	2	3	0	0	1	0	0	0	0	0	0
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70

RACE OF PATIENT																
WHITE	4,322	97.96	2,335	524	607	279	203	91	66	60	56	49	13	8	0	31
BLACK	15	0.34	9	0	2	1	2	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	15	0.34	14	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	60	1.36	33	9	6	3	3	2	1	1	0	1	0	1	0	0
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-05

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

		RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
MARITAL STATUS	TOTAL ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	699	684	97.85	0	0.00	2	0.29	13	1.86
NOT MARRIED	2,979	2,931	98.39	7	0.23	11	0.37	30	1.01
UNKNOWN	89	78	87.64	1	1.12	1	1.12	9	10.11
STATE TOTALS	3,767	3,693	98.04	8	0.21	14	0.37	52	1.38
AGE OF PATIENT(YRS.)									
LESS THAN 15	32	32	100.00	0	0.00	0	0.00	0	0.00
15	88	87	98.86	0	0.00	0	0.00	1	1.14
16	169	166	98.22	0	0.00	1	0.59	2	1.18
17	234	232	99.15	0	0.00	0	0.00	2	0.85
18	328	324	98.78	0	0.00	1	0.30	3	0.91
19	297	291	97.98	1	0.34	2	0.67	3	1.01
20-24	1,300	1,271	97.77	4	0.31	6	0.46	19	1.46
25-29	719	705	98.05	1	0.14	4	0.56	9	1.25
30-34	364	353	96.98	2	0.55	0	0.00	9	2.47
35-39	170	169	99.41	0	0.00	0	0.00	1	0.59
40-44	46	46	100.00	0	0.00	0	0.00	0	0.00
GREATER THAN 44	3	2	66.67	0	0.00	0	0.00	1	33.33
UNKNOWN	17	15	88.24	0	0.00	0	0.00	2	11.76
TEENAGE TOTALS	1,148	1,132	98.61	1	0.09	4	0.35	11	0.96
STATE TOTALS	3,767	3,693	98.04	8	0.21	14	0.37	52	1.38

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 9 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-06 - INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

		RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
MARITAL STATUS	TOTAL ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	777	756	97.30	1	0.13	2	0.26	18	2.32
NOT MARRIED	3,538	3,480	98.36	13	0.37	12	0.34	33	0.93
UNKNOWN	97	86	88.66	1	1.03	1	1.03	9	9.28
STATE TOTALS	4,412	4,322	97.96	15	0.34	15	0.34	60	1.36
AGE OF PATIENT(YRS.)									
LESS THAN 15	36	36	100.00	0	0.00	0	0.00	0	0.00
15	108	107	99.07	0	0.00	0	0.00	1	0.93
16	203	200	98.52	0	0.00	1	0.49	2	0.99
17	304	300	98.68	2	0.66	0	0.00	2	0.66
18	381	376	98.69	0	0.00	1	0.26	4	1.05
19	355	348	98.03	1	0.28	2	0.56	4	1.13
20-24	1,537	1,502	97.72	7	0.46	7	0.46	21	1.37
25-29	816	800	98.04	2	0.25	4	0.49	10	1.23
30-34	402	388	96.52	3	0.75	0	0.00	11	2.74
35-39	199	197	98.99	0	0.00	0	0.00	2	1.01
40-44	50	50	100.00	0	0.00	0	0.00	0	0.00
GREATER THAN 44	4	3	75.00	0	0.00	0	0.00	1	25.00
UNKNOWN	17	15	88.24	0	0.00	0	0.00	2	11.76
TEENAGE TOTALS	1,386	1,366	98.56	3	0.22	4	0.29	13	0.94
STATE TOTALS	4,412	4,322	97.96	15	0.34	15	0.34	60	1.36

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-07

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

			COMPLICATIONS OF PREGNANCY						
WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,391	54.19	2,363	6	2	0	2	5	13
9	533	12.08	530	1	2	0	0	0	0
10	616	13.96	610	2	1	0	1	0	2
11	283	6.41	282	0	0	0	0	0	1
12	208	4.71	204	2	1	0	0	1	1
13	93	2.11	91	1	0	0	0	1	0
14	68	1.54	67	0	0	0	0	0	1
15	61	1.38	59	0	0	0	0	1	1
16	56	1.27	54	0	0	0	0	1	1
17	50	1.13	48	0	2	0	0	1	0
18	13	0.29	11	1	1	0	0	0	1
19	9	0.20	7	1	0	0	0	0	1
GREATER THAN 19	0	0.00	0	0	0	0	0	0	0
UNKNOWN	31	0.70	22	0	1	0	0	0	8
STATE TOTALS	4,412		4,348	14	10	0	3	10	30
PERCENT DISTRIBUTION		100.00	98.55	0.32	0.23	0.00	0.07	0.23	0.68

AGE OF PATIENT(YRS.)	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 15	36	0.82	35	0	0	0	1	0	0
15	108	2.45	107	1	0	0	0	0	0
16	203	4.60	203	0	0	0	0	0	0
17	304	6.89	302	0	0	0	1	0	1
18	381	8.64	374	3	0	0	0	1	2
19	355	8.05	350	2	1	0	1	2	0
20-24	1,537	34.84	1,518	4	5	0	0	3	8
25-29	816	18.50	800	2	4	0	0	3	9
30-34	402	9.11	397	1	0	0	0	1	3
35-39	199	4.51	193	1	0	0	0	0	5
40-44	50	1.13	48	0	0	0	0	0	2
GREATER THAN 44	4	0.09	4	0	0	0	0	0	0
UNKNOWN	17	0.39	17	0	0	0	0	0	0
TEENAGE TOTALS	1,386	31.41	1,370	6	1	0	3	3	3
STATE TOTALS	4,412		4,348	14	10	0	3	10	30
PERCENT DISTRIBUTION		100.00	98.55	0.32	0.23	0.00	0.07	0.23	0.68

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-08 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT

MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

		OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
MARITAL STATUS	TOTAL ABORTIONS	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	699	141	181	193	72	35	77	421	161	49	14	1	53	521	83	15	5	2	73
NOT MARRIED	2,979	2,101	344	179	39	24	292	1,965	582	150	35	12	235	2,498	120	22	8	1	330
UNKNOWN	89	40	14	9	4	1	21	52	19	3	0	1	14	64	2	2	2	0	19
STATE TOTALS	3,767	2,282	539	381	115	60	390	2,438	762	202	49	14	302	3,083	205	39	15	3	422
PERCENT DIST.	100.00	60.58	14.31	10.11	3.05	1.59	10.35	64.72	20.23	5.36	1.30	0.37	8.02	81.84	5.44	1.04	0.40	0.08	11.20
AGE OF PATIENT(YRS.)																			
LESS THAN 15	32	32	0	0	0	0	0	31	1	0	0	0	0	32	0	0	0	0	0
15	88	82	0	0	0	0	6	73	2	1	0	0	12	74	1	0	0	0	13
16	169	156	3	0	0	0	10	149	10	2	0	0	8	158	0	0	0	0	11
17	234	205	10	0	0	0	19	192	15	1	0	0	26	201	6	0	0	0	27
18	328	283	13	4	1	0	27	257	48	0	0	0	23	289	8	0	1	0	30
19	297	230	33	7	0	0	27	227	39	4	0	0	27	257	12	0	0	0	28
20-24	1,300	835	213	96	15	2	139	797	323	67	12	0	101	1,083	57	4	1	1	154
25-29	719	311	153	127	28	16	84	374	190	72	19	7	57	547	55	16	4	1	96
30-34	364	110	68	89	23	16	58	191	83	37	11	3	39	267	36	11	5	0	45
35-39	170	26	36	46	34	18	10	107	36	14	5	4	4	132	23	4	2	0	9
40-44	46	2	6	11	11	8	8	28	9	3	1	0	5	26	6	4	1	1	8
GREATER THAN 44	3	0	1	1	1	0	0	2	1	0	0	0	0	3	0	0	0	0	0
UNKNOWN	17	10	3	0	2	0	2	10	5	1	1	0	0	14	1	0	1	0	1
TEENAGE TOTALS	1,148	988	59	11	1	0	89	929	115	8	0	0	96	1,011	27	0	1	0	109
PERCENT DIST.	100.00	86.06	5.14	0.96	0.09	0.00	7.75	80.92	10.02	0.70	0.00	0.00	8.36	88.07	2.35	0.00	0.09	0.00	9.49
STATE TOTALS	3,767	2,282	539	381	115	60	390	2,438	762	202	49	14	302	3,083	205	39	15	3	422
PERCENT DIST.	100.00	60.58	14.31	10.11	3.05	1.59	10.35	64.72	20.23	5.36	1.30	0.37	8.02	81.84	5.44	1.04	0.40	0.08	11.20

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 9 RECORDS WERE BLANK.

TABLE 4-09 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	777	161	203	213	83	36	81	478	176	51	15	1	56	588	90	15	5	2	77
NOT MARRIED	3,538	2,565	392	199	45	28	309	2,427	653	161	38	12	247	3,028	129	22	8	1	350
UNKNOWN	97	46	15	9	4	1	22	57	22	3	0	1	14	71	2	2	2	0	20
STATE TOTALS	4,412	2,772	610	421	132	65	412	2,962	851	215	53	14	317	3,687	221	39	15	3	447
PERCENT DIST.	100.00	62.83	13.83	9.54	2.99	1.47	9.34	67.14	19.29	4.87	1.20	0.32	7.18	83.57	5.01	0.88	0.34	0.07	10.13
AGE OF PATIENT(YRS.)																			
LESS THAN 15	36	36	0	0	0	0	0	35	1	0	0	0	0	36	0	0	0	0	0
15	108	102	0	0	0	0	6	93	2	1	0	0	12	94	1	0	0	0	13
16	203	188	4	0	0	0	11	177	15	2	0	0	9	191	0	0	0	0	12
17	304	272	12	0	0	0	20	256	19	2	0	0	27	269	7	0	0	0	28
18	381	333	15	4	2	0	27	306	52	0	0	0	23	341	8	0	2	0	30
19	355	282	38	8	0	0	27	278	46	4	0	0	27	314	12	0	0	0	29
20-24	1,537	1,021	243	103	19	2	149	982	363	72	12	0	108	1,304	61	4	1	1	166
25-29	816	370	175	134	31	17	89	447	205	78	21	7	58	636	58	16	4	1	101
30-34	402	123	72	101	29	16	61	220	87	37	13	3	42	297	41	11	5	0	48
35-39	199	31	40	57	39	20	12	123	46	15	5	4	6	156	26	4	2	0	11
40-44	50	2	7	13	11	9	8	32	9	3	1	0	5	30	6	4	1	1	8
GREATER THAN 44	4	0	1	1	1	1	0	3	1	0	0	0	0	4	0	0	0	0	0
UNKNOWN	17	12	3	0	0	0	2	10	5	1	1	0	0	15	1	0	0	0	1
TEENAGE TOTALS	1,386	1,213	69	12	1	0	91	1,144	135	9	0	0	98	1,245	28	0	1	0	112
PERCENT DIST.	100.00	87.52	4.98	0.87	0.07	0.00	6.57	82.54	9.74	0.65	0.00	0.00	7.07	89.83	2.02	0.00	0.07	0.00	8.08
STATE TOTALS	4,412	2,772	610	421	132	65	412	2,962	851	215	53	14	317	3,687	221	39	15	3	447
PERCENT DIST.	100.00	62.83	13.83	9.54	2.99	1.47	9.34	67.14	19.29	4.87	1.20	0.32	7.18	83.57	5.01	0.88	0.34	0.07	10.13

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	92	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	0	TENNESSEE	1
ARIZONA	1	MINNESOTA	0	TEXAS	2
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	2	MISSOURI	1	VERMONT	6
COLORADO	1	MONTANA	0	VIRGINIA	3
CONNECTICUT	3	NEBRASKA	0	WASHINGTON	0
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	2	NEW HAMPSHIRE	89	WISCONSIN	1
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	0	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	11	PUERTO RICO	0
ILLINOIS	1	NORTH CAROLINA	0	VIRGIN ISLANDS	0
INDIANA	1	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	2	CANADA	408
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	4	OTHER W. HEMISPHERE	0
MAINE	3,767	RHODE ISLAND	5	REST OF THE WORLD	2
MARYLAND	2	SOUTH CAROLINA	0	UNKNOWN	3
				TOTAL	4,412

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

MARRIAGES
AND
DIVORCES

TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.) UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	7	0.06	0	0	0	0	0	0	0	1	0	0	0	0	1	5	0
16-17	43	0.37	3	18	14	4	3	0	1	0	0	0	0	0	0	0	0
18-19	656	5.69	11	112	369	108	28	11	3	6	5	1	2	0	0	0	0
20-21	1,490	12.92	5	93	601	507	153	54	33	18	17	6	3	0	0	0	0
22-23	1,813	15.72	7	58	382	563	471	183	66	39	30	12	2	0	0	0	0
24-25	1,409	12.22	2	17	175	316	348	264	125	58	74	24	6	0	0	0	0
26-27	1,112	9.64	2	9	72	155	242	211	181	105	100	27	7	0	1	0	0
28-29	875	7.59	1	5	43	83	137	158	145	121	125	47	7	2	1	0	0
30-34	1,496	12.97	0	5	45	109	166	177	201	194	428	137	26	5	3	0	0
35-39	982	8.52	1	3	14	31	46	76	97	112	280	219	87	12	4	0	0
40-44	583	5.06	0	0	3	11	19	20	29	34	129	172	105	45	16	0	0
45-49	329	2.85	0	1	2	4	3	3	18	14	51	81	78	48	26	0	0
50-64	551	4.78	0	1	3	1	1	3	6	11	22	66	95	104	222	16	0
OVER 64	184	1.60	1	0	0	1	0	1	1	0	1	6	7	5	75	86	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DISTRIBUTION		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-02

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	EDUCATION OF BRIDE(YRS.)											
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	101	0.88	8	13	9	12	7	43	5	1	0	1	1	1
8	310	2.69	10	47	27	28	23	138	14	9	2	4	4	4
9	325	2.82	4	20	42	36	34	151	17	12	3	2	1	3
10	450	3.90	7	15	27	60	42	260	14	10	3	6	1	5
11	527	4.57	7	15	38	56	81	283	15	14	3	7	3	5
12	5,598	48.55	24	82	159	259	316	3,462	408	416	124	245	62	41
13	709	6.15	1	3	13	16	25	283	128	107	42	76	12	3
14	1,099	9.53	2	9	4	18	17	440	136	219	52	161	37	4
15	334	2.90	1	2	4	5	9	106	38	56	32	55	23	3
16	1,291	11.20	1	0	6	11	4	299	106	197	97	469	97	4
OVER 16	598	5.19	0	0	2	1	1	89	37	72	52	179	163	2
UNKNOWN	188	1.63	2	4	3	1	3	33	3	6	0	7	3	123
STATE TOTALS	11,530		67	210	334	503	562	5,587	921	1,119	410	1,212	407	198
PERCENT DISTRIBUTION		100.00	0.58	1.82	2.90	4.36	4.87	48.46	7.99	9.71	3.56	10.51	3.53	1.72

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

			AGE OF BRIDE(YRS.)														
PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	7,406	64.23	32	320	1,701	1,789	1,400	838	516	321	352	85	20	14	13	5	0
WIDOWED	397	3.44	0	0	0	4	0	6	10	9	26	31	29	41	154	87	0
DIVORCED	3,717	32.24	1	2	22	97	216	317	379	383	881	681	376	166	182	14	0
ANNULLED	10	0.09	0	0	0	3	1	0	1	0	3	1	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DIST.		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00

			AGE OF GROOM(YRS.)														
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,401	64.19	1	43	654	1,456	1,721	1,228	841	546	606	194	57	25	24	5	0
WIDOWED	355	3.08	5	0	0	0	0	2	2	1	5	14	17	14	152	143	0
DIVORCED	3,762	32.63	1	0	2	34	91	177	269	326	884	772	507	288	375	36	0
ANNULLED	12	0.10	0	0	0	0	1	2	0	2	1	2	2	2	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GROOM TOTALS	11,530		7	43	656	1,490	1,813	1,409	1,112	875	1,496	982	583	329	551	184	0
PERCENT DIST.		100.00	0.06	0.37	5.69	12.92	15.72	12.22	9.64	7.59	12.97	8.52	5.06	2.85	4.78	1.60	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-04

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	********************* NUMBER OF PREVIOUS MARRIAGES OF BRIDE *********************									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	7,402	64.20	6,088	1,131	160	15	5	3	0	0	0	0
1	3,244	28.14	1,129	1,685	357	51	18	2	2	0	0	0
2	716	6.21	168	331	181	29	6	0	0	0	1	0
3	130	1.13	21	62	22	20	4	1	0	0	0	0
4	25	0.22	1	14	8	1	0	1	0	0	0	0
5	7	0.06	0	5	0	1	0	1	0	0	0	0
6	1	0.01	0	1	0	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	2	0.02	0	1	0	1	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,530		7,408	3,231	729	118	33	8	2	0	1	0
PERCENT DISTRIBUTION		100.00	64.25	28.02	6.32	1.02	0.29	0.07	0.02	0.00	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
  RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-05 DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** NUMBER OF MINOR CHILDREN ******						***** PLAINTIFF *****			** DECREE GRANTED ***		
			0	1	2	3	4	OVER 4	WIFE	HUSBAND	BOTH	WIFE	HUSBAND	BOTH
UNDER 1	267	4.61	229	30	7	0	0	1	173	94	0	101	52	114
1-2	1,093	18.86	742	291	51	9	0	0	716	377	0	371	168	554
3-4	996	17.19	487	336	162	11	0	0	663	332	1	355	146	495
5-6	702	12.11	267	227	176	29	3	0	478	224	0	223	104	375
7-8	540	9.32	196	147	166	27	4	0	371	169	0	176	56	308
9-10	458	7.90	117	113	176	44	7	1	301	157	0	139	57	262
11-12	350	6.04	69	89	139	43	8	2	239	111	0	106	57	187
13-14	296	5.11	52	61	113	60	7	3	199	97	0	80	38	178
15-16	230	3.97	29	39	101	51	8	2	149	81	0	71	22	137
17-18	191	3.30	17	31	68	50	17	8	131	60	0	64	22	105
19-20	158	2.73	33	45	53	21	4	2	104	54	0	56	27	75
21-22	119	2.05	38	48	23	7	2	1	76	43	0	39	16	64
23-24	100	1.73	53	30	11	5	1	0	63	36	1	29	13	58
25-26	75	1.29	43	24	7	1	0	0	48	27	0	20	13	42
27-28	70	1.21	51	16	2	0	0	1	44	26	0	20	9	41
29-30	52	0.90	34	13	3	2	0	0	34	18	0	15	5	32
31-34	50	0.86	42	7	1	0	0	0	33	17	0	16	9	25
35-39	30	0.52	28	1	1	0	0	0	19	11	0	9	7	14
OVER 39	18	0.31	18	0	0	0	0	0	9	9	0	4	7	7
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,795		2,545	1,548	1,260	360	61	21	3,850	1,943	2	1,894	828	3,073
PERCENT DIST.		100.00	43.92	26.71	21.74	6.21	1.05	0.36	66.44	33.53	0.03	32.68	14.29	53.03

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

APPENDICES

APPENDIX 1

Copies of Maine Certificates:
Birth
Fetal Death
Death
Spontaneous and Induced Abortion
Marriage
Divorce

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

SPECIMEN COPY

63042 -0

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

CHILD

CHILD—NAME FIRST MIDDLE LAST 1	SEX 2	DATE OF BIRTH (Mo., Day, Yr.) 3a	HOUR 3b M

HOSPITAL—NAME (If not in hospital, give street and number) 4a	CITY, TOWN OR LOCATION OF BIRTH 4b	COUNTY OF BIRTH 4c

CERTIFIER

I certify that the stated information concerning this child is true to the best of my knowledge and belief. 5a (Signature) ▶	DATE SIGNED (Mo., Day, Yr.) 5b	NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print) 5c
CERTIFIER—NAME AND TITLE (Type or print) 5d	MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip) 5e	

REGISTRAR 6a (Signature) ▶	DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.) 6b

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 7a	AGE (At time of this birth) 7b	STATE OF BIRTH (If not in U.S.A. name country) 7c

STATE OF RESIDENCE 8a	COUNTY OF RESIDENCE 8b	CITY, TOWN OR LOCATION OF RESIDENCE 8c	STREET AND NUMBER OF RESIDENCE 8d

MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only 9a	YEARS LIVING IN PRESENT TOWN 9b

FATHER

FATHER—NAME FIRST MIDDLE LAST 10a	AGE (At time of this birth) 10b	STATE OF BIRTH (If not U.S.A., name country) 10c

I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. (Signature of Parent or 11a other informant) ▶	RELATION TO CHILD 11b

SPECIMEN COPY

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE-MOTHER (e.g. White, Black, American Indian, etc.) (Specify) 12	RACE-FATHER (e.g. White, Black, American Indian, etc.) (Specify) 13	BIRTH WEIGHT 14	THIS BIRTH—Single, twin, triplet, etc. (Specify) 15a	IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify) 15b	IS MOTHER MARRIED? (Specify yes or no) 16

VS-R183

SPECIMEN COPY

STATE COPY

PREGNANCY HISTORY	(Do not include this child) (Complete each section)	(Number) 17a None ☐	(Number) 17b None ☐	(Month, Year) 17c
	OTHER TERMINATIONS (Spontaneous and induced)	Before 20 weeks (Number) 17d None ☐	After 20 weeks (Number) 17e None ☐	DATE OF LAST OTHER TERMINATION (as indicated in 17d or 17e) 17f Mo. Yr.
MOTHER	ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, Irish, etc.) 18a	EDUCATION—(highest grade completed) Elementary or Secondary (0-12) 18b / College (1-4 or 5+) 18c	OCCUPATION—MOTHER 18d	INDUSTRY—MOTHER 18e
FATHER	ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, Irish, etc.) 19a	EDUCATION (0-12) 19b / (1-4 or 5+) 19c	OCCUPATION—FATHER 19d	INDUSTRY—FATHER 19e
MOTHER	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 20	MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify) 21a	PRENATAL VISITS Total Number (If none, so state) 21b	
CHILD	APGAR SCORE 1 Min. 22a / 5 Min. 22b	GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks) 23	CONDITION OF INFANT AT BIRTH (Specify) 24 Normal ☐ Respiratory Distress ☐ Birth Injury ☐ Other (Specify) ☐	

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN

25 COMPLICATIONS OF PREGNANCY (Check all which apply)	26 ILLNESS OR CONDS AFFECTING PREGNANCY (Check all which apply)	27 COMPLICATIONS OF LABOR (Check all which apply)	28 METHOD OF DELIVERY (check one)	29 CONGENITAL ANOMALIES (check all which apply)	
Bleeding in Early Pregnancy a ☐	Tobacco Use a ☐	Abruptio Placenta a ☐	Spontaneous Controlled a ☐	Anencephalus a ☐	Of Digestive System (specify) ______ j ☐
Eclampsia b ☐	Heart Disease Symptomatic b ☐	Placenta Previa b ☐	Spontaneous Uncontrolled b ☐	Spina Bifida b ☐	Of Genital Organs (specify) ______ k ☐
Preeclampsia c ☐	Hypertension c ☐	Cord Prolapse or Compression c ☐	Low Forceps c ☐	Other Nervous System (specify) ______ c ☐	Of Urinary System (specify) ______ l ☐
Rh Sensitization d ☐	Chronic Renal Disease d ☐	Dystocia (Specify type) ______ d ☐	Other Forceps Procedure d ☐	Cleft Lip/Palate (specify) ______ d ☐	Of Musculoskeletal (specify) ______ m ☐
Anemia (Hgb. < 10 gm/Hct < 30%) g ☐	Pyelocystitis e ☐	Breech e ☐	Primary C Section e ☐	Of Eye (specify) ______ e ☐	Of Integument (specify) ______ n ☐
Amnionitis h ☐	DES Exposure f ☐	Intrapartum Fever/ Chorioamnionitis g ☐	Repeat C Section f ☐	Of Ear, Face, Neck (specify) ______ f ☐	Chromosomal (specify) ______ o ☐
Urinary Tract Infection i ☐	Alcohol Dependence g ☐	Fetal Distress h ☐	Breech Delivery g ☐	Of Heart (specify) ______ g ☐	Other (specify) ______ ☐
Premature Labor (before 37 weeks) j ☐	Drug Addiction or Dependence h ☐	Labor >18 hrs i ☐	Version and Extraction h ☐	Of Other Circulatory System (specify) ______ h ☐	None z ☐
Premature Delivery (before 37 weeks) k ☐	Previous C-section (specify number) ______ i ☐	Other (specify) ______ y ☐	Other (specify) ______ y ☐	Of Respiratory System (specify) ______ i ☐	
PROM (> 24 hours before delivery) l ☐	Obesity j ☐	None z ☐			
Other (specify) ______ y ☐	Gestational Diabetes k ☐				
None z ☐	Chronic Diabetes l ☐				
	Other (specify) ______ y ☐				
	None z ☐				

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

SPECIMEN COPY



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL—
STATE
COPY

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF FETAL DEATH

SPECIMEN COPY

HOSPITAL — NAME (If not in hospital, give name of street and number) 1a	CITY, TOWN OR LOCATION OF DELIVERY 1b		COUNTY OF DELIVERY 1c
DATE OF DELIVERY (Month, Day, Year) 2a	HOUR OF DELIVERY 2b M	SEX OF FETUS 3	WEIGHT OF FETUS 4
MOTHER — MAIDEN NAME FIRST MIDDLE LAST 5a	AGE (At time of this delivery) 5b	RESIDENCE — STATE 6a	COUNTY 6b

MOTHER

CITY, TOWN OR LOCATION 6c	STREET AND NUMBER 6d			PREGNANCY HISTORY
RACE — (e.g. White, Black, American Indian, etc.) (Specify) 7	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+)	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 8	IS MOTHER MARRIED? (Specify yes or no) 10	LIVE BIRTHS: 11a. Now Living Number ___ None ☐ 11b. Now dead Number ___ None ☐ OTHER TERMINATIONS (Spontaneous and induced): 11d. Before 20 weeks Number ___ None ☐ 11e. After 20 weeks Number ___ (Do not include this fetus) None ☐
MONTH OF PREGNANCY PRENATAL CARE BEGAN First, Second, etc. (Specify) 12a	PRENATAL VISITS — Total number (If none, so state) 12b	THIS BIRTH — Single, twin, triplet, etc. (Specify) 13a	IF NOT SINGLE BIRTH — Born first, second, third, etc. (Specify) 13b	DATE OF LAST LIVE BIRTH (Month, Year) 11c DATE OF LAST OTHER TERMINATION (as indicated in d. or e above) (Month, Year) 11f

FATHER

FATHER — NAME FIRST MIDDLE LAST 14a	AGE (At time of this delivery) 14b	RACE — (e.g. White, Black, American Indian, etc.) (Specify) 14c	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+) 14d
FUNERAL DIRECTOR · SIGNATURE 14e	Burial ☐ Cremated ☐	REGISTRAR · SIGNATURE 14f	DATE RECEIVED BY LOCAL REGISTRAR 14g

CAUSE OF FETAL DEATH

15 IMMEDIATE CAUSE — ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c) — Specify Fetal or Maternal

PART I — Fetal or maternal condition directly causing fetal death (a) — DUE TO, OR AS A CONSEQUENCE OF — Specify Fetal or Maternal

Fetal and/or maternal conditions, if any, giving rise to the immediate cause (a), stating the underlying cause last (b) — DUE TO, OR AS A CONSEQUENCE OF — Specify Fetal or Maternal (c)

PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER Conditions contributing to fetal death but not related to cause given in (a)	FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16	PHYSICIAN'S ESTIMATE OF GESTATION 17 Weeks	AUTOPSY (Specify yes or no) 18
COMPLICATIONS OF PREGNANCY (Describe or write "none") 19	COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none") 20		
CONCURRENT ILLNESSES, CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none") 21	CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none") 22		

CERTIFIER

CERTIFIER NAME (Type or Print) 23a	SIGNATURE 23b	DEGREE OR TITLE	DATE SIGNED (Month, Day, Year) 23c

SPECIMEN COPY

VS-4 R178



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL
COPY
STATE

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

SPECIMEN COPY

DECEDENT

1. DECEDENT–NAME FIRST MIDDLE LAST
2. SEX
3. DATE OF DEATH (Mo. Day Yr.)
4. RACE–(e.g., White, Black, American Indian, etc.) (Specify)
5a. AGE–Last Birthday (Yrs.)
5b. UNDER 1 YEAR MOS. DAYS
5c. UNDER 1 DAY HOURS MINS.
6. DATE OF BIRTH (Mo. Day Yr.)
7a. COUNTY OF DEATH
7b. CITY, TOWN OR LOCATION OF DEATH
7c. HOSPITAL OR OTHER INSTITUTION
7d. IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)
8. STATE OF BIRTH
9. CITIZEN OF WHAT COUNTRY
10. ORIGIN OR DESCENT (e.g. Italian, Mexican, German, etc.)
11. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)
12. SURVIVING SPOUSE
13. SOCIAL SECURITY NUMBER
VETERAN Yes ☐ No ☐
14a. USUAL OCCUPATION
14b. KIND OF BUSINESS OR INDUSTRY
15a. RESIDENCE–STATE
15b. COUNTY
15c. CITY, TOWN OR LOCATION
15d. STREET AND NUMBER

PARENTS

16. FATHER–NAME FIRST MIDDLE LAST
17. MOTHER–MAIDEN NAME FIRST MIDDLE LAST
18a. INFORMANT–NAME (Type or Print)
18b. MAILING ADDRESS STREET OR R.F.D. NO. CITY OR TOWN STATE ZIP

DISPOSITION

19a. BURIAL, CREMATION, REMOVAL, OTHER MO. DAY YEAR
19b. CEMETERY OR CREMATORY–NAME
19c. LOCATION CITY OR TOWN STATE
20a. FUNERAL SERVICE LICENSEE or authorized person (Signature)
20b. NAME OF FACILITY
20c. ADDRESS OF FACILITY - CITY OR TOWN

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated. (Signature and Title) ▶
21b. DATE SIGNED (Mo. Day Yr.)
21c. HOUR OF DEATH
21d. I DID NOT VIEW THE BODY AFTER DEATH
21e. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)

To be Completed by MEDICAL EXAMINER Only

22a. On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated. (Signature and Title) ▶
22b. DATE SIGNED (Mo. Day Yr.)
22c. HOUR OF DEATH M
22d. PRONOUNCED DEAD (Mo. Day Yr.) ON
22e. PRONOUNCED DEAD (Hour) AT M

23. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

24. PART I IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).) Interval between onset and death
(a)
DUE TO, OR AS A CONSEQUENCE OF Interval between onset and death
(b)
DUE TO, OR AS A CONSEQUENCE OF Interval between onset and death
(c)

PART II OTHER SIGNIFICANT CONDITIONS–Conditions contributing to death but not related to cause given in PART I (a)
25. AUTOPSY (Specify Yes or No)
26. WAS CASE REFERRED TO MEDICAL EXAMINER? (Specify Yes or No)
27a. ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)
27b. DATE OF INJURY (Mo. Day Yr.)
27c. HOUR OF INJURY M
27d. DESCRIBE HOW INJURY OCCURRED
27e. INJURY AT WORK (Specify Yes or No)
27f. PLACE OF INJURY
27g. LOCATION STREET OR R.F.D. No. CITY OR TOWN STATE

28a. REGISTRAR (Signature) ▶
28b. DATE RECEIVED BY REGISTRAR (Mo. Day Yr.)

VS-3 R878



STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES

REPORT OF ABORTION (Spontaneous and Induced)

SPECIMEN COPY

FACILITY NAME (IF NOT INSTITUTION GIVE ADDRESS) 1	COUNTY OF ABORTION 2(a)	CITY OR TOWN OF ABORTION 2(b)

REPORT NUMBER 3 № 16234	AGE OF PATIENT 4	PATIENT MARRIED? 5 YES ☐ NO ☐	DATE OF ABORTION 6

RESIDENCE OF PATIENT (STATE) 7(a)	COUNTY 7(b)	CITY OR TOWN 7(c)	TYPE OF ABORTION 8 SPONTANEOUS ☐ INDUCED ☐

RACE (CHECK)	EDUCATION (0-17) HIGHEST GRADE COMPLETED	PREVIOUS PREGNANCIES (COMPLETE EACH SECTION)			
		LIVE BIRTHS		OTHER TERMINATIONS	
		Now Living	Now Dead	Spontaneous	Induced
☐ White ☐ Black ☐ American Indian ☐ Other	10	Number _____ 11(a) None ☐	Number _____ 11(b) None ☐	Number _____ 11(c) None ☐	Number _____ 11(d) None ☐

TERMINATION PROCEDURE

PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY)		ADDITIONAL PROCEDURES USED IF ANY (CHECK ALL THAT APPLY)
☐	... SPONTANEOUS ABORTION—NOT APPLICABLE	
☐	SUCTION CURETTAGE	☐
☐	SHARP CURETTAGE	☐
☐	INTRA-UTERINE SALINE INSTILLATION	☐
☐	INTRA-UTERINE PROSTAGLANDIN INSTILLATION	☐
☐	HYSTEROTOMY	☐
☐	HYSTERECTOMY	☐
☐	OTHER (SPECIFY)	☐

12(a) ____________________

COMPLICATIONS OF PREGNANCY

CHECK ALL THAT APPLY

NONE	☐
HEMORRHAGE	☐
INFECTION	☐
UTERINE PERFORATION	☐
CERVICAL LACERATION	☐
RETAINED PRODUCTS	☐
OTHER (SPECIFY)	☐

12(b) ____________________

SIGNATURE OF ATTENDING PHYSICIAN 13	ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION 14
PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE 15	NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN 16

VS 4A R0180

SPECIMEN COPY



14004

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

SPECIMEN COPY

ORIGINAL
CITY OR TOWN

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
LICENSE AND CERTIFICATE OF MARRIAGE

GROOM	GROOM NAME FIRST MIDDLE LAST			AGE 2
	USUAL RESIDENCE-STREET AND NUMBER 3a		CITY, TOWN OR LOCATION 3b	
	COUNTY 3c	STATE 3d	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 4	DATE OF BIRTH (MO. DAY YR.) 5
	FATHER-NAME 6a	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 6b	MOTHER-MAIDEN NAME 7a	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 7b
BRIDE	BRIDE NAME FIRST MIDDLE LAST 8a		MAIDEN NAME (IF DIFFERENT) 8b	AGE 9
	USUAL RESIDENCE-STREET AND NUMBER 10a		CITY, TOWN OR LOCATION 10b	
	COUNTY 10c	STATE 10d	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 11	DATE OF BIRTH (MO. DAY YR.) 12
	FATHER-NAME 13a	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 13b	MOTHER-MAIDEN NAME 14a	BIRTHPLACE (STATE OR FOREIGN COUNTRY) 14b

LICENSE TO MARRY	I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF	GROOM'S SIGNATURE 15 ▶		BRIDE'S SIGNATURE 16 ▶
	ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE NAMED PARTIES UNDER THE LAWS OF MAINE.	DATE INTENTIONS FILED 17a	LICENSE ISSUED DATE 17b	LICENSE VALID UNTIL (DATE) 17c
		SIGNATURE OF CLERK 17d ▶		CITY OR TOWN 17e

THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE

CEREMONY	I CERTIFY THE ABOVE NAMED PERSONS WERE MARRIED ON MONTH DAY YEAR 18a	WHERE MARRIED-CITY 18b	COUNTY 18c	
	PERSON PERFORMING CEREMONY (Signature) 18d ▶	PRINTED NAME 18e	TITLE 18f	DATE OF COMMISSION OR LICENSE 18g
	ADDRESS OF ABOVE PERSON 19a	WITNESS TO CEREMONY Type or Print 19b	WITNESS TO CEREMONY Type or Print 19c	
CLERK	SIGNATURE OF CLERK 20a (Signature) ▶		DATE RECEIVED 20b	

SPECIMEN

INFORMATION FOR STATISTICAL PURPOSES ONLY

RACE GROOM	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	
Specify (e.g. White, Black, American Indian, etc.) 21	Specify (First, Second, etc.) 22	By Death, Divorce, Dissolution or Annulment (Specify) 23a	Date (Mo. Day Yr.) 23b	Elementary or Secondary (0-12) 24	College (1-4 or 5+)
RACE BRIDE	**NUMBER OF THIS MARRIAGE**	**IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED**		**EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)**	
Specify (e.g. White, Black, American Indian, etc.) 25	Specify (First, Second, etc.) 26	By Death, Divorce, Dissolution or Annulment (Specify) 27a	Date (Mo. Day Yr.) 27b	Elementary or Secondary (0-12) 28	College (1-4 or 5+)

VS-2 R978



SPECIMEN COPY

Form VS-3 R-777

STATE OF MAINE

State File No.

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	LAST
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE	6. DATE OF MARRIAGE	
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE ☐ ANNULMENT ☐	8. PLAINTIFF HUSBAND ☐ WIFE ☐	9. DECREE GRANTED TO HUSBAND ☐ WIFE ☐
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR JUDGEMENT	
MINOR CHILDREN Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

SPECIMEN COPY

APPENDIX 2

1984 Population Projections

Projected Total Population
Maine Counties and State Total, - July 1, 1984

County	Projected Resident Population July 1, 1984
State total	1,154,350
Androscoggin	100,250
Aroostook	89,000
Cumberland	222,800
Franklin	28,500
Hancock	43,450
Kennebec	111,850
Knox	34,250
Lincoln	27,750
Oxford	49,650
Penobscot	138,550
Piscataquis	18,100
Sagadahoc	30,000
Somerset	46,600
Waldo	29,400
Washington	34,100
York	150,100

Source: Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1984-1993. Augusta: Maine Department of Human Services, June, 1985.

Projected Population by Age Group and Sex
Maine State Totals, - July 1, 1984

Age Group (Years)	Projected Resident Population July 1, 1984		
	Male	Female	Total
All Ages - Total	560,480	593,720	1,154,200[b]
Under 1[a]	8,423	8,001	16,424
1-14	121,467	114,259	235,726
15-24	91,490	90,510	182,000
25-34	92,800	93,750	186,550
35-44	80,400	80,400	160,800
45-64	105,000	114,800	219,800
65-74	38,970	49,230	88,200
75-84	17,550	30,630	48,180
85 and older	4,380	12,140	16,520

Notes: [a] Data for under one year of age population estimated based on 1983 and 1984 births, infant deaths, and estimated net migration.

[b] Total projected population does not match that in previous table because the county and age/sex totals do not match in the source document. Technicalities in the population projection methodology are the cause of the discrepancy.

Sources: Data for ages over one year derived from: Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County, Maine: 1983-1994. Augusta: Maine Department of Human Services, June, 1985.

Data for estimates of under one year of age population taken from this report and:

Division of Data and Research, Office of Health Planning and Development, Maine Department of Human Services
Maine Vital Statistics, 1983, Augusta. 1985.

Welch, D. Population Estimates for Minor Civil Divisions by County, Maine, 1983. Augusta: Maine Department of Human Services, December, 1984.

APPENDIX 3

Historical Vital Statistics Data

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1045 (Every Fifth Year) and 1946-1984 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate[d]	Neonatal Death Rate[d]	Fetal Death Rate[d]	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6[a]	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5[a]	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5[a]	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3[a]	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8[a]	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9[a]	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6[a]	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8[a]	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1[a]	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5[a]	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7[a]	10,664	2,905
1948	900,500	22,270	24.7	10,091	11.2	32.8	21.2	17.1[a]	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8[a]	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4[a]	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8[a]	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6[a]	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8[a]	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2[a]	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4[a]	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8[a]	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3[a]	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2[a]	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1[a]	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7[a]	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5[a]	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1[a]	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3[a]	8,121	1,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4[a]	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5[a]	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0[a]	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1[a]	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0[a]	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8[a]	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8[a]	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2[a]	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2[a]	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3[a]	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9[b]	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8[b]	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3[b]	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6[b]	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9[b,c]	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2[b,c]	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1[b,c]	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7[b,c]	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9[b,c]	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5[b]	12,478	5,939
1984	1,154,200	16,631	14.4	10,826	9.4	8.0	4.8	6.8[b]	12,525	5,795

Notes: [a] Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

[b] Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

[c] Occurrence data.

[d] Rate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Induced Abortions, Number and Rate: Maine State Totals, 1978-1984

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0[a]
1979	16,435	3,963	241.1[a]
1980	16,474	3,594	218.2[b]
1981	16,567	2,881	173.9[b]
1982	16,695	2,419	144.9[b]
1983	16,576	3,279	197.8[b]
1984	16,631	3,767	226.5[b]

Notes: Data prior to 1978 not given because of severe underreporting.

[a] Occurrence data.
[b] Residence data.

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

Bureau of Medical Services
Office of Health Planning and Development
151 Capitol Street, Station #11
Augusta, Maine 04333
(207) 289-2716
289-3001 (Data)

January 10, 1986

ERRATA - MAINE VITAL STATISTICS, 1984

The attached Tables 5-01 and 5-03 replace those in the bound volume.

TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.) UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	43	0.37	3	18	14	4	3	0	1	0	0	0	0	0	0	0	0
18-19	656	5.69	11	112	369	108	28	11	3	6	5	1	2	0	0	0	0
20-21	1,490	12.92	5	93	601	507	153	54	33	18	17	6	3	0	0	0	0
22-23	1,813	15.72	7	58	382	563	471	183	66	39	30	12	2	0	0	0	0
24-25	1,410	12.23	2	17	175	316	348	264	125	59	74	24	6	0	0	0	0
26-27	1,112	9.64	2	9	72	155	242	211	181	105	100	27	7	0	1	0	0
28-29	875	7.59	1	5	43	83	137	158	145	121	125	47	7	2	1	0	0
30-34	1,496	12.97	0	5	45	109	166	177	201	194	428	137	26	5	3	0	0
35-39	982	8.52	1	3	14	31	46	76	97	112	280	219	87	12	4	0	0
40-44	583	5.06	0	0	3	11	19	20	29	34	129	172	105	45	16	0	0
45-49	329	2.85	0	1	2	4	3	3	18	14	51	81	78	48	26	0	0
50-64	551	4.78	0	1	3	1	1	3	6	11	22	66	95	104	222	16	0
OVER 64	190	1.65	1	0	0	1	0	1	1	0	1	6	7	5	76	91	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DISTRIBUTION		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1984 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.)														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	7,406	64.23	32	320	1,701	1,789	1,400	838	516	321	352	85	20	14	13	5	0
WIDOWED	397	3.44	0	0	0	4	0	6	10	9	26	31	29	41	154	87	0
DIVORCED	3,717	32.24	1	2	22	97	216	317	379	383	881	681	376	166	182	14	0
ANNULLED	10	0.09	0	0	0	3	1	0	1	0	3	1	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DIST.		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00

	TOTAL MARRIAGES	PERCENT DIST.	AGE OF GROOM(YRS.)														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,401	64.19	0	43	654	1,456	1,721	1,229	841	546	606	194	57	25	24	5	0
WIDOWED	355	3.08	0	0	0	0	0	2	2	1	5	14	17	14	152	148	0
DIVORCED	3,762	32.63	0	0	2	34	91	177	269	326	884	772	507	288	375	37	0
ANNULLED	12	0.10	0	0	0	0	1	2	0	2	1	2	2	2	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GROOM TOTALS	11,530		0	43	656	1,490	1.813	1,410	1,112	875	1,496	982	583	329	551	190	0
PERCENT DIST.		100.00	0.00	0.37	5.69	12.92	15.72	12.23	9.64	7.59	12.97	8.52	5.06	2.85	4.78	1.65	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

E-86 S3460-2-u

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

Office of Data, Research and Vital Statistics
State House, Station #11
Augusta, Maine 04333
Tel: (207) 289-3001
289-3181 (Vital Records)

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

June 30, 1986

ERRATA - MAINE VITAL STATISTICS, 1984

Please make the following correction in Table 3-01 (page 87):

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	*** RATE PER 100,000 *** POPULATION TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES			
CAUSE OF DEATH	367.0	374.9	359.6
HEART DISEASE (390-398,402,404-429)	210.0	227.1	193.9
MALIGNANT NEOPLASMS (140-208)	68.2	48.0	87.2
CEREBROVASCULAR DISEASE (430-438)	38.2	52.8	24.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	37.7	47.6	28.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	24.6	25.5	23.7
PNEUMONIA & INFLUENZA (480-487)	17.4	15.0	19.7
DIABETES MELLITUS (250)	16.7	14.6	18.7
ATHEROSCLEROSIS (440)	14.6	23.6	6.2
SUICIDE (E950-E959)	12.3	16.4	8.4
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	938.0	977.4	900.8
TOTAL FOR AGE GROUP			